

FCP MN Diversion Phase 4

Fargo-Moorhead Metro Flood Risk Management Project, Feasibility Study, Phase 3, Report for the US Army Corps of Engineers and the cities of Fargo, ND & Moorhead, MN

State Sales Tax Source: MN Department of Revenue Website 2010 sales tax rate 6.875%. City/County sales tax not included. Not assuming all materials are purchased in Clay County.

Sources: U.S. Department of Labor January 2009, MN Department of Revenue June 2010, 2010 RS Means Heavy Construction Cost Data

Contractor assumptions for the MII estimates are coordinated with the USACE. Contractor assumptions are developed in the estimate to reflect one possible scenario by which the work could be constructed. Other scenarios are certainly possible. These contractor assumptions apply to items in estimate groups 09 Channels & Canals and 11 Levees & Floodwalls. These assumptions do not apply to cost estimate group 08 Roads, Railroads and Bridges, as discussed in Section G3.1 and Section G3.2.

The cost estimate assumes the work is performed by a prime general contractor performing management duties, and discipline-specific subcontractors performing work tasks. This arrangement exists once, estimate-wide. However, this arrangement and the estimated contractor costs are assumed to be applicable to each 1-year to 2-year phase of the \$200M/year funding scenario utilized, as discussed during the July 1st, 2010 meeting with USACE. A summary of contractor assumptions is included in Consultant Exhibit G-K.

PRIME CONTRACTOR:

Job Office Overhead (JOOH) costs are those that occur specifically as a result of a particular project and include contractor supervision, field engineering, surveying, quality control, testing, shop drawings, safety and security, temporary offices, permits and fees, travel, vehicles, supplies and other miscellaneous items to run a field office. JOOH rates are individualized by contractor. A JOOH of 5% is assumed for the earthwork prime contractor. This is assumed to cover all estimated costs associated with mobilization/demobilization for the prime contractor. This percentage assumes the prime contractor functions as a management company in this estimate and does not incur significant costs to manage the fleet of equipment (rather, this cost is incurred by the subcontractors). Page 5-8 of EPA/COE guidance document EPA 540-R-00-002 indicates 5% for JOOH is appropriate for large projects over \$500,000. A summary of contractor assumptions is included in Consultant Exhibit G-K1.1.

Home Office Overhead (HOOH) is commonly referred to as general and administrative (G & A) cost. Typical estimated costs associated with HOOH are the contractor's main office, furniture and equipment, equipment yard, management and staff, office utilities, corporate vehicles, business insurance and taxes. A HOOH of 5% was used for the prime contractor. Page 5-8 of EPA/COE guidance document EPA 540-R-00-002 indicates 5% for HOOH is appropriate. A summary of contractor assumptions is included in Consultant Exhibit G-K1.1.

Mobilization/demobilization includes all costs required to furnish construction equipment and supplies at the beginning, during and at the end of the Project. The prime contractor is assumed to have no mobilization/demobilization (0%), as the entity is assumed to be performing a managerial role only. The prime contractor is assumed to not be performing the role of a subcontractor for facilities/components of the Project, and it does not have significant field equipment mobilization needs beyond that covered under JOOH. A summary of contractor assumptions is included in Consultant Exhibit G-K1.1.

Contractor profit is determined using USACE weighted guidelines method (ETL 1110-2-573, Section 5.3.3) to calculate the percentage for prime contractor profit at 9%. Section 5.3 of COE ETL 1110-2-573 identifies a profit range of 3% (for basic work) to 12% (for the most risky work) as appropriate. Exhibit G-K2.1 in Consultant's Appendix G shows weighted guidelines profit calculations performed to help develop the assumed rate.

All government construction contracts require the contractor to provide a Performance and Payment Bond. The assumed percentage rate for Performance and Payment Bond Premium is 1% (running percent) for the prime contractor. All government construction contracts require the contractor to provide a performance and payment bond. Consultant Exhibit G-K2.3 shows a calculation to help develop the assumed percentage rate for Performance and Payment Bond Premium.

Estimated by MRM, RKN, ATS
SUBCONTRACTOR MARKUPS

Designed by

Prepared by Barr Engineering Company Job # 34/09-1004 400 100

Preparation Date 8/18/2010

Effective Date of Pricing 8/18/2010

Estimated Construction Time Days

This report is not copyrighted, but the information contained herein is For Official Use Only.

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
FCP MN Diversion Phase 4 Equipment	1,309,989.5375	35,670,485.16	48,250,541.05	29,851,296.53	3,717,831.07	3,939,110.08	638,135.83	86,396,914.56	122,067,399.72
09 Channels and Canals	1,276,440.1699	34,915,479.95	47,256,822.62	29,274,930.67	3,646,178.64	3,861,901.83	625,628.10	84,665,461.86	119,580,941.81
901 Diversion Channel	1,211,676.2597	33,245,524.65	45,168,836.34	28,087,867.95	3,496,028.41	3,694,672.67	598,536.97	81,045,942.34	114,291,466.99
90102 Reach 2013	24,128.7778	629,562.93	854,102.85	537,931.66	68,576.79	60,655.45	9,826.18	1,531,092.92	2,160,655.85
9010202 Clearing and Grubbing	166.6667	3,529.42	3,811.31	2,720.13	383.87	997.34	161.57	8,074.22	11,603.64
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	83.3333	1,236.72	1,249.21	1,098.82	131.73	195.31	31.64	2,706.71	3,943.44
MAP T55CA007 TRUCK, OFF- HIGHWAY, RIGID FRAME, 31.7 CY, 41.6 TON, 4X4, REAR DUMP	83.3333	2,292.70	2,562.10	1,621.30	252.15	802.03	129.93	5,367.50	7,660.20
9010203 Temporary Erosion and Sedimentation Control	440.0000	18,545.63	30,942.91	14,413.96	1,852.48	0.00	0.00	47,209.35	65,754.98
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	440.0000	18,545.63	30,942.91	14,413.96	1,852.48	0.00	0.00	47,209.35	65,754.98
9010204 Dewatering and Control of Water	1,792.0000	2,078.13	2,663.24	11,215.17	1,642.44	31.91	5.17	15,557.93	17,636.06
MAP P50GR004 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 20' WITH COUPLING (PER SECTION)	448.0000	182.57	323.44	0.00	0.00	0.00	0.00	323.44	506.00
MAP P50GR008 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 50' WITH COUPLING (PER SECTION)	896.0000	511.95	906.97	0.00	0.00	0.00	0.00	906.97	1,418.91
MAP P60GR002 PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,825 GPM @ 40' HEAD (ADD HOSES)	448.0000	1,383.62	1,432.83	11,215.17	1,642.44	31.91	5.17	14,327.52	15,711.14
9010205 Strip and Stockpile Topsoil - Channel	1,044.0781	41,432.88	58,483.49	37,399.69	4,624.19	5,734.52	928.99	107,170.88	148,603.76
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	501.9606	18,583.09	20,359.19	19,640.46	2,341.77	5,734.52	928.99	49,004.94	67,588.03

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	542.1175	22,849.79	38,124.30	17,759.23	2,282.42	0.00	0.00	58,165.94	81,015.73
9010206 Strip and Stockpile Topsoil - Spoil Berm	878.3253	31,026.75	50,741.10	23,241.37	3,015.26	113.11	18.32	77,129.16	108,155.91
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	109.7907	1,582.90	1,614.79	1,047.51	162.91	113.11	18.32	2,956.65	4,539.55
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	548.9533	23,137.92	38,605.03	17,983.16	2,311.20	0.00	0.00	58,899.39	82,037.31
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	219.5813	6,305.93	10,521.28	4,210.69	541.16	0.00	0.00	15,273.13	21,579.05
9010207 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	9,578.1371	265,271.13	354,412.05	234,770.53	29,798.90	30,853.97	4,998.34	654,833.79	920,104.91
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,242.5691	17,914.68	18,275.58	11,855.35	1,843.74	1,280.19	207.39	33,462.26	51,376.94
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	724.8320	8,990.51	8,173.98	3,662.21	536.32	0.00	0.00	12,372.51	21,363.02
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	2,588.6857	95,835.76	104,995.38	101,288.80	12,076.87	29,573.77	4,790.95	252,725.78	348,561.53
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	724.8320	1,086.64	1,172.90	0.00	181.21	0.00	0.00	1,354.11	2,440.74
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	1,449.6640	24,898.45	27,341.70	28,197.34	3,623.92	0.00	0.00	59,162.97	84,061.42

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	2,588.6857	109,110.92	182,048.78	84,802.76	10,898.85	0.00	0.00	277,750.39	386,861.31
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	258.8686	7,434.18	12,403.73	4,964.06	637.98	0.00	0.00	18,005.78	25,439.95
9010208 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	4,758.2887	135,966.86	179,524.87	122,049.74	15,392.39	17,999.12	2,915.86	337,881.98	473,848.84
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	586.2212	8,451.81	8,622.08	5,593.14	869.84	603.97	97.84	15,786.88	24,238.69
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	319.7570	3,966.13	3,605.92	1,615.57	236.60	0.00	0.00	5,458.09	9,424.22
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	1,522.6524	56,370.13	61,757.78	59,577.58	7,103.55	17,395.15	2,818.01	148,652.08	205,022.20
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	319.7570	479.37	517.42	0.00	79.94	0.00	0.00	597.36	1,076.72
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	639.5140	10,983.86	12,061.69	12,439.15	1,598.68	0.00	0.00	26,099.53	37,083.39
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,218.1219	51,342.81	85,664.17	39,904.46	5,128.52	0.00	0.00	130,697.14	182,039.96
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	152.2652	4,372.75	7,295.81	2,919.84	375.26	0.00	0.00	10,590.91	14,963.66

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
9010212 Temporary Haul Roads	559.0062	8,970.08	10,795.01	6,809.19	992.92	369.31	59.83	19,026.26	27,996.34
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	34.7598	501.15	511.24	331.64	51.58	35.81	5.80	936.08	1,437.23
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	10.9720	90.90	104.30	60.64	28.88	12.05	1.95	207.84	298.74
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	47.5756	590.11	536.51	240.38	35.20	0.00	0.00	812.09	1,402.20
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	23.7878	35.66	38.49	0.00	5.95	0.00	0.00	44.44	80.10
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	71.3634	1,225.69	1,345.97	1,388.09	178.40	0.00	0.00	2,912.45	4,138.14
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	58.5476	2,467.73	4,117.35	1,917.96	246.50	0.00	0.00	6,281.81	8,749.54
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	312.0000	4,058.84	4,141.15	2,870.48	446.42	321.45	52.07	7,831.56	11,890.40
9010213 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	306.3731	8,727.59	11,536.84	7,823.55	987.28	1,141.71	184.96	21,674.34	30,401.93
901021301 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	30.6439	848.70	1,133.89	751.12	95.34	98.71	15.99	2,095.05	2,943.75
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	3.9754	57.32	58.47	37.93	5.90	4.10	0.66	107.06	164.37

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	2.3190	28.76	26.15	11.72	1.72	0.00	0.00	39.58	68.35
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	8.2821	306.61	335.92	324.06	38.64	94.62	15.33	808.56	1,115.17
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	2.3190	3.48	3.75	0.00	0.58	0.00	0.00	4.33	7.81
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	4.6380	79.66	87.48	90.21	11.59	0.00	0.00	189.28	268.94
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	8.2821	349.09	582.44	271.31	34.87	0.00	0.00	888.62	1,237.71
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	0.8282	23.78	39.68	15.88	2.04	0.00	0.00	57.61	81.39
901021302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	275.7292	7,878.89	10,402.95	7,072.43	891.95	1,043.00	168.97	19,579.29	27,458.18
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	33.9698	489.76	499.62	324.11	50.40	35.00	5.67	914.80	1,404.56
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	18.5290	229.83	208.95	93.62	13.71	0.00	0.00	316.28	546.11
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	88.2333	3,266.49	3,578.69	3,452.35	411.63	1,008.00	163.30	8,613.96	11,880.45

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	18.5290	27.78	29.98	0.00	4.63	0.00	0.00	34.62	62.39
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	37.0580	636.48	698.94	720.81	92.64	0.00	0.00	1,512.39	2,148.88
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	70.5867	2,975.17	4,963.99	2,312.35	297.18	0.00	0.00	7,573.52	10,548.69
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	8.8233	253.39	422.77	169.20	21.75	0.00	0.00	613.71	867.10
9010214a Lower Bank Protection	425.7143	11,472.61	12,711.25	7,551.74	1,100.04	498.88	80.82	21,942.73	33,415.33
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	212.8571	8,313.66	9,520.41	4,745.03	763.57	0.00	0.00	15,029.01	23,342.67
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	212.8571	3,158.94	3,190.84	2,806.70	336.47	498.88	80.82	6,913.72	10,072.66
9010214b Low Flow Channel Protection	19.9683	538.13	596.22	354.22	51.60	23.40	3.79	1,029.23	1,567.36
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	9.9841	389.95	446.56	222.57	35.82	0.00	0.00	704.94	1,094.89
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	9.9841	148.17	149.67	131.65	15.78	23.40	3.79	324.29	472.46
9010215 Topsoil Placement - Channel	345.0800	10,811.81	14,084.22	10,129.87	1,260.81	1,824.27	295.53	27,594.69	38,406.50

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	31.3709	452.29	461.40	299.31	46.55	32.32	5.24	844.82	1,297.10
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	156.8545	5,806.91	6,361.92	6,137.33	731.77	1,791.94	290.29	15,313.25	21,120.16
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	31.3709	47.03	50.76	0.00	7.84	0.00	0.00	58.61	105.64
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	31.3709	538.81	591.68	610.19	78.42	0.00	0.00	1,280.29	1,819.10
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	94.1127	3,966.77	6,618.46	3,083.04	396.23	0.00	0.00	10,097.73	14,064.50
9010216 Topsoil Placement - Spoil Berm	1,857.1400	55,950.73	89,633.20	42,925.74	5,611.09	191.34	31.00	138,392.36	194,343.09
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	185.7140	2,677.52	2,731.46	1,771.90	275.57	191.34	31.00	5,001.26	7,678.78
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	185.7140	278.41	300.52	0.00	46.43	0.00	0.00	346.94	625.36
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	185.7140	3,189.70	3,502.70	3,612.31	464.25	0.00	0.00	7,579.27	10,768.97
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	928.5700	39,138.44	65,301.49	30,419.02	3,909.45	0.00	0.00	99,629.97	138,768.41

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	371.4280	10,666.65	17,797.04	7,122.50	915.38	0.00	0.00	25,834.92	36,501.58
9010219 Site Restoration	1,584.0000	29,690.78	28,560.67	11,595.28	1,272.33	0.00	0.00	41,428.28	71,119.06
GEN L15Z3880 LANDSCAPING EQUIPMENT, HYDROSEEDER, 3,000 GAL (11,356 L) TRUCK MOUNTED	792.0000	29,216.71	28,161.32	11,595.28	1,272.33	0.00	0.00	41,028.92	70,245.63
MAP T40KF018 TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'	792.0000	474.07	399.36	0.00	0.00	0.00	0.00	399.36	873.43
9010220 Snow Removal	374.0000	5,550.41	5,606.46	4,931.51	591.19	876.56	142.00	12,147.73	17,698.14
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	374.0000	5,550.41	5,606.46	4,931.51	591.19	876.56	142.00	12,147.73	17,698.14
90103 Reach 2014	92,539.6253	2,456,463.61	3,324,608.91	2,117,534.70	269,233.97	250,953.98	40,654.55	6,002,986.10	8,459,449.71
9010302 Clearing and Grubbing	446.6667	9,458.85	10,214.32	7,289.93	1,028.78	2,672.87	433.00	21,638.90	31,097.75
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	223.3333	3,314.42	3,347.89	2,944.84	353.03	523.44	84.80	7,253.99	10,568.41
MAP T55CA007 TRUCK, OFF-HIGHWAY, RIGID FRAME, 31.7 CY, 41.6 TON, 4X4, REAR DUMP	223.3333	6,144.43	6,866.43	4,345.10	675.75	2,149.43	348.21	14,384.91	20,529.34
9010303 Temporary Erosion and Sedimentation Control	1,486.6667	62,661.75	104,549.52	48,701.71	6,259.14	0.00	0.00	159,510.38	222,172.13
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,486.6667	62,661.75	104,549.52	48,701.71	6,259.14	0.00	0.00	159,510.38	222,172.13
9010304 Dewatering and Control of Water	6,048.0000	7,013.70	8,988.42	37,851.20	5,543.23	107.70	17.45	52,508.00	59,521.70
MAP P50GR004 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 20' WITH COUPLING (PER SECTION)	1,512.0000	616.17	1,091.60	0.00	0.00	0.00	0.00	1,091.60	1,707.76

<u>Description</u>	<u>EQHours</u>	<u>Ownership</u>	<u>EQRepair</u>	<u>Fuel</u>	<u>FOG</u>	<u>TireWear</u>	<u>TireRepair</u>	<u>Operating</u>	<u>Total</u>
MAP P50GR008 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 50' WITH COUPLING (PER SECTION)	3,024.0000	1,727.82	3,061.01	0.00	0.00	0.00	0.00	3,061.01	4,788.83
MAP P60GR002 PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,825 GPM @ 40' HEAD (ADD HOSES)	1,512.0000	4,669.71	4,835.81	37,851.20	5,543.23	107.70	17.45	48,355.40	53,025.11
9010305 Strip and Stockpile Topsoil - Channel	3,215.9321	127,620.09	180,138.76	115,197.19	14,243.26	17,663.26	2,861.45	330,103.92	457,724.01
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	1,546.1212	57,238.97	62,709.66	60,495.86	7,213.04	17,663.26	2,861.45	150,943.27	208,182.24
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,669.8109	70,381.12	117,429.10	54,701.34	7,030.22	0.00	0.00	179,160.65	249,541.78
9010306 Strip and Stockpile Topsoil - Spoil Berm	3,178.9973	112,297.74	183,651.55	84,119.45	10,913.40	409.41	66.32	279,160.12	391,457.86
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	397.3747	5,729.13	5,844.55	3,791.35	589.63	409.41	66.32	10,701.26	16,430.39
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,986.8733	83,745.04	139,726.45	65,087.98	8,365.11	0.00	0.00	213,179.54	296,924.58
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	794.7493	22,823.57	38,080.55	15,240.11	1,958.66	0.00	0.00	55,279.32	78,102.90
9010307 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	26,666.3361	738,537.04	986,712.84	653,620.81	82,962.62	85,900.02	13,915.80	1,823,112.11	2,561,649.14
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	3,459.4166	49,875.97	50,880.74	33,006.29	5,133.14	3,564.16	577.39	93,161.73	143,037.70

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	2,017.9930	25,030.33	22,757.04	10,195.91	1,493.17	0.00	0.00	34,446.12	59,476.45
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	7,207.1179	266,814.77	292,315.95	281,996.50	33,623.01	82,335.86	13,338.41	703,609.73	970,424.50
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	2,017.9930	3,025.29	3,265.44	0.00	504.50	0.00	0.00	3,769.94	6,795.23
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	4,035.9860	69,319.36	76,121.59	78,503.76	10,089.30	0.00	0.00	164,714.66	234,034.02
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	7,207.1179	303,773.94	506,839.05	236,097.97	30,343.31	0.00	0.00	773,280.34	1,077,054.28
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	720.7118	20,697.37	34,533.03	13,820.37	1,776.19	0.00	0.00	50,129.59	70,826.96
9010308 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	34,461.7411	984,735.25	1,300,202.67	883,941.00	111,478.88	130,358.01	21,118.00	2,447,098.55	3,431,833.80
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	4,245.6865	61,211.98	62,445.12	40,508.09	6,299.82	4,374.24	708.63	114,335.90	175,547.88
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	2,315.8290	28,724.56	26,115.75	11,700.73	1,713.55	0.00	0.00	39,530.03	68,254.59
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	11,027.7571	408,258.70	447,278.55	431,488.57	51,447.24	125,983.77	20,409.37	1,076,607.51	1,484,866.20

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	2,315.8290	3,471.79	3,747.39	0.00	578.96	0.00	0.00	4,326.35	7,798.14
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	4,631.6580	79,550.22	87,356.39	90,090.15	11,578.39	0.00	0.00	189,024.93	268,575.15
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	8,822.2057	371,848.54	620,419.77	289,006.64	37,143.13	0.00	0.00	946,569.54	1,318,418.08
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	1,102.7757	31,669.46	52,839.69	21,146.83	2,717.79	0.00	0.00	76,704.30	108,373.77
9010312 Temporary Haul Roads	1,422.3439	22,836.37	27,492.38	17,337.93	2,527.85	938.13	151.98	48,448.28	71,284.65
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	88.7049	1,278.90	1,304.66	846.33	131.62	91.39	14.81	2,388.81	3,667.71
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	28.0000	231.98	266.18	154.76	73.71	30.76	4.98	530.39	762.38
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	121.4098	1,505.92	1,369.15	613.42	89.83	0.00	0.00	2,072.40	3,578.32
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	60.7049	91.01	98.23	0.00	15.18	0.00	0.00	113.41	204.41
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	182.1146	3,127.88	3,434.81	3,542.30	455.26	0.00	0.00	7,432.37	10,560.25

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	149.4098	6,297.50	10,507.21	4,894.51	629.04	0.00	0.00	16,030.77	22,328.26
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	792.0000	10,303.20	10,512.14	7,286.60	1,133.21	815.98	132.19	19,880.12	30,183.32
9010313 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	793.3631	22,670.14	29,932.70	20,349.70	2,566.42	3,001.04	486.17	56,336.03	79,006.17
901031302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	793.3631	22,670.14	29,932.70	20,349.70	2,566.42	3,001.04	486.17	56,336.03	79,006.17
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	97.7423	1,409.20	1,437.58	932.56	145.03	100.70	16.31	2,632.19	4,041.39
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	53.3140	661.28	601.23	269.37	39.45	0.00	0.00	910.04	1,571.33
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	253.8762	9,398.75	10,297.05	9,933.54	1,184.40	2,900.34	469.86	24,785.19	34,183.94
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	53.3140	79.93	86.27	0.00	13.33	0.00	0.00	99.60	179.53
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	106.6280	1,831.37	2,011.08	2,074.02	266.55	0.00	0.00	4,351.65	6,183.02
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	203.1010	8,560.53	14,283.03	6,653.38	855.09	0.00	0.00	21,791.51	30,352.04

<u>Description</u>	<u>EQHours</u>	<u>Ownership</u>	<u>EQRepair</u>	<u>Fuel</u>	<u>FOG</u>	<u>TireWear</u>	<u>TireRepair</u>	<u>Operating</u>	<u>Total</u>
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	25.3876	729.08	1,216.45	486.83	62.57	0.00	0.00	1,765.85	2,494.93
9010314a Lower Bank Protection	1,086.4127	29,277.82	32,438.81	19,271.85	2,807.27	1,273.14	206.25	55,997.32	85,275.13
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	543.2063	21,216.27	24,295.85	12,109.21	1,948.61	0.00	0.00	38,353.68	59,569.94
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	543.2063	8,061.55	8,142.96	7,162.64	858.66	1,273.14	206.25	17,643.64	25,705.19
9010314b Low Flow Channel Protection	50.9524	1,373.12	1,521.37	903.84	131.66	59.71	9.67	2,626.25	3,999.37
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	25.4762	995.04	1,139.47	567.92	91.39	0.00	0.00	1,798.77	2,793.81
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	25.4762	378.08	381.90	335.93	40.27	59.71	9.67	827.48	1,205.56
9010315 Topsoil Placement - Channel	1,075.0600	33,683.04	43,877.88	31,558.53	3,927.92	5,683.30	920.70	85,968.33	119,651.37
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	97.7327	1,409.06	1,437.44	932.47	145.02	100.69	16.31	2,631.93	4,040.99
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	488.6636	18,090.82	19,819.87	19,120.19	2,279.74	5,582.61	904.38	47,706.79	65,797.62
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	97.7327	146.52	158.15	0.00	24.43	0.00	0.00	182.58	329.10

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	97.7327	1,678.59	1,843.31	1,900.99	244.32	0.00	0.00	3,988.62	5,667.21
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	293.1982	12,358.06	20,619.10	9,604.88	1,234.42	0.00	0.00	31,458.40	43,816.46
9010316 Topsoil Placement - Spoil Berm	6,300.1533	189,807.00	304,071.28	145,621.08	19,035.02	649.09	105.15	469,481.62	659,288.63
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	630.0153	9,083.22	9,266.20	6,010.98	934.83	649.09	105.15	16,966.25	26,049.46
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	630.0153	944.49	1,019.47	0.00	157.50	0.00	0.00	1,176.97	2,121.46
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	630.0153	10,820.72	11,882.54	12,254.40	1,574.94	0.00	0.00	25,711.87	36,532.59
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	3,150.0767	132,773.08	221,528.48	103,193.36	13,262.41	0.00	0.00	337,984.25	470,757.33
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	1,260.0307	36,185.50	60,374.58	24,162.35	3,105.34	0.00	0.00	87,642.28	123,827.78
9010319 Site Restoration	5,352.0000	100,318.86	96,500.46	39,177.98	4,298.92	0.00	0.00	139,977.36	240,296.22
GEN L15Z3880 LANDSCAPING EQUIPMENT, HYDROSEEDER, 3,000 GAL (11,356 L) TRUCK MOUNTED	2,676.0000	98,717.07	95,151.12	39,177.98	4,298.92	0.00	0.00	138,628.02	237,345.08
MAP T40KF018 TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'	2,676.0000	1,601.79	1,349.34	0.00	0.00	0.00	0.00	1,349.34	2,951.13
9010320 Snow Removal	955.0000	14,172.84	14,315.97	12,592.49	1,509.59	2,238.28	362.60	31,018.93	45,191.77

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	955.0000	14,172.84	14,315.97	12,592.49	1,509.59	2,238.28	362.60	31,018.93	45,191.77
90104 Reach 2015	315,923.7832	8,668,833.11	11,719,672.87	7,461,655.39	937,569.06	969,602.02	157,075.53	21,245,574.87	29,914,407.98
9010402 Clearing and Grubbing	1,026.6667	21,741.23	23,477.68	16,755.97	2,364.65	6,143.61	995.26	49,737.18	71,478.40
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	513.3333	7,618.21	7,695.15	6,768.74	811.44	1,203.12	194.91	16,673.35	24,291.56
MAP T55CA007 TRUCK, OFF- HIGHWAY, RIGID FRAME, 31.7 CY, 41.6 TON, 4X4, REAR DUMP	513.3333	14,123.02	15,782.54	9,987.23	1,553.21	4,940.48	800.36	33,063.83	47,186.84
9010403 Temporary Erosion and Sedimentation Control	3,424.4500	144,337.68	240,823.73	112,181.56	14,417.57	0.00	0.00	367,422.86	511,760.54
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	3,424.4500	144,337.68	240,823.73	112,181.56	14,417.57	0.00	0.00	367,422.86	511,760.54
9010404 Dewatering and Control of Water	13,920.0000	16,142.65	20,687.63	87,117.83	12,758.23	247.89	40.16	120,851.75	136,994.39
MAP P50GR004 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 20" WITH COUPLING (PER SECTION)	3,480.0000	1,418.16	2,512.41	0.00	0.00	0.00	0.00	2,512.41	3,930.56
MAP P50GR008 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 50" WITH COUPLING (PER SECTION)	6,960.0000	3,976.74	7,045.18	0.00	0.00	0.00	0.00	7,045.18	11,021.92
MAP P60GR002 PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,825 GPM @ 40' HEAD (ADD HOSES)	3,480.0000	10,747.75	11,130.05	87,117.83	12,758.23	247.89	40.16	111,294.16	122,041.91
9010405 Strip and Stockpile Topsoil - Channel	6,360.8480	252,421.99	356,299.58	227,850.53	28,171.99	34,936.48	5,659.71	652,918.28	905,340.27
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	3,058.1000	113,213.95	124,034.52	119,655.81	14,266.80	34,936.48	5,659.71	298,553.31	411,767.26

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	3,302.7480	139,208.05	232,265.06	108,194.72	13,905.19	0.00	0.00	354,364.97	493,573.01
9010406 Strip and Stockpile Topsoil - Spoil Berm	8,114.9600	286,660.09	468,803.46	214,729.96	27,858.40	1,045.08	169.30	712,606.21	999,266.30
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,014.3700	14,624.63	14,919.25	9,678.10	1,505.14	1,045.08	169.30	27,316.88	41,941.51
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	5,071.8500	213,774.20	356,676.79	166,148.73	21,353.44	0.00	0.00	544,178.96	757,953.16
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	2,028.7400	58,261.26	97,207.42	38,903.12	4,999.83	0.00	0.00	141,110.37	199,371.63
9010407 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	49,630.8882	1,374,551.38	1,836,451.57	1,216,506.89	154,408.49	159,875.53	25,899.84	3,393,142.31	4,767,693.69
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	6,438.6017	92,828.22	94,698.29	61,430.70	9,553.70	6,633.55	1,074.64	173,390.88	266,219.11
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	3,755.8510	46,585.99	42,354.97	18,976.44	2,779.06	0.00	0.00	64,110.47	110,696.46
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	13,413.7536	496,590.69	544,053.00	524,846.64	62,578.51	153,241.97	24,825.20	1,309,545.33	1,806,136.02
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	3,755.8510	5,630.61	6,077.58	0.00	938.96	0.00	0.00	7,016.55	12,647.15
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	7,511.7020	129,015.91	141,676.09	146,109.74	18,778.02	0.00	0.00	306,563.85	435,579.76

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	13,413.7536	565,378.41	943,319.41	439,421.15	56,474.41	0.00	0.00	1,439,214.97	2,004,593.38
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	1,341.3754	38,521.55	64,272.23	25,722.21	3,305.82	0.00	0.00	93,300.26	131,821.82
9010408 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	164,659.7470	4,705,109.24	6,212,426.76	4,223,509.81	532,651.09	622,856.43	100,902.74	11,692,346.83	16,397,456.07
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	20,286.0808	292,473.57	298,365.60	193,549.50	30,100.82	20,900.31	3,385.85	546,302.08	838,775.65
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	11,065.1350	137,247.25	124,782.24	55,906.59	8,187.41	0.00	0.00	188,876.24	326,123.49
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	52,691.1190	1,950,678.39	2,137,117.03	2,061,671.76	245,817.25	601,956.12	97,516.89	5,144,079.04	7,094,757.43
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	11,065.1350	16,588.36	17,905.21	0.00	2,766.28	0.00	0.00	20,671.49	37,259.85
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	22,130.2700	380,094.54	417,392.77	430,454.78	55,322.05	0.00	0.00	903,169.59	1,283,264.13
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	42,152.8952	1,776,709.01	2,964,393.53	1,380,886.70	177,471.56	0.00	0.00	4,522,751.78	6,299,460.79
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	5,269.1119	151,318.11	252,470.39	101,040.49	12,985.72	0.00	0.00	366,496.61	517,814.72

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
9010410 Excavation and Embankment - Channel - Type 4 Brenna	32,086.9371	965,461.19	1,349,176.11	746,198.40	86,257.07	118,105.46	19,133.08	2,318,870.13	3,284,331.31
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,859.8286	26,813.99	27,354.17	17,744.62	2,759.64	1,916.14	310.41	50,084.99	76,898.98
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	2,740.8000	124,219.50	183,119.46	102,429.31	5,641.81	0.00	0.00	291,190.58	415,410.08
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	2,740.8000	22,707.98	26,054.77	15,148.95	7,215.14	3,011.29	487.83	51,917.98	74,625.96
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	1,370.4000	16,997.86	15,454.09	6,923.95	1,014.00	0.00	0.00	23,392.03	40,389.89
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	1,370.4000	2,054.44	2,217.53	0.00	342.60	0.00	0.00	2,560.13	4,614.58
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	2,740.8000	47,074.13	51,693.45	53,311.16	6,851.55	0.00	0.00	111,856.17	158,930.29
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	8,496.4800	271,755.25	286,065.49	197,910.21	17,099.44	113,178.03	18,334.84	632,588.00	904,343.25
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	10,767.4286	453,838.04	757,217.16	352,730.19	45,332.88	0.00	0.00	1,155,280.24	1,609,118.28
9010412 Temporary Haul Roads	2,392.5849	38,388.30	46,194.94	29,139.62	4,249.28	1,581.21	256.16	81,421.21	119,809.52
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	148.6877	2,143.70	2,186.88	1,418.63	220.63	153.19	24.82	4,004.14	6,147.84

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	46.9340	388.86	446.17	259.41	123.55	51.57	8.35	889.05	1,277.91
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	203.5073	2,524.22	2,294.97	1,028.22	150.58	0.00	0.00	3,473.77	5,997.99
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	101.7537	152.54	164.65	0.00	25.44	0.00	0.00	190.09	342.64
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	305.2610	5,242.96	5,757.44	5,937.62	763.10	0.00	0.00	12,458.16	17,701.12
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	250.4413	10,555.89	17,612.23	8,204.21	1,054.40	0.00	0.00	26,870.84	37,426.74
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,336.0000	17,380.14	17,732.60	12,291.53	1,911.58	1,376.45	222.99	33,535.15	50,915.29
9010413 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	1,600.7050	46,942.45	63,823.13	39,156.07	4,743.86	5,974.03	967.79	114,664.89	161,607.34
901041302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	806.3988	23,042.64	30,424.52	20,684.07	2,608.59	3,050.36	494.16	57,261.68	80,304.32
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	99.3483	1,432.35	1,461.21	947.88	147.41	102.36	16.58	2,675.44	4,107.79
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	54.1900	672.15	611.10	273.79	40.10	0.00	0.00	925.00	1,597.15

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	258.0476	9,553.18	10,466.24	10,096.76	1,203.86	2,948.00	477.58	25,192.43	34,745.61
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	54.1900	81.24	87.69	0.00	13.55	0.00	0.00	101.24	182.48
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	108.3800	1,861.46	2,044.12	2,108.09	270.93	0.00	0.00	4,423.15	6,284.61
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	206.4381	8,701.19	14,517.72	6,762.71	869.14	0.00	0.00	22,149.56	30,850.76
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	25.8048	741.06	1,236.44	494.83	63.60	0.00	0.00	1,794.87	2,535.93
901041304 Excavation and Embankment - Channel - Type 4 Brenna	794.3062	23,899.81	33,398.61	18,472.00	2,135.28	2,923.68	473.64	57,403.20	81,303.02
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	46.0397	663.78	677.15	439.26	68.31	47.43	7.68	1,239.84	1,903.62
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	67.8480	3,075.03	4,533.09	2,535.62	139.66	0.00	0.00	7,208.37	10,283.40
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	67.8480	562.13	644.98	375.01	178.61	74.54	12.08	1,285.22	1,847.35
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72' WIDE (ADD 180 HP TOWING UNIT)	33.9240	420.78	382.56	171.40	25.10	0.00	0.00	579.07	999.84

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	33.9240	50.86	54.89	0.00	8.48	0.00	0.00	63.38	114.23
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	67.8480	1,165.31	1,279.66	1,319.71	169.61	0.00	0.00	2,768.98	3,934.29
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	210.3288	6,727.25	7,081.50	4,899.23	423.29	2,801.70	453.88	15,659.60	22,386.85
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	266.5457	11,234.68	18,744.77	8,731.77	1,122.21	0.00	0.00	28,598.75	39,833.43
9010414a Lower Bank Protection	1,821.0476	49,075.55	54,374.01	32,303.52	4,705.55	2,134.04	345.71	93,862.84	142,938.39
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	910.5238	35,562.76	40,724.77	20,297.49	3,266.27	0.00	0.00	64,288.53	99,851.29
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	910.5238	13,512.78	13,649.25	12,006.03	1,439.28	2,134.04	345.71	29,574.32	43,087.10
9010414b Low Flow Channel Protection	85.4286	2,302.22	2,550.78	1,515.42	220.75	100.11	16.22	4,403.27	6,705.49
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	42.7143	1,668.31	1,910.47	952.19	153.23	0.00	0.00	3,015.89	4,684.20
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	42.7143	633.91	640.31	563.22	67.52	100.11	16.22	1,387.38	2,021.29
9010415 Topsoil Placement - Channel	2,144.1067	67,177.68	87,510.32	62,940.53	7,833.88	11,334.82	1,836.24	171,455.79	238,633.47
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	194.9188	2,810.23	2,866.85	1,859.72	289.22	200.82	32.53	5,249.14	8,059.38

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	974.5939	36,080.45	39,528.89	38,133.42	4,546.72	11,134.00	1,803.71	95,146.74	131,227.19
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	194.9188	292.21	315.41	0.00	48.73	0.00	0.00	364.14	656.35
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	194.9188	3,347.79	3,676.31	3,791.36	487.27	0.00	0.00	7,954.93	11,302.72
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	584.7564	24,646.99	41,122.87	19,156.03	2,461.93	0.00	0.00	62,740.84	87,387.82
9010416 Topsoil Placement - Spoil Berm	14,727.4133	443,698.12	710,805.46	340,407.89	44,496.80	1,517.33	245.81	1,097,473.28	1,541,171.40
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,472.7413	21,233.18	21,660.93	14,051.43	2,185.28	1,517.33	245.81	39,660.77	60,893.95
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	1,472.7413	2,207.87	2,383.14	0.00	368.19	0.00	0.00	2,751.32	4,959.19
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	1,472.7413	25,294.81	27,776.96	28,646.22	3,681.61	0.00	0.00	60,104.79	85,399.60
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	7,363.7067	310,374.03	517,851.13	241,227.67	31,002.58	0.00	0.00	790,081.37	1,100,455.41
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	2,945.4827	84,588.23	141,133.30	56,482.58	7,259.14	0.00	0.00	204,875.02	289,463.25
9010419 Site Restoration	12,328.0000	231,078.27	222,282.82	90,244.04	9,902.30	0.00	0.00	322,429.16	553,507.44

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN L15Z3880 LANDSCAPING EQUIPMENT, HYDROSEEDER, 3,000 GAL (11,356 L) TRUCK MOUNTED	6,164.0000	227,388.64	219,174.70	90,244.04	9,902.30	0.00	0.00	319,321.04	546,709.68
MAP T40KF018 TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'	6,164.0000	3,689.63	3,108.12	0.00	0.00	0.00	0.00	3,108.12	6,797.76
9010420 Snow Removal	1,600.0000	23,745.07	23,984.87	21,097.36	2,529.15	3,750.00	607.50	51,968.88	75,713.96
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	1,600.0000	23,745.07	23,984.87	21,097.36	2,529.15	3,750.00	607.50	51,968.88	75,713.96
90105 Reach 2016	231,878.5823	6,463,324.53	8,758,825.14	5,458,089.52	674,813.03	760,824.68	123,253.60	15,775,805.98	22,239,130.51
9010502 Clearing and Grubbing	606.6667	12,847.09	13,873.18	9,901.25	1,397.29	3,630.31	588.11	29,390.15	42,237.24
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	303.3333	4,501.67	4,547.13	3,999.71	479.48	710.94	115.17	9,852.43	14,354.10
MAP T55CA007 TRUCK, OFF-HIGHWAY, RIGID FRAME, 31.7 CY, 41.6 TON, 4X4, REAR DUMP	303.3333	8,345.42	9,326.05	5,901.55	917.81	2,919.38	472.94	19,537.72	27,883.13
9010503 Temporary Erosion and Sedimentation Control	2,028.8833	85,515.72	142,680.80	66,464.19	8,541.98	0.00	0.00	217,686.96	303,202.68
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	2,028.8833	85,515.72	142,680.80	66,464.19	8,541.98	0.00	0.00	217,686.96	303,202.68
9010504 Dewatering and Control of Water	8,256.0000	9,574.26	12,269.91	51,669.89	7,566.95	147.02	23.82	71,677.59	81,251.85
MAP P50GR004 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 20' WITH COUPLING (PER SECTION)	2,064.0000	841.11	1,490.12	0.00	0.00	0.00	0.00	1,490.12	2,331.23
MAP P50GR008 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 50' WITH COUPLING (PER SECTION)	4,128.0000	2,358.62	4,178.52	0.00	0.00	0.00	0.00	4,178.52	6,537.14
MAP P60GR002 PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,825 GPM @ 40' HEAD (ADD HOSES)	2,064.0000	6,374.53	6,601.27	51,669.89	7,566.95	147.02	23.82	66,008.95	72,383.48

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
9010505 Strip and Stockpile Topsoil - Channel	4,066.3244	161,366.80	227,773.04	145,658.91	18,009.62	22,333.98	3,618.10	417,393.64	578,760.44
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	1,954.9636	72,374.73	79,292.04	76,492.84	9,120.39	22,333.98	3,618.10	190,857.35	263,232.08
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	2,111.3607	88,992.08	148,481.00	69,166.07	8,889.22	0.00	0.00	226,536.29	315,528.37
9010506 Strip and Stockpile Topsoil - Spoil Berm	4,537.5147	160,287.22	262,133.46	120,067.18	15,577.15	584.36	94.67	398,456.82	558,744.04
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	567.1893	8,177.42	8,342.16	5,411.55	841.60	584.36	94.67	15,274.35	23,451.77
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	2,835.9467	119,532.76	199,437.36	92,902.78	11,939.86	0.00	0.00	304,280.00	423,812.76
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	1,134.3787	32,577.03	54,353.95	21,752.85	2,795.68	0.00	0.00	78,902.47	111,479.50
9010507 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	34,367.8993	951,835.54	1,271,687.55	842,394.48	106,923.24	110,709.00	17,934.86	2,349,649.13	3,301,484.67
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	4,458.5383	64,280.76	65,575.72	42,538.91	6,615.65	4,593.54	744.15	120,067.98	184,348.74
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	2,600.8140	32,259.40	29,329.55	13,140.61	1,924.42	0.00	0.00	44,394.58	76,653.97
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	9,288.6214	343,874.14	376,740.36	363,440.53	43,333.74	106,115.46	17,190.71	906,820.80	1,250,694.94

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	2,600.8140	3,899.03	4,208.54	0.00	650.20	0.00	0.00	4,858.75	8,757.77
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	5,201.6280	89,339.64	98,106.44	101,176.61	13,003.22	0.00	0.00	212,286.26	301,625.90
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	9,288.6214	391,507.57	653,220.36	304,285.95	39,106.83	0.00	0.00	996,613.14	1,388,120.70
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	928.8621	26,675.02	44,506.59	17,811.86	2,289.18	0.00	0.00	64,607.63	91,282.65
9010508 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	96,885.7440	2,768,484.82	3,655,389.98	2,485,111.86	313,411.73	366,488.53	59,371.14	6,879,773.25	9,648,258.06
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	11,936.3237	172,091.36	175,558.23	113,884.46	17,711.31	12,297.74	1,992.23	321,443.97	493,535.33
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	6,510.7220	80,756.24	73,421.83	32,895.42	4,817.47	0.00	0.00	111,134.72	191,890.96
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	31,003.4381	1,147,778.56	1,257,479.00	1,213,087.02	144,638.79	354,190.79	57,378.91	3,026,774.51	4,174,553.07
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	6,510.7220	9,760.59	10,535.42	0.00	1,627.68	0.00	0.00	12,163.10	21,923.69
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	13,021.4440	223,647.51	245,593.77	253,279.46	32,551.48	0.00	0.00	531,424.71	755,072.22

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	24,802.7505	1,045,415.03	1,744,248.23	812,513.30	104,424.21	0.00	0.00	2,661,185.74	3,706,600.78
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	3,100.3438	89,035.53	148,553.50	59,452.19	7,640.80	0.00	0.00	215,646.49	304,682.02
9010509 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	15,172.1195	437,541.12	601,622.80	338,505.64	39,149.26	56,095.85	9,087.53	1,044,461.08	1,482,002.20
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,078.9611	15,555.87	15,869.25	10,294.37	1,600.98	1,111.63	180.08	29,056.31	44,612.18
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	1,152.2087	52,220.81	76,981.84	43,060.40	2,371.77	0.00	0.00	122,414.01	174,634.82
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	1,152.2087	9,546.24	10,953.20	6,368.49	3,033.18	1,265.92	205.08	21,825.87	31,372.11
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	795.0240	9,861.14	8,965.54	4,016.86	588.26	0.00	0.00	13,570.66	23,431.80
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	795.0240	1,191.86	1,286.48	0.00	198.76	0.00	0.00	1,485.24	2,677.10
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	1,590.0480	27,309.59	29,989.45	30,927.94	3,974.86	0.00	0.00	64,892.25	92,201.84
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	4,032.7304	128,984.67	135,776.82	93,935.20	8,116.00	53,718.30	8,702.36	300,248.68	429,233.35

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	4,575.9145	192,870.94	321,800.23	149,902.38	19,265.45	0.00	0.00	490,968.07	683,839.01
9010510 Excavation and Embankment - Channel - Type 4 Brenna	42,564.2915	1,280,713.43	1,789,722.87	989,854.72	114,422.61	156,670.46	25,380.61	3,076,051.28	4,356,764.71
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	2,467.1188	35,569.56	36,286.13	23,538.78	3,660.75	2,541.82	411.77	66,439.26	102,008.82
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	3,635.7540	164,780.91	242,913.50	135,875.58	7,484.03	0.00	0.00	386,273.10	551,054.02
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	3,635.7540	30,122.83	34,562.43	20,095.54	9,571.10	3,994.57	647.12	68,870.77	98,993.59
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	1,817.8770	22,548.18	20,500.32	9,184.82	1,345.10	0.00	0.00	31,030.24	53,578.42
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	1,817.8770	2,725.28	2,941.62	0.00	454.47	0.00	0.00	3,396.09	6,121.37
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	3,635.7540	62,445.25	68,572.93	70,718.87	9,088.79	0.00	0.00	148,380.59	210,825.84
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	11,270.8374	360,491.55	379,474.51	262,533.87	22,682.93	150,134.07	24,321.72	839,147.10	1,199,638.64
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	14,283.3193	602,029.87	1,004,471.44	467,907.26	60,135.44	0.00	0.00	1,532,514.13	2,134,544.01
9010511 Excavation and Embankment - Channel	2,127.4538	68,045.44	71,628.61	49,555.21	4,281.57	28,338.91	4,590.90	158,395.21	226,440.65

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	2,127.4538	68,045.44	71,628.61	49,555.21	4,281.57	28,338.91	4,590.90	158,395.21	226,440.65
9010512 Temporary Haul Roads	1,191.9511	19,135.33	23,035.19	14,527.57	2,118.16	786.42	127.40	40,594.73	59,730.06
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	74.2959	1,071.16	1,092.74	708.86	110.24	76.55	12.40	2,000.78	3,071.94
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	23.4520	194.30	222.94	129.62	61.74	25.77	4.17	444.24	638.55
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	101.6878	1,261.29	1,146.74	513.78	75.24	0.00	0.00	1,735.76	2,997.05
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	50.8439	76.22	82.27	0.00	12.71	0.00	0.00	94.98	171.21
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	152.5317	2,619.78	2,876.86	2,966.89	381.30	0.00	0.00	6,225.05	8,844.83
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	125.1398	5,274.54	8,800.43	4,099.45	526.86	0.00	0.00	13,426.75	18,701.28
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	664.0000	8,638.03	8,813.21	6,108.97	950.07	684.10	110.83	16,667.17	25,305.21
9010513 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	1,044.2474	31,402.70	43,857.89	24,312.31	2,813.52	3,844.84	622.86	75,451.42	106,854.12
901051302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	11.6071	331.67	437.92	297.72	37.55	43.91	7.11	824.21	1,155.88

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1.4300	20.62	21.03	13.64	2.12	1.47	0.24	38.51	59.13
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	0.7800	9.67	8.80	3.94	0.58	0.00	0.00	13.31	22.99
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	3.7143	137.51	150.65	145.33	17.33	42.43	6.87	362.61	500.12
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	0.7800	1.17	1.26	0.00	0.20	0.00	0.00	1.46	2.63
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	1.5600	26.79	29.42	30.34	3.90	0.00	0.00	63.67	90.46
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	2.9714	125.24	208.97	97.34	12.51	0.00	0.00	318.82	444.06
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	0.3714	10.67	17.80	7.12	0.92	0.00	0.00	25.83	36.50
901051304 Excavation and Embankment - Channel - Type 4 Brenna	1,032.6402	31,071.03	43,419.96	24,014.59	2,775.97	3,800.94	615.75	74,627.21	105,698.24
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	59.8541	862.94	880.33	571.07	88.81	61.67	9.99	1,611.86	2,474.81
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	88.2060	3,997.70	5,893.26	3,296.44	181.57	0.00	0.00	9,371.26	13,368.97

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	88.2060	730.80	838.51	487.53	232.20	96.91	15.70	1,670.85	2,401.66
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	44.1030	547.03	497.35	222.83	32.63	0.00	0.00	752.82	1,299.85
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	44.1030	66.12	71.37	0.00	11.03	0.00	0.00	82.39	148.51
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	88.2060	1,514.97	1,663.63	1,715.69	220.50	0.00	0.00	3,599.82	5,114.79
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	273.4386	8,745.78	9,206.32	6,369.26	550.30	3,642.36	590.06	20,358.31	29,104.09
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	346.5236	14,605.68	24,369.20	11,351.77	1,458.93	0.00	0.00	37,179.89	51,785.57
9010514a Lower Bank Protection	909.9683	24,522.80	27,170.42	16,141.90	2,351.34	1,066.37	172.75	46,902.79	71,425.59
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	454.9841	17,770.53	20,349.96	10,142.55	1,632.14	0.00	0.00	32,124.65	49,895.18
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	454.9841	6,752.27	6,820.46	5,999.35	719.20	1,066.37	172.75	14,778.14	21,530.41
9010514b Low Flow Channel Protection	42.6984	1,150.68	1,274.92	757.43	110.33	50.04	8.11	2,200.82	3,351.50

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	21.3492	833.85	954.88	475.92	76.58	0.00	0.00	1,507.38	2,341.23
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	21.3492	316.84	320.04	281.51	33.75	50.04	8.11	693.43	1,010.27
9010515 Topsoil Placement - Channel	1,384.4200	43,375.70	56,504.20	40,639.83	5,058.23	7,318.74	1,185.64	110,706.63	154,082.33
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	125.8564	1,814.53	1,851.08	1,200.80	186.75	129.67	21.01	3,389.30	5,203.83
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	629.2818	23,296.65	25,523.26	24,622.22	2,935.76	7,189.07	1,164.63	61,434.93	84,731.58
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	125.8564	188.68	203.66	0.00	31.46	0.00	0.00	235.12	423.80
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	125.8564	2,161.62	2,373.74	2,448.03	314.62	0.00	0.00	5,136.39	7,298.01
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	377.5691	15,914.22	26,552.47	12,368.79	1,589.64	0.00	0.00	40,510.89	56,425.11
9010516 Topsoil Placement - Spoil Berm	8,588.4000	258,745.84	414,511.46	198,511.38	25,948.64	884.84	143.34	639,999.66	898,745.50
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	858.8400	12,382.28	12,631.73	8,194.19	1,274.36	884.84	143.34	23,128.47	35,510.76
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	858.8400	1,287.54	1,389.74	0.00	214.71	0.00	0.00	1,604.45	2,891.99

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	858.8400	14,750.85	16,198.34	16,705.25	2,146.96	0.00	0.00	35,050.55	49,801.41
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	4,294.2000	180,996.91	301,988.72	140,673.70	18,079.38	0.00	0.00	460,741.80	641,738.71
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	1,717.6800	49,328.25	82,302.93	32,938.23	4,233.22	0.00	0.00	119,474.38	168,802.64
9010519 Site Restoration	7,304.0000	136,907.50	131,696.44	53,467.11	5,866.84	0.00	0.00	191,030.39	327,937.89
GEN L15Z3880 LANDSCAPING EQUIPMENT, HYDROSEEDER, 3,000 GAL (11,356 L) TRUCK MOUNTED	3,652.0000	134,721.50	129,854.97	53,467.11	5,866.84	0.00	0.00	189,188.91	323,910.41
MAP T40KF018 TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'	3,652.0000	2,186.01	1,841.48	0.00	0.00	0.00	0.00	1,841.48	4,027.48
9010520 Snow Removal	800.0000	11,872.54	11,992.44	10,548.68	1,264.58	1,875.00	303.75	25,984.44	37,856.98
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	800.0000	11,872.54	11,992.44	10,548.68	1,264.58	1,875.00	303.75	25,984.44	37,856.98
90106 Reach 2017	126,559.4121	3,471,376.29	4,704,118.60	2,971,378.82	372,449.12	384,884.55	62,351.30	8,495,182.39	11,966,558.67
9010602 Clearing and Grubbing	406.6667	8,611.78	9,299.60	6,637.10	936.65	2,433.51	394.23	19,701.09	28,312.87
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	203.3333	3,017.60	3,048.08	2,681.12	321.41	476.56	77.20	6,604.38	9,621.98
MAP T55CA007 TRUCK, OFF-HIGHWAY, RIGID FRAME, 31.7 CY, 41.6 TON, 4X4, REAR DUMP	203.3333	5,594.18	6,251.52	3,955.98	615.23	1,956.94	317.02	13,096.71	18,690.89
9010603 Temporary Erosion and Sedimentation Control	1,357.7833	57,229.42	95,485.83	44,479.62	5,716.52	0.00	0.00	145,681.97	202,911.40
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,357.7833	57,229.42	95,485.83	44,479.62	5,716.52	0.00	0.00	145,681.97	202,911.40

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
9010604 Dewatering and Control of Water	5,536.0000	6,419.95	8,227.50	34,646.86	5,073.96	98.59	15.97	48,062.88	54,482.83
MAP P50GR004 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 20' WITH COUPLING (PER SECTION)	1,384.0000	564.00	999.19	0.00	0.00	0.00	0.00	999.19	1,563.19
MAP P50GR008 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 50' WITH COUPLING (PER SECTION)	2,768.0000	1,581.55	2,801.88	0.00	0.00	0.00	0.00	2,801.88	4,383.43
MAP P60GR002 PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,825 GPM @ 40' HEAD (ADD HOSES)	1,384.0000	4,274.39	4,426.43	34,646.86	5,073.96	98.59	15.97	44,261.82	48,536.21
9010605 Strip and Stockpile Topsoil - Channel	2,547.6722	101,101.06	142,706.53	91,259.60	11,283.56	13,992.90	2,266.85	261,509.44	362,610.50
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	1,224.8424	45,344.90	49,678.80	47,925.02	5,714.20	13,992.90	2,266.85	119,577.76	164,922.67
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,322.8298	55,756.16	93,027.73	43,334.58	5,569.36	0.00	0.00	141,931.67	197,687.83
9010606 Strip and Stockpile Topsoil - Spoil Berm	3,182.9760	112,438.29	183,881.40	84,224.73	10,927.06	409.92	66.41	279,509.51	391,947.79
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	397.8720	5,736.30	5,851.86	3,796.10	590.37	409.92	66.41	10,714.65	16,450.95
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,989.3600	83,849.85	139,901.33	65,169.44	8,375.58	0.00	0.00	213,446.35	297,296.19
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	795.7440	22,852.14	38,128.21	15,259.19	1,961.11	0.00	0.00	55,348.51	78,200.65
9010607 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	28,336.4500	784,791.65	1,048,510.72	694,557.12	88,158.58	91,279.95	14,787.35	1,937,293.71	2,722,085.35

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	3,676.0800	52,999.70	54,067.41	35,073.48	5,454.63	3,787.39	613.56	98,996.46	151,996.16
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	2,144.3800	26,597.98	24,182.31	10,834.48	1,586.69	0.00	0.00	36,603.48	63,201.46
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	7,658.5000	283,525.40	310,623.71	299,657.96	35,728.82	87,492.56	14,173.79	747,676.84	1,031,202.24
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	2,144.3800	3,214.76	3,469.96	0.00	536.10	0.00	0.00	4,006.05	7,220.81
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	4,288.7600	73,660.84	80,889.09	83,420.46	10,721.20	0.00	0.00	175,030.74	248,691.58
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	7,658.5000	322,799.32	538,582.41	250,884.80	32,243.71	0.00	0.00	821,710.92	1,144,510.25
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	765.8500	21,993.64	36,695.83	14,685.94	1,887.44	0.00	0.00	53,269.21	75,262.85
9010608 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	54,105.5506	1,546,051.97	2,041,341.47	1,387,803.20	175,023.83	204,664.41	33,155.63	3,841,988.55	5,388,040.52
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	6,665.8038	96,103.90	98,039.96	63,598.43	9,890.83	6,867.63	1,112.56	179,509.41	275,613.31
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	3,635.8930	45,098.08	41,002.20	18,370.35	2,690.30	0.00	0.00	62,062.85	107,160.93

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	17,313.7762	640,973.46	702,235.34	677,444.78	80,773.10	197,796.78	32,043.08	1,690,293.07	2,331,266.53
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	3,635.8930	5,450.77	5,883.47	0.00	908.97	0.00	0.00	6,792.45	12,243.22
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	7,271.7860	124,895.28	137,151.10	141,443.15	18,178.27	0.00	0.00	296,772.52	421,667.79
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	13,851.0210	583,808.86	974,070.15	453,745.60	58,315.38	0.00	0.00	1,486,131.13	2,069,939.99
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	1,731.3776	49,721.62	82,959.25	33,200.90	4,266.98	0.00	0.00	120,427.13	170,148.75
9010609 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	2,819.0855	81,298.19	111,785.71	62,896.71	7,274.21	10,423.00	1,688.53	194,068.15	275,366.34
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	200.4785	2,890.39	2,948.62	1,912.77	297.47	206.55	33.46	5,398.87	8,289.25
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	214.0884	9,702.99	14,303.76	8,000.92	440.69	0.00	0.00	22,745.38	32,448.37
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	214.0884	1,773.76	2,035.18	1,183.31	563.59	235.22	38.11	4,055.40	5,829.16
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	147.7210	1,832.27	1,665.86	746.36	109.30	0.00	0.00	2,521.52	4,353.79

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	147.7210	221.46	239.04	0.00	36.93	0.00	0.00	275.97	497.42
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	295.4420	5,074.31	5,572.25	5,746.63	738.56	0.00	0.00	12,057.43	17,131.74
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	749.3094	23,966.25	25,228.28	17,453.81	1,508.01	9,981.23	1,616.96	55,788.30	79,754.55
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	850.2368	35,836.77	59,792.73	27,852.91	3,579.66	0.00	0.00	91,225.29	127,062.05
9010610 Excavation and Embankment - Channel - Type 4 Brenna	13,853.7880	416,845.48	582,517.42	322,177.04	37,242.17	50,992.96	8,260.86	1,001,190.45	1,418,035.93
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	802.9956	11,577.15	11,810.38	7,661.38	1,191.50	827.31	134.02	21,624.59	33,201.74
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	1,183.3620	53,632.75	79,063.27	44,224.66	2,435.89	0.00	0.00	125,723.83	179,356.57
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	1,183.3620	9,804.35	11,249.35	6,540.68	3,115.19	1,300.15	210.62	22,416.00	32,220.35
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	591.6810	7,338.96	6,672.42	2,989.47	437.80	0.00	0.00	10,099.69	17,438.66
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	591.6810	887.02	957.44	0.00	147.92	0.00	0.00	1,105.36	1,992.38

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	1,183.3620	20,324.62	22,319.06	23,017.52	2,958.21	0.00	0.00	48,294.78	68,619.41
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	3,668.4222	117,332.47	123,511.03	85,449.29	7,382.82	48,865.50	7,916.21	273,124.86	390,457.33
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	4,648.9221	195,948.15	326,934.48	152,294.04	19,572.83	0.00	0.00	498,801.35	694,749.50
9010612 Temporary Haul Roads	858.1976	13,764.10	16,558.91	10,446.78	1,523.56	567.83	91.99	29,189.06	42,953.16
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	53.2220	767.32	782.78	507.79	78.97	54.83	8.88	1,433.26	2,200.59
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	16.8000	139.19	159.71	92.86	44.23	18.46	2.99	318.24	457.43
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	72.8439	903.52	821.47	368.04	53.90	0.00	0.00	1,243.41	2,146.93
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	36.4220	54.60	58.94	0.00	9.11	0.00	0.00	68.04	122.64
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	109.2659	1,876.68	2,060.83	2,125.32	273.15	0.00	0.00	4,459.30	6,335.98
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	89.6439	3,778.41	6,304.19	2,936.64	377.42	0.00	0.00	9,618.25	13,396.67
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	480.0000	6,244.36	6,370.99	4,416.12	686.79	494.53	80.11	12,048.56	18,292.92

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
9010613 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	738.4562	22,218.65	31,048.26	17,174.29	1,985.39	2,718.15	440.34	53,366.43	75,585.08
901061302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	0.4613	13.18	17.40	11.83	1.49	1.74	0.28	32.76	45.94
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.0568	0.82	0.84	0.54	0.08	0.06	0.01	1.53	2.35
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	0.0310	0.38	0.35	0.16	0.02	0.00	0.00	0.53	0.91
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	0.1476	5.47	5.99	5.78	0.69	1.69	0.27	14.41	19.88
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	0.0310	0.05	0.05	0.00	0.01	0.00	0.00	0.06	0.10
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	0.0620	1.06	1.17	1.21	0.15	0.00	0.00	2.53	3.60
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	0.1181	4.98	8.31	3.87	0.50	0.00	0.00	12.67	17.65
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	0.0148	0.42	0.71	0.28	0.04	0.00	0.00	1.03	1.45
901061304 Excavation and Embankment - Channel - Type 4 Brenna	737.9949	22,205.47	31,030.85	17,162.45	1,983.90	2,716.41	440.06	53,333.67	75,539.14
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	42.7758	616.72	629.14	408.12	63.47	44.07	7.14	1,151.95	1,768.67

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	63.0380	2,857.03	4,211.72	2,355.86	129.76	0.00	0.00	6,697.34	9,554.37
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	63.0380	522.28	599.26	348.42	165.95	69.26	11.22	1,194.11	1,716.39
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	31.5190	390.95	355.44	159.25	23.32	0.00	0.00	538.01	928.96
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	31.5190	47.25	51.00	0.00	7.88	0.00	0.00	58.88	106.13
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	63.0380	1,082.70	1,188.94	1,226.15	157.58	0.00	0.00	2,572.68	3,655.37
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	195.4178	6,250.33	6,579.46	4,551.91	393.28	2,603.08	421.70	14,549.43	20,799.76
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	247.6493	10,438.21	17,415.88	8,112.74	1,042.65	0.00	0.00	26,571.28	37,009.49
9010614a Lower Bank Protection	651.8413	17,566.52	19,463.10	11,563.00	1,684.35	763.88	123.75	33,598.06	51,164.58
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	325.9206	12,729.64	14,577.37	7,265.46	1,169.16	0.00	0.00	23,011.98	35,741.62
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	325.9206	4,836.88	4,885.73	4,297.54	515.19	763.88	123.75	10,586.08	15,422.96
9010614b Low Flow Channel Protection	30.5714	823.87	912.82	542.31	79.00	35.83	5.80	1,575.75	2,399.62

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	15.2857	597.02	683.68	340.75	54.83	0.00	0.00	1,079.26	1,676.29
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	15.2857	226.85	229.14	201.56	24.16	35.83	5.80	496.49	723.34
9010615 Topsoil Placement - Channel	862.9600	27,037.67	35,221.15	25,332.30	3,152.98	4,562.04	739.05	69,007.52	96,045.19
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	78.4509	1,131.06	1,153.85	748.50	116.41	80.83	13.09	2,112.67	3,243.74
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	392.2545	14,521.66	15,909.59	15,347.94	1,829.97	4,481.21	725.96	38,294.66	52,816.32
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	78.4509	117.61	126.95	0.00	19.61	0.00	0.00	146.56	264.17
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	78.4509	1,347.42	1,479.64	1,525.94	196.11	0.00	0.00	3,201.70	4,549.12
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	235.3527	9,919.92	16,551.13	7,709.92	990.88	0.00	0.00	25,251.93	35,171.85
9010616 Topsoil Placement - Spoil Berm	5,810.4133	175,052.43	280,434.41	134,301.28	17,555.34	598.63	96.98	432,986.65	608,039.08
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	581.0413	8,377.13	8,545.90	5,543.72	862.16	598.63	96.98	15,647.38	24,024.52
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	581.0413	871.07	940.22	0.00	145.26	0.00	0.00	1,085.48	1,956.55

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	581.0413	9,979.57	10,958.86	11,301.81	1,452.51	0.00	0.00	23,713.17	33,692.74
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	2,905.2067	122,452.01	204,308.05	95,171.67	12,231.46	0.00	0.00	311,711.18	434,163.19
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	1,162.0827	33,372.64	55,681.39	22,284.10	2,863.95	0.00	0.00	80,829.44	114,202.07
9010619 Site Restoration	4,888.0000	91,621.56	88,134.20	35,781.38	3,926.22	0.00	0.00	127,841.80	219,463.36
GEN L15Z3880 LANDSCAPING EQUIPMENT, HYDROSEEDER, 3,000 GAL (11,356 L) TRUCK MOUNTED	2,444.0000	90,158.64	86,901.84	35,781.38	3,926.22	0.00	0.00	126,609.45	216,768.08
MAP T40KF018 TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'	2,444.0000	1,462.92	1,232.36	0.00	0.00	0.00	0.00	1,232.36	2,695.28
9010620 Snow Removal	573.0000	8,503.70	8,589.58	7,555.49	905.75	1,342.97	217.56	18,611.36	27,115.06
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	573.0000	8,503.70	8,589.58	7,555.49	905.75	1,342.97	217.56	18,611.36	27,115.06
90107 Reach 2018	420,646.0790	11,555,964.18	15,807,507.97	9,541,277.87	1,173,386.44	1,267,751.99	205,375.82	27,995,300.09	39,551,264.26
9010702 Clearing and Grubbing	1,353.3333	28,658.89	30,947.86	22,087.42	3,117.04	8,098.39	1,311.94	65,562.64	94,221.53
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	676.6667	10,042.19	10,143.60	8,922.43	1,069.62	1,585.94	256.92	21,978.51	32,020.69
MAP T55CA007 TRUCK, OFF-HIGHWAY, RIGID FRAME, 31.7 CY, 41.6 TON, 4X4, REAR DUMP	676.6667	18,616.70	20,804.25	13,164.99	2,047.42	6,512.45	1,055.02	43,584.14	62,200.84
9010703 Temporary Erosion and Sedimentation Control	4,517.7833	190,420.76	317,712.17	147,998.06	19,020.71	0.00	0.00	484,730.94	675,151.70
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	4,517.7833	190,420.76	317,712.17	147,998.06	19,020.71	0.00	0.00	484,730.94	675,151.70

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
9010704 Dewatering and Control of Water	18,368.0000	21,300.87	27,298.16	114,955.49	16,835.00	327.10	52.99	159,468.74	180,769.61
MAP P50GR004 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 20' WITH COUPLING (PER SECTION)	4,592.0000	1,871.32	3,315.22	0.00	0.00	0.00	0.00	3,315.22	5,186.54
MAP P50GR008 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 50' WITH COUPLING (PER SECTION)	9,184.0000	5,247.47	9,296.40	0.00	0.00	0.00	0.00	9,296.40	14,543.86
MAP P60GR002 PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,825 GPM @ 40' HEAD (ADD HOSES)	4,592.0000	14,182.09	14,686.55	114,955.49	16,835.00	327.10	52.99	146,857.13	161,039.21
9010705 Strip and Stockpile Topsoil - Channel	8,547.9239	339,213.26	478,807.49	306,193.29	37,858.47	46,948.82	7,605.71	877,413.79	1,216,627.05
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	4,109.5788	152,140.75	166,681.80	160,797.54	19,172.21	46,948.82	7,605.71	401,206.10	553,346.85
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	4,438.3451	187,072.51	312,125.69	145,395.75	18,686.26	0.00	0.00	476,207.70	663,280.20
9010706 Strip and Stockpile Topsoil - Spoil Berm	10,570.2133	373,391.66	610,644.12	279,698.42	36,287.21	1,361.28	220.53	928,211.55	1,301,603.21
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,321.2767	19,049.44	19,433.20	12,606.30	1,960.53	1,361.28	220.53	35,581.85	54,631.29
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	6,606.3833	278,453.49	464,592.52	216,418.51	27,814.11	0.00	0.00	708,825.14	987,278.63
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	2,642.5533	75,888.72	126,618.39	50,673.60	6,512.57	0.00	0.00	183,804.57	259,693.29
9010707 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	92,269.3579	2,555,444.36	3,414,168.34	2,261,622.01	287,062.61	297,226.44	48,150.68	6,308,230.08	8,863,674.44

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	11,970.0789	172,578.02	176,054.69	114,206.52	17,761.40	12,332.52	1,997.87	322,353.00	494,931.02
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	6,982.5460	86,608.55	78,742.62	35,279.31	5,166.58	0.00	0.00	119,188.52	205,797.06
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	24,937.6643	923,217.49	1,011,455.21	975,748.46	116,340.44	284,893.92	46,152.82	2,434,590.85	3,357,808.34
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	6,982.5460	10,467.93	11,298.91	0.00	1,745.64	0.00	0.00	13,044.54	23,512.47
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	13,965.0920	239,854.97	263,391.65	271,634.31	34,910.44	0.00	0.00	569,936.40	809,791.37
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	24,937.6643	1,051,101.54	1,753,736.02	816,932.94	104,992.22	0.00	0.00	2,675,661.18	3,726,762.72
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	2,493.7664	71,615.87	119,489.24	47,820.47	6,145.89	0.00	0.00	173,455.59	245,071.46
9010708 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	83,329.3452	2,381,114.26	3,143,922.32	2,137,391.28	269,558.69	315,208.91	51,063.84	5,917,145.04	8,298,259.31
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	10,266.1753	148,012.08	150,993.86	97,949.58	15,233.12	10,577.02	1,713.48	276,467.05	424,479.13
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	5,599.7320	69,456.71	63,148.54	28,292.65	4,143.40	0.00	0.00	95,584.58	165,041.29

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	26,665.3905	987,179.66	1,081,530.65	1,043,350.07	124,400.72	304,631.89	49,350.37	2,603,263.68	3,590,443.34
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	5,599.7320	8,394.87	9,061.29	0.00	1,399.93	0.00	0.00	10,461.22	18,856.09
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	11,199.4640	192,354.42	211,229.92	217,840.21	27,996.82	0.00	0.00	457,066.96	649,421.38
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	21,332.3124	899,138.99	1,500,190.40	698,825.22	89,813.02	0.00	0.00	2,288,828.64	3,187,967.63
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	2,666.5390	76,577.54	127,767.67	51,133.55	6,571.68	0.00	0.00	185,472.91	262,050.45
9010709 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	101,176.8716	2,917,788.89	4,011,984.79	2,257,360.40	261,070.96	374,081.09	60,601.14	6,965,098.38	9,882,887.27
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	7,195.1656	103,735.95	105,825.76	68,649.08	10,676.30	7,413.02	1,200.91	193,765.07	297,501.02
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	7,683.6246	348,239.92	513,361.50	287,152.80	15,816.38	0.00	0.00	816,330.68	1,164,570.60
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	7,683.6246	63,660.11	73,042.56	42,468.93	20,227.10	8,441.93	1,367.59	145,548.11	209,208.22
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	5,301.7010	65,760.06	59,787.62	26,786.84	3,922.88	0.00	0.00	90,497.35	156,257.40

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	5,301.7010	7,948.08	8,579.02	0.00	1,325.43	0.00	0.00	9,904.45	17,852.53
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	10,603.4020	182,116.86	199,987.77	206,246.24	26,506.77	0.00	0.00	432,740.78	614,857.63
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	26,892.6862	860,147.81	905,441.95	626,416.72	54,122.40	358,226.13	58,032.63	2,002,239.83	2,862,387.64
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	30,514.9664	1,286,180.12	2,145,958.62	999,639.78	128,473.71	0.00	0.00	3,274,072.11	4,560,252.23
9010710 Excavation and Embankment - Channel - Type 4 Brenna	50,753.4613	1,527,116.68	2,134,057.15	1,180,298.12	136,436.98	186,813.12	30,263.73	3,667,869.10	5,194,985.78
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	2,941.7809	42,412.98	43,267.41	28,067.53	4,365.06	3,030.85	491.00	79,221.86	121,634.84
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	4,335.2560	196,483.99	289,648.91	162,017.40	8,923.92	0.00	0.00	460,590.24	657,074.22
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	4,335.2560	35,918.32	41,212.08	23,961.83	11,412.54	4,763.11	771.62	82,121.18	118,039.50
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	2,167.6280	26,886.34	24,444.48	10,951.94	1,603.89	0.00	0.00	37,000.31	63,886.65
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	2,167.6280	3,249.61	3,507.58	0.00	541.91	0.00	0.00	4,049.49	7,299.10

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	4,335.2560	74,459.42	81,766.04	84,324.85	10,837.43	0.00	0.00	176,928.31	251,387.74
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	13,439.2936	429,848.43	452,483.62	313,044.15	27,047.01	179,019.16	29,001.10	1,000,595.06	1,430,443.49
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	17,031.3629	717,857.59	1,197,727.02	557,930.42	71,705.22	0.00	0.00	1,827,362.66	2,545,220.25
9010712 Temporary Haul Roads	3,539.0095	56,783.40	68,331.70	43,103.12	6,285.48	2,338.73	378.87	120,437.91	177,221.31
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	219.9544	3,171.18	3,235.07	2,098.58	326.37	226.61	36.71	5,923.35	9,094.53
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	69.4300	575.24	660.02	383.75	182.77	76.28	12.36	1,315.19	1,890.43
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	301.0488	3,734.08	3,394.95	1,521.05	222.75	0.00	0.00	5,138.75	8,872.83
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	150.5244	225.66	243.57	0.00	37.63	0.00	0.00	281.20	506.86
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	451.5732	7,755.92	8,516.99	8,783.53	1,128.86	0.00	0.00	18,429.38	26,185.30
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	370.4788	15,615.37	26,053.84	12,136.51	1,559.78	0.00	0.00	39,750.14	55,365.51
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,976.0000	25,705.96	26,227.26	18,179.69	2,827.31	2,035.83	329.80	49,599.90	75,305.85

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
9010713 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	2,515.6606	74,824.02	104,102.73	57,910.16	6,700.79	9,260.86	1,500.26	179,474.80	254,298.81
901071301 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	20.8654	577.88	772.06	511.43	64.91	67.21	10.89	1,426.51	2,004.39
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	2.7069	39.03	39.81	25.83	4.02	2.79	0.45	72.90	111.92
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	1.5790	19.59	17.81	7.98	1.17	0.00	0.00	26.95	46.54
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	5.6393	208.77	228.73	220.65	26.31	64.42	10.44	550.55	759.32
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	1.5790	2.37	2.56	0.00	0.39	0.00	0.00	2.95	5.32
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	3.1580	54.24	59.56	61.43	7.89	0.00	0.00	128.88	183.12
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	5.6393	237.69	396.58	184.74	23.74	0.00	0.00	605.06	842.75
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	0.5639	16.19	27.02	10.81	1.39	0.00	0.00	39.22	55.42
901071303 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	655.4158	18,901.21	25,989.32	14,623.00	1,691.20	2,423.27	392.57	45,119.36	64,020.56
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	46.6097	671.99	685.53	444.70	69.16	48.02	7.78	1,255.19	1,927.19

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	49.7739	2,255.87	3,325.52	1,860.15	102.46	0.00	0.00	5,288.13	7,544.00
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	49.7739	412.39	473.16	275.11	131.03	54.69	8.86	942.85	1,355.23
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	34.3440	425.99	387.30	173.52	25.41	0.00	0.00	586.23	1,012.22
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	34.3440	51.49	55.57	0.00	8.59	0.00	0.00	64.16	115.65
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	68.6880	1,179.74	1,295.50	1,336.05	171.71	0.00	0.00	2,803.26	3,983.00
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	174.2087	5,571.97	5,865.38	4,057.88	350.60	2,320.56	375.93	12,970.35	18,542.32
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	197.6735	8,331.77	13,901.35	6,475.59	832.24	0.00	0.00	21,209.18	29,540.95
901071304 Excavation and Embankment - Channel - Type 4 Brenna	1,839.3795	55,344.94	77,341.34	42,775.73	4,944.68	6,770.38	1,096.80	132,928.93	188,273.86
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	106.6144	1,537.11	1,568.07	1,017.21	158.20	109.84	17.79	2,871.12	4,408.22
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	157.1160	7,120.87	10,497.30	5,871.75	323.42	0.00	0.00	16,692.46	23,813.33

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	157.1160	1,301.73	1,493.59	868.41	413.61	172.62	27.96	2,976.19	4,277.92
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	78.5580	974.40	885.90	396.91	58.13	0.00	0.00	1,340.95	2,315.35
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	78.5580	117.77	127.12	0.00	19.64	0.00	0.00	146.76	264.53
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	157.1160	2,698.52	2,963.32	3,056.06	392.76	0.00	0.00	6,412.14	9,110.66
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	487.0596	15,578.33	16,398.67	11,345.18	980.22	6,487.92	1,051.04	36,263.02	51,841.36
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	617.2414	26,016.21	43,407.37	20,220.21	2,598.70	0.00	0.00	66,226.29	92,242.49
9010714a Lower Bank Protection	2,693.9048	72,598.24	80,436.34	47,787.11	6,961.00	3,156.92	511.42	138,852.80	211,451.03
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	1,346.9524	52,608.56	60,244.79	30,026.40	4,831.85	0.00	0.00	95,103.04	147,711.60
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	1,346.9524	19,989.68	20,191.55	17,760.71	2,129.15	3,156.92	511.42	43,749.76	63,739.43
9010714b Low Flow Channel Protection	126.3810	3,405.85	3,773.56	2,241.87	326.57	148.10	23.99	6,514.09	9,919.94

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	63.1905	2,468.06	2,826.30	1,408.65	226.68	0.00	0.00	4,461.63	6,929.69
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	63.1905	937.79	947.26	833.22	99.89	148.10	23.99	2,052.46	2,990.25
9010715 Topsoil Placement - Channel	2,882.5867	90,315.23	117,650.90	84,618.71	10,532.04	15,238.79	2,468.68	230,509.13	320,824.36
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	262.0533	3,778.14	3,854.25	2,500.25	388.84	269.99	43.74	7,057.07	10,835.21
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	1,310.2667	48,507.39	53,143.55	51,267.46	6,112.72	14,968.80	2,424.95	127,917.48	176,424.88
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	262.0533	392.86	424.05	0.00	65.51	0.00	0.00	489.56	882.42
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	262.0533	4,500.85	4,942.51	5,097.19	655.09	0.00	0.00	10,694.79	15,195.64
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	786.1600	33,135.98	55,286.54	25,753.82	3,309.88	0.00	0.00	84,350.23	117,486.21
9010716 Topsoil Placement - Spoil Berm	19,371.2467	583,604.57	934,935.93	447,744.96	58,527.48	1,995.78	323.32	1,443,527.46	2,027,132.03
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,937.1247	27,928.40	28,491.03	18,482.11	2,874.34	1,995.78	323.32	52,166.57	80,094.97
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	1,937.1247	2,904.05	3,134.59	0.00	484.28	0.00	0.00	3,618.87	6,522.92

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	1,937.1247	33,270.74	36,535.56	37,678.92	4,842.49	0.00	0.00	79,056.97	112,327.71
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	9,685.6233	408,240.86	681,139.43	317,291.33	40,778.28	0.00	0.00	1,039,209.05	1,447,449.91
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	3,874.2493	111,260.51	185,635.32	74,292.61	9,548.09	0.00	0.00	269,476.01	380,736.52
9010719 Site Restoration	16,264.0000	304,855.37	293,251.77	119,056.55	13,063.84	0.00	0.00	425,372.15	730,227.53
GEN L15Z3880 LANDSCAPING EQUIPMENT, HYDROSEEDER, 3,000 GAL (11,356 L) TRUCK MOUNTED	8,132.0000	299,987.74	289,151.31	119,056.55	13,063.84	0.00	0.00	421,271.69	721,259.43
MAP T40KF018 TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'	8,132.0000	4,867.64	4,100.46	0.00	0.00	0.00	0.00	4,100.46	8,968.10
9010720 Snow Removal	2,367.0000	35,127.87	35,482.62	31,210.91	3,741.56	5,547.66	898.72	76,881.47	112,009.34
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	2,367.0000	35,127.87	35,482.62	31,210.91	3,741.56	5,547.66	898.72	76,881.47	112,009.34
902 Hydraulic Structure - Red River Control Structure	58,588.1408	1,480,170.53	1,859,028.60	1,057,920.21	133,490.00	148,857.21	24,114.87	3,223,410.88	4,703,581.42
90201 Hydraulic Structure - Red River Control Structure - Site work	42,988.1327	1,002,490.56	1,343,699.40	852,924.10	105,308.89	114,809.65	18,599.16	2,435,341.20	3,437,831.76
9020102 Temporary Erosion and Sedimentation Control	366.6667	15,454.69	25,785.76	12,011.63	1,543.74	0.00	0.00	39,341.12	54,795.82
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	366.6667	15,454.69	25,785.76	12,011.63	1,543.74	0.00	0.00	39,341.12	54,795.82
9020103 Clearing and Grubbing	173.3333	3,670.60	3,963.76	2,828.93	399.23	1,037.23	168.03	8,397.19	12,067.78
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	86.6667	1,286.19	1,299.18	1,142.77	137.00	203.12	32.91	2,814.98	4,101.17

<u>Description</u>	<u>EQHours</u>	<u>Ownership</u>	<u>EQRepair</u>	<u>Fuel</u>	<u>FOG</u>	<u>TireWear</u>	<u>TireRepair</u>	<u>Operating</u>	<u>Total</u>
MAP T55CA007 TRUCK, OFF-HIGHWAY, RIGID FRAME, 31.7 CY, 41.6 TON, 4X4, REAR DUMP	86.6667	2,384.41	2,664.58	1,686.16	262.23	834.11	135.13	5,582.20	7,966.61
9020104 Strip and Stockpile Topsoil	1,677.8667	66,583.96	93,984.83	60,102.49	7,431.22	9,215.56	1,492.92	172,227.01	238,810.97
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	806.6667	29,863.61	32,717.87	31,562.85	3,763.30	9,215.56	1,492.92	78,752.50	108,616.11
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	871.2000	36,720.35	61,266.96	28,539.64	3,667.91	0.00	0.00	93,474.51	130,194.86
9020105 Temporary Haul Roads	1,371.1971	23,884.55	30,168.24	18,627.12	2,632.75	643.57	104.26	52,175.95	76,060.50
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	116.5779	1,680.76	1,714.62	1,112.27	172.98	120.11	19.46	3,139.43	4,820.19
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	26.3340	218.18	250.34	145.55	69.32	28.93	4.69	498.84	717.02
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	180.4878	2,238.69	2,035.37	911.91	133.55	0.00	0.00	3,080.84	5,319.53
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	90.2439	135.29	146.03	0.00	22.56	0.00	0.00	168.59	303.88
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	270.7317	4,649.90	5,106.19	5,265.99	676.78	0.00	0.00	11,048.97	15,698.87
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	206.8218	8,717.36	14,544.70	6,775.28	870.76	0.00	0.00	22,190.73	30,908.10

<u>Description</u>	<u>EQHours</u>	<u>Ownership</u>	<u>EQRepair</u>	<u>Fuel</u>	<u>FOG</u>	<u>TireWear</u>	<u>TireRepair</u>	<u>Operating</u>	<u>Total</u>
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	480.0000	6,244.36	6,370.99	4,416.12	686.79	494.53	80.11	12,048.56	18,292.92
9020106 Coffering - Steel Sheetpile	275.3333	5,447.51	6,164.38	1,498.05	307.95	106.25	17.21	8,093.84	13,541.35
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	76.6667	3,671.53	3,785.65	900.29	90.62	0.00	0.00	4,776.56	8,448.09
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	45.3333	672.78	679.57	597.76	71.66	106.25	17.21	1,472.45	2,145.23
MAP P10IC010 PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'	76.6667	191.49	178.63	0.00	0.00	0.00	0.00	178.63	370.11
MAP P20IC002 PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)	76.6667	911.72	1,520.54	0.00	145.67	0.00	0.00	1,666.21	2,577.92
9020108 Embankment - Temporary Levee	750.8539	17,008.60	22,736.47	14,389.91	1,874.25	962.55	155.93	40,119.11	57,127.71
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	88.6815	1,278.56	1,304.32	846.11	131.59	91.37	14.80	2,388.18	3,666.74
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	125.5081	1,556.75	1,415.36	634.13	92.87	0.00	0.00	2,142.36	3,699.11
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	76.2571	2,823.12	3,092.94	2,983.75	355.76	871.18	141.13	7,444.76	10,267.88
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	73.4300	110.08	118.82	0.00	18.36	0.00	0.00	137.18	247.26
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	198.9381	3,416.83	3,752.12	3,869.54	497.31	0.00	0.00	8,118.96	11,535.79

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	180.4132	7,604.27	12,687.52	5,910.16	759.57	0.00	0.00	19,357.25	26,961.52
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	7.6257	218.99	365.39	146.23	18.79	0.00	0.00	530.41	749.41
9020109 Excavation and Embankment - Channel Realignment	28,011.5483	772,724.48	1,045,188.71	631,069.05	76,399.70	91,801.45	14,871.84	1,859,330.75	2,632,055.23
902010901 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	9,821.6355	242,233.42	329,201.05	205,851.28	26,584.01	16,057.39	2,601.30	580,295.03	822,528.45
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,051.2316	15,156.08	15,461.41	10,029.80	1,559.83	1,083.06	175.46	28,309.56	43,465.64
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	1,504.4572	18,660.65	16,965.86	7,601.27	1,113.19	0.00	0.00	25,680.32	44,340.97
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	1,310.7500	48,525.29	53,163.16	51,286.37	6,114.98	14,974.33	2,425.84	127,964.67	176,489.96
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	789.0816	1,182.96	1,276.86	0.00	197.27	0.00	0.00	1,474.13	2,657.09
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	2,293.5388	39,392.27	43,257.79	44,611.51	5,733.47	0.00	0.00	93,602.77	132,995.04
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	2,741.5012	115,551.97	192,795.50	89,808.84	11,542.23	0.00	0.00	294,146.57	409,698.54

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	131.0750	3,764.21	6,280.48	2,513.49	323.03	0.00	0.00	9,117.01	12,881.22
902010902 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	4,548.0952	129,960.63	171,594.51	116,658.29	14,712.45	17,204.02	2,787.05	322,956.33	452,916.96
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	560.3253	8,078.46	8,241.21	5,346.06	831.42	577.29	93.52	15,089.50	23,167.97
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	305.6320	3,790.93	3,446.63	1,544.21	226.15	0.00	0.00	5,216.98	9,007.91
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	1,455.3905	53,880.02	59,029.68	56,945.79	6,789.76	16,626.73	2,693.53	142,085.49	195,965.52
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	305.6320	458.19	494.56	0.00	76.41	0.00	0.00	570.97	1,029.16
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	611.2640	10,498.66	11,528.88	11,889.67	1,528.06	0.00	0.00	24,946.60	35,445.26
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,164.3124	49,074.79	81,880.02	38,141.71	4,901.97	0.00	0.00	124,923.71	173,998.49
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	145.5390	4,179.58	6,973.53	2,790.86	358.68	0.00	0.00	10,123.07	14,302.65
902010903 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	9,232.5572	266,253.07	366,100.26	205,987.88	23,823.16	34,135.52	5,529.95	635,576.77	901,829.84

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	656.5708	9,466.08	9,656.78	6,264.34	974.23	676.45	109.59	17,681.38	27,147.46
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	701.1435	31,777.47	46,845.09	26,203.17	1,443.27	0.00	0.00	74,491.53	106,269.00
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	701.1435	5,809.09	6,665.25	3,875.36	1,845.76	770.34	124.80	13,281.51	19,090.60
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	483.7890	6,000.71	5,455.72	2,444.34	357.97	0.00	0.00	8,258.03	14,258.75
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	483.7890	725.28	782.85	0.00	120.95	0.00	0.00	903.80	1,629.07
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	967.5780	16,618.46	18,249.22	18,820.31	2,418.79	0.00	0.00	39,488.31	56,106.78
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	2,454.0022	78,489.91	82,623.08	57,161.56	4,938.76	32,688.73	5,295.57	182,707.70	261,197.61
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	2,784.5412	117,366.07	195,822.28	91,218.79	11,723.44	0.00	0.00	298,764.50	416,130.57
902010904 Excavation and Embankment - Channel - Type 4 Brenna	3,561.2192	107,153.23	149,740.43	82,818.00	9,573.38	13,108.12	2,123.52	257,363.45	364,516.68
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	206.4160	2,975.99	3,035.95	1,969.42	306.28	212.67	34.45	5,558.76	8,534.75

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	304.1920	13,786.70	20,323.80	11,368.28	626.16	0.00	0.00	32,318.24	46,104.94
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	304.1920	2,520.28	2,891.73	1,681.33	800.78	334.21	54.14	5,762.20	8,282.48
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	152.0960	1,886.53	1,715.20	768.47	112.54	0.00	0.00	2,596.20	4,482.74
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	152.0960	228.02	246.12	0.00	38.02	0.00	0.00	284.14	512.16
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	304.1920	5,224.60	5,737.28	5,916.82	760.43	0.00	0.00	12,414.53	17,639.13
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	942.9952	30,161.18	31,749.43	21,965.38	1,897.81	12,561.24	2,034.92	70,208.77	100,369.96
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1,195.0400	50,369.93	84,040.94	39,148.32	5,031.34	0.00	0.00	128,220.59	178,590.52
902010905 Excavation and Embankment - Channel	848.0413	27,124.13	28,552.45	19,753.59	1,706.71	11,296.40	1,830.02	63,139.17	90,263.31
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	848.0413	27,124.13	28,552.45	19,753.59	1,706.71	11,296.40	1,830.02	63,139.17	90,263.31
9020110 Dewatering and Control of Water	6,464.0000	7,496.13	9,606.67	40,454.72	5,924.51	115.11	18.65	56,119.66	63,615.79

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP P50GR004 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 20' WITH COUPLING (PER SECTION)	1,616.0000	658.55	1,166.68	0.00	0.00	0.00	0.00	1,166.68	1,825.23
MAP P50GR008 PUMP, WATER, CENTRIFUGAL, TRASH, HOSE, SUCTION/DISCH, 6" DIA X 50' WITH COUPLING (PER SECTION)	3,232.0000	1,846.67	3,271.55	0.00	0.00	0.00	0.00	3,271.55	5,118.22
MAP P60GR002 PUMP, WATER, CENTRIFUGAL, DEWATERING, WHEEL, 6" DIA, 1,825 GPM @ 40' HEAD (ADD HOSES)	1,616.0000	4,990.91	5,168.44	40,454.72	5,924.51	115.11	18.65	51,681.43	56,672.34
9020115 Topsoil Placement	1,774.6667	55,602.64	72,431.87	52,095.57	6,484.06	9,381.77	1,519.85	141,913.12	197,515.76
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	161.3333	2,326.02	2,372.87	1,539.28	239.39	166.22	26.93	4,344.69	6,670.71
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	806.6667	29,863.61	32,717.87	31,562.85	3,763.30	9,215.56	1,492.92	78,752.50	108,616.11
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	161.3333	241.86	261.06	0.00	40.33	0.00	0.00	301.40	543.26
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	161.3333	2,770.95	3,042.86	3,138.09	403.31	0.00	0.00	6,584.26	9,355.21
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	484.0000	20,400.19	34,037.20	15,855.36	2,037.73	0.00	0.00	51,930.28	72,330.48
9020116 Site Restoration	1,320.0000	24,742.32	23,800.56	9,662.73	1,060.27	0.00	0.00	34,523.56	59,265.88
GEN L15Z3880 LANDSCAPING EQUIPMENT, HYDROSEEDER, 3,000 GAL (11,356 L) TRUCK MOUNTED	660.0000	24,347.26	23,467.76	9,662.73	1,060.27	0.00	0.00	34,190.77	58,538.03
MAP T40KF018 TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'	660.0000	395.06	332.80	0.00	0.00	0.00	0.00	332.80	727.86
9020117 Miscellaneous Features	162.6667	377.06	274.20	1,744.95	239.55	46.16	7.48	2,312.33	2,689.38

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN C80Z2240 CRANE, HYDRAULIC, TRUCK MOUNTED, 14 TON (12.7 MT), 80' (24.4 M) BOOM, 6X4	2.6667	55.28	36.82	47.01	7.76	9.45	1.53	102.57	157.85
MAP L15HZ001 POST HOLE DRILL, UP TO 8" DIA, 30" DEEP, ONE MAN OPERATION	80.0000	18.55	17.88	52.88	5.80	0.00	0.00	76.55	95.10
MAP T50XX023 TRUCK, HIGHWAY, 20,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	80.0000	303.23	219.50	1,645.06	225.99	36.71	5.95	2,133.20	2,436.44
9020118 Snow Removal	640.0000	9,498.03	9,593.95	8,438.94	1,011.66	1,500.00	243.00	20,787.55	30,285.58
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	640.0000	9,498.03	9,593.95	8,438.94	1,011.66	1,500.00	243.00	20,787.55	30,285.58
90202 Hydraulic Structure Red River Control Structure - Structure	10,326.7444	354,812.02	368,623.29	130,937.38	17,815.16	25,658.38	4,156.66	547,190.86	902,002.89
9020201 Earthwork - Structural	1,341.3781	32,278.07	41,734.61	25,235.05	2,976.20	4,000.94	648.15	74,594.95	106,873.02
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	125.3092	1,806.64	1,843.03	1,195.58	185.94	129.10	20.91	3,374.56	5,181.20
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	71.1984	3,226.88	4,756.94	2,660.83	146.56	0.00	0.00	7,564.33	10,791.21
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	71.1984	589.89	676.83	393.53	187.43	78.23	12.67	1,348.69	1,938.58
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	179.4200	2,225.45	2,023.33	906.52	132.76	0.00	0.00	3,062.61	5,288.06
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	89.7100	134.49	145.17	0.00	22.43	0.00	0.00	167.59	302.08

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	269.1300	4,622.39	5,075.98	5,234.83	672.78	0.00	0.00	10,983.60	15,605.99
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	284.7937	9,108.97	9,588.63	6,633.76	573.16	3,793.62	614.57	21,203.73	30,312.70
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	250.6184	10,563.35	17,624.69	8,210.01	1,055.15	0.00	0.00	26,889.85	37,453.20
9020202 Gated Structure	2,913.0835	109,784.81	110,779.87	34,361.08	4,534.99	6,631.35	1,074.28	157,381.56	267,166.37
902020201 HP 14X73 Piling	807.0823	17,066.10	19,147.74	4,557.78	900.90	279.38	45.26	24,931.06	41,997.15
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	254.2813	12,177.40	12,555.90	2,986.01	300.56	0.00	0.00	15,842.47	28,019.88
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	119.2011	1,769.02	1,786.89	1,571.77	188.42	279.38	45.26	3,871.72	5,640.74
MAP P10IC010 PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'	216.8000	541.49	505.12	0.00	0.00	0.00	0.00	505.12	1,046.62
MAP P20IC002 PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)	216.8000	2,578.18	4,299.82	0.00	411.92	0.00	0.00	4,711.74	7,289.92
902020202 Concrete - Footing	31.6059	1,165.41	1,198.35	386.35	41.56	24.69	4.00	1,654.95	2,820.36
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	21.0706	1,009.06	1,040.42	247.43	24.91	0.00	0.00	1,312.76	2,321.82
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	10.5353	156.35	157.93	138.92	16.65	24.69	4.00	342.19	498.54
902020203 Concrete - Piers	1,105.6373	40,709.66	41,859.67	13,517.78	1,454.52	867.95	140.61	57,840.53	98,550.19
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	735.3137	35,213.81	36,308.32	8,634.75	869.14	0.00	0.00	45,812.21	81,026.03

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	370.3235	5,495.85	5,551.35	4,883.03	585.38	867.95	140.61	12,028.31	17,524.16
902020204 Concrete - Elevated Deck	14.9389	550.85	566.42	182.61	19.64	11.67	1.89	782.23	1,333.08
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	9.9593	476.94	491.77	116.95	11.77	0.00	0.00	620.49	1,097.44
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	4.9796	73.90	74.65	65.66	7.87	11.67	1.89	161.74	235.64
902020205 Steel Reinforcement Bars	395.9500	31,918.79	28,352.27	10,049.21	1,380.52	5,194.65	841.53	45,818.18	77,736.97
EP C75GV016 CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 100 TON, 160' BOOM, 4X4, W/HOOK BLOCK & BALL	395.9500	31,918.79	28,352.27	10,049.21	1,380.52	5,194.65	841.53	45,818.18	77,736.97
902020206 Hydraulic Gates - Steel	337.5338	13,933.31	14,345.36	4,061.05	425.88	158.22	25.63	19,016.14	32,949.44
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	270.0270	12,931.46	13,333.39	3,170.91	319.17	0.00	0.00	16,823.48	29,754.94
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	67.5068	1,001.85	1,011.96	890.13	106.71	158.22	25.63	2,192.66	3,194.50
902020209 Steel Sheetpile	180.3333	3,575.96	4,049.48	968.58	200.94	66.41	10.76	5,296.16	8,872.12
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	50.6667	2,426.40	2,501.82	594.98	59.89	0.00	0.00	3,156.68	5,583.08
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	28.3333	420.49	424.73	373.60	44.79	66.41	10.76	920.28	1,340.77
MAP P10IC010 PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'	50.6667	126.55	118.05	0.00	0.00	0.00	0.00	118.05	244.60

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP P20IC002 PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)	50.6667	602.53	1,004.88	0.00	96.27	0.00	0.00	1,101.15	1,703.67
902020210 Structural Aggregate Backfill	40.0020	864.73	1,260.58	637.73	111.03	28.39	4.60	2,042.32	2,907.06
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	13.3340	192.24	196.12	127.22	19.79	13.74	2.23	359.08	551.33
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	13.3340	110.47	126.76	73.70	35.10	14.65	2.37	252.58	363.06
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	13.3340	562.02	937.71	436.81	56.14	0.00	0.00	1,430.66	1,992.67
9020203 Walls	5,068.2130	181,160.17	181,766.39	55,559.93	8,144.75	14,113.37	2,286.37	261,870.80	443,030.97
902020301 HP 14X73 Piling	2,222.4076	46,874.28	52,543.47	12,749.59	2,492.57	819.17	132.71	68,737.50	115,611.78
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	693.2637	33,200.05	34,231.97	8,140.96	819.44	0.00	0.00	43,192.37	76,392.43
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	349.5132	5,187.01	5,239.39	4,608.63	552.48	819.17	132.71	11,352.38	16,539.39
MAP P10IC010 PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'	589.8154	1,473.16	1,374.21	0.00	0.00	0.00	0.00	1,374.21	2,847.37
MAP P20IC002 PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)	589.8154	7,014.06	11,697.89	0.00	1,120.65	0.00	0.00	12,818.54	19,832.60
902020302 Concrete - Footing	141.5471	5,219.30	5,366.83	1,730.26	186.12	110.58	17.91	7,411.71	12,631.01
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	94.3647	4,519.08	4,659.54	1,108.12	111.54	0.00	0.00	5,879.20	10,398.28

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	47.1824	700.22	707.29	622.14	74.58	110.58	17.91	1,532.51	2,232.73
902020303 Concrete - Elevated Deck	69.4611	2,561.26	2,633.65	849.09	91.33	54.27	8.79	3,637.13	6,198.39
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	46.3074	2,217.64	2,286.57	543.79	54.74	0.00	0.00	2,885.09	5,102.73
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	23.1537	343.62	347.09	305.30	36.60	54.27	8.79	752.05	1,095.66
902020304 Concrete - Wall	1,085.9534	39,983.86	41,113.35	13,277.17	1,428.63	852.57	138.12	56,809.84	96,793.70
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	722.1912	34,585.38	35,660.36	8,480.65	853.63	0.00	0.00	44,994.64	79,580.02
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	363.7623	5,398.48	5,452.99	4,796.51	575.01	852.57	138.12	11,815.20	17,213.67
902020305 Steel Reinforcement	917.3658	73,951.79	65,688.61	23,282.74	3,198.49	12,035.34	1,949.72	106,154.90	180,106.69
EP C75GV016 CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 100 TON, 160' BOOM, 4X4, W/HOOK BLOCK & BALL	917.3658	73,951.79	65,688.61	23,282.74	3,198.49	12,035.34	1,949.72	106,154.90	180,106.69
902020307 Steel Sheetpile	605.0000	11,997.31	13,586.08	3,248.96	674.11	222.66	36.07	17,767.87	29,765.18
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	170.0000	8,141.22	8,394.26	1,996.30	200.94	0.00	0.00	10,591.50	18,732.72
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	95.0000	1,409.86	1,424.10	1,252.66	150.17	222.66	36.07	3,085.65	4,495.52
MAP P10IC010 PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'	170.0000	424.60	396.08	0.00	0.00	0.00	0.00	396.08	820.69

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP P20IC002 PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)	170.0000	2,021.63	3,371.63	0.00	323.00	0.00	0.00	3,694.63	5,716.27
902020308 Structural Aggregate Backfill	26.4780	572.38	834.40	422.12	73.49	18.79	3.04	1,351.85	1,924.23
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	8.8260	127.25	129.81	84.21	13.10	9.09	1.47	237.68	364.93
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	8.8260	73.12	83.90	48.78	23.23	9.70	1.57	167.19	240.31
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	8.8260	372.01	620.69	289.13	37.16	0.00	0.00	946.98	1,318.99
9020204 Riprap	666.5361	17,655.67	19,997.08	11,720.27	1,733.34	754.50	122.23	34,327.41	51,983.08
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	19.1840	276.58	282.16	183.03	28.47	19.76	3.20	516.62	793.21
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	19.1840	158.94	182.37	106.03	50.50	21.08	3.41	363.40	522.34
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	304.4921	11,892.69	13,618.94	6,787.77	1,092.29	0.00	0.00	21,498.99	33,391.68
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	304.4921	4,518.87	4,564.50	4,014.99	481.32	713.65	115.61	9,890.07	14,408.94
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	19.1840	808.59	1,349.11	628.45	80.77	0.00	0.00	2,058.33	2,866.92
9020205 Fish Passage System	337.5338	13,933.31	14,345.36	4,061.05	425.88	158.22	25.63	19,016.14	32,949.44

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	270.0270	12,931.46	13,333.39	3,170.91	319.17	0.00	0.00	16,823.48	29,754.94
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	67.5068	1,001.85	1,011.96	890.13	106.71	158.22	25.63	2,192.66	3,194.50
90203 Hydraulic Structure - Red River Control Structure - Inlet Weir to Diversion	3,736.0523	86,998.45	103,845.66	52,329.55	7,329.03	5,926.44	960.08	170,390.77	257,389.22
9020301 Earthwork - Structural	1,395.5655	33,582.00	43,420.55	26,254.47	3,096.43	4,162.57	674.34	77,608.35	111,190.35
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	130.3713	1,879.62	1,917.49	1,243.87	193.45	134.32	21.76	3,510.89	5,390.51
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	74.0746	3,357.24	4,949.10	2,768.32	152.48	0.00	0.00	7,869.90	11,227.14
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	74.0746	613.72	704.17	409.43	195.00	81.39	13.18	1,403.17	2,016.89
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	186.6680	2,315.35	2,105.07	943.14	138.12	0.00	0.00	3,186.33	5,501.68
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	93.3340	139.92	151.03	0.00	23.33	0.00	0.00	174.36	314.29
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	280.0020	4,809.12	5,281.04	5,446.30	699.96	0.00	0.00	11,427.30	16,236.43
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	296.2984	9,476.94	9,975.98	6,901.74	596.31	3,946.87	639.39	22,060.29	31,537.23

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	260.7426	10,990.08	18,336.67	8,541.67	1,097.78	0.00	0.00	27,976.11	38,966.19
9020302 Steel Sheetpile	1,259.5000	24,782.51	27,993.90	7,067.17	1,421.48	540.23	87.52	37,110.30	61,892.81
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	343.0000	16,426.10	16,936.65	4,027.83	405.43	0.00	0.00	21,369.91	37,796.01
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	230.5000	3,420.77	3,455.32	3,039.34	364.36	540.23	87.52	7,486.77	10,907.54
MAP P10IC010 PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'	343.0000	856.70	799.16	0.00	0.00	0.00	0.00	799.16	1,655.85
MAP P20IC002 PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)	343.0000	4,078.94	6,802.76	0.00	651.70	0.00	0.00	7,454.46	11,533.41
9020303 Riprap	1,080.9868	28,633.94	32,431.21	19,007.91	2,811.13	1,223.64	198.23	55,672.12	84,306.06
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	31.1120	448.56	457.59	296.84	46.16	32.05	5.19	837.84	1,286.40
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	31.1120	257.77	295.76	171.96	81.90	34.18	5.54	589.34	847.11
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	493.8254	19,287.57	22,087.20	11,008.41	1,771.47	0.00	0.00	34,867.08	54,154.65
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	493.8254	7,328.70	7,402.71	6,511.51	780.60	1,157.40	187.50	16,039.72	23,368.42
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	31.1120	1,311.34	2,187.94	1,019.20	130.99	0.00	0.00	3,338.13	4,649.47

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
90204 Hydraulic Structure - Red River Control Structure - Inlet Weir to Extension Channel	1,537.2113	35,869.49	42,860.25	21,729.17	3,036.92	2,462.74	398.96	70,488.05	106,357.54
9020401 Earthwork - Structural	581.4682	13,992.08	18,091.35	10,939.03	1,290.14	1,734.35	280.97	32,335.84	46,327.92
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	54.3197	783.15	798.93	518.26	80.60	55.96	9.07	1,462.83	2,245.98
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	30.8635	1,398.81	2,062.06	1,153.43	63.53	0.00	0.00	3,279.03	4,677.83
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	30.8635	255.71	293.40	170.59	81.25	33.91	5.49	584.64	840.35
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	77.7760	964.70	877.08	392.96	57.55	0.00	0.00	1,327.60	2,292.30
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	38.8880	58.30	62.93	0.00	9.72	0.00	0.00	72.65	130.95
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	116.6640	2,003.74	2,200.37	2,269.23	291.64	0.00	0.00	4,761.23	6,764.98
EP T55JD004 TRUCK, OFF-HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	123.4540	3,948.61	4,156.54	2,875.64	248.46	1,644.48	266.41	9,191.51	13,140.12
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	108.6395	4,579.06	7,640.05	3,558.92	457.39	0.00	0.00	11,656.36	16,235.43
9020402 Temporary Haul Roads	3.0000	64.85	94.54	47.83	8.33	2.13	0.34	153.17	218.02
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1.0000	14.42	14.71	9.54	1.48	1.03	0.17	26.93	41.35

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	1.0000	8.29	9.51	5.53	2.63	1.10	0.18	18.94	27.23
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	1.0000	42.15	70.32	32.76	4.21	0.00	0.00	107.29	149.44
9020403 Steel Sheetpile	502.3333	9,881.77	11,161.40	2,822.36	567.16	216.41	35.06	14,802.39	24,684.16
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	136.6667	6,544.90	6,748.33	1,604.87	161.54	0.00	0.00	8,514.74	15,059.64
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	92.3333	1,370.29	1,384.13	1,217.49	145.95	216.41	35.06	2,999.04	4,369.33
MAP P10IC010 PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'	136.6667	341.35	318.42	0.00	0.00	0.00	0.00	318.42	659.77
MAP P20IC002 PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)	136.6667	1,625.23	2,710.53	0.00	259.67	0.00	0.00	2,970.19	4,595.43
9020404 Riprap	450.4098	11,930.79	13,512.96	7,919.95	1,171.30	509.85	82.60	23,196.65	35,127.44
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	12.9620	186.88	190.64	123.67	19.23	13.35	2.16	349.07	535.94
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	12.9620	107.39	123.22	71.64	34.12	14.24	2.31	245.53	352.93
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	205.7619	8,036.54	9,203.06	4,586.86	738.12	0.00	0.00	14,528.04	22,564.58
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	205.7619	3,053.64	3,084.48	2,713.15	325.25	482.25	78.13	6,683.26	9,736.91

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	12.9620	546.34	911.55	424.62	54.57	0.00	0.00	1,390.74	1,937.08
908 Hydraulic Structure - Small Drain Structure (3 Structures)	788.8627	27,585.03	31,653.48	16,684.28	2,102.92	2,720.25	440.68	53,601.60	81,186.63
90801 Excavation and Embankment - Channel - Type 1 Non-Saturated Non -Brenna	475.7143	13,175.14	17,602.47	11,660.27	1,480.01	1,532.41	248.25	32,523.42	45,698.56
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	61.7143	889.76	907.69	588.82	91.57	63.58	10.30	1,661.96	2,551.72
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	36.0000	446.53	405.97	181.89	26.64	0.00	0.00	614.50	1,061.03
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	128.5714	4,759.84	5,214.77	5,030.68	599.82	1,468.83	237.95	12,552.05	17,311.89
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	36.0000	53.97	58.25	0.00	9.00	0.00	0.00	67.25	121.22
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	72.0000	1,236.62	1,357.97	1,400.47	179.99	0.00	0.00	2,938.43	4,175.05
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	128.5714	5,419.18	9,041.76	4,211.87	541.31	0.00	0.00	13,794.94	19,214.12
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	12.8571	369.23	616.05	246.55	31.69	0.00	0.00	894.29	1,263.52
90802 Concrete - Wall	200.5294	7,350.10	7,557.33	2,453.18	264.21	159.79	25.89	10,460.39	17,810.49

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	132.3529	6,338.32	6,535.32	1,554.21	156.44	0.00	0.00	8,245.98	14,584.30
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	68.1765	1,011.78	1,022.00	898.96	107.77	159.79	25.89	2,214.41	3,226.19
90803 Steel Reinforcement Bars	75.0000	6,045.99	5,370.43	1,903.50	261.50	983.96	159.40	8,678.78	14,724.77
EP C75GV016 CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 100 TON, 160' BOOM, 4X4, W/HOOK BLOCK & BALL	75.0000	6,045.99	5,370.43	1,903.50	261.50	983.96	159.40	8,678.78	14,724.77
90804 Erosion Protection	37.6190	1,013.80	1,123.25	667.32	97.21	44.08	7.14	1,939.01	2,952.81
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	18.8095	734.65	841.29	419.30	67.47	0.00	0.00	1,328.07	2,062.72
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	18.8095	279.15	281.97	248.02	29.73	44.08	7.14	610.94	890.09
910 Hydraulic Structure - Side Channel Inlet 1X72" (7 Inlets)	1,381.9608	43,609.95	53,538.61	31,523.33	3,979.45	4,663.76	755.53	94,460.67	138,070.62
91001 Excavation and Embankment - Channel - Type 1 Non-Saturated Non -Brenna	1,110.0000	30,741.99	41,072.43	27,207.30	3,453.36	3,575.63	579.25	75,887.98	106,629.97
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	144.0000	2,076.11	2,117.94	1,373.90	213.67	148.36	24.03	3,877.91	5,954.02
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	84.0000	1,041.90	947.27	424.41	62.15	0.00	0.00	1,433.84	2,475.74
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	300.0000	11,106.30	12,167.80	11,738.25	1,399.58	3,427.27	555.22	29,288.12	40,394.42

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	84.0000	125.93	135.93	0.00	21.00	0.00	0.00	156.93	282.85
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	168.0000	2,885.45	3,168.60	3,267.76	419.97	0.00	0.00	6,856.33	9,741.79
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	300.0000	12,644.75	21,097.44	9,827.70	1,263.06	0.00	0.00	32,188.19	44,832.94
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	30.0000	861.54	1,437.46	575.28	73.93	0.00	0.00	2,086.67	2,948.21
91003 Concrete - Wall	189.9608	6,901.65	7,095.48	2,326.55	251.02	155.70	25.22	9,853.97	16,755.62
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	123.5294	5,915.76	6,099.64	1,450.60	146.01	0.00	0.00	7,696.25	13,612.01
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	66.4314	985.89	995.84	875.95	105.01	155.70	25.22	2,157.73	3,143.61
91004 Steel Reinforcement Bars	70.0000	5,642.92	5,012.40	1,776.60	244.06	918.36	148.77	8,100.20	13,743.12
EP C75GV016 CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 100 TON, 160' BOOM, 4X4, W/HOOK BLOCK & BALL	70.0000	5,642.92	5,012.40	1,776.60	244.06	918.36	148.77	8,100.20	13,743.12
91005 Erosion Protection	12.0000	323.39	358.30	212.87	31.01	14.06	2.28	618.52	941.91
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	6.0000	234.34	268.36	133.75	21.52	0.00	0.00	423.64	657.98
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	6.0000	89.04	89.94	79.12	9.48	14.06	2.28	194.88	283.93

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
911 Hydraulic Structure - Side Channel Inlet 2X72" (11 Inlets)	2,298.4171	74,693.83	90,085.29	51,546.16	6,496.53	7,852.46	1,272.10	157,252.54	231,946.37
91101 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	1,744.2857	48,308.83	64,542.39	42,754.33	5,426.71	5,618.85	910.25	119,252.54	167,561.38
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	226.2857	3,262.46	3,328.19	2,158.99	335.77	233.14	37.77	6,093.85	9,356.31
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	132.0000	1,637.27	1,488.57	666.93	97.67	0.00	0.00	2,253.17	3,890.45
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	471.4286	17,452.76	19,120.83	18,445.82	2,199.33	5,385.71	872.49	46,024.19	63,476.95
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	132.0000	197.89	213.60	0.00	33.00	0.00	0.00	246.60	444.49
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	264.0000	4,534.29	4,979.23	5,135.05	659.96	0.00	0.00	10,774.24	15,308.52
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	471.4286	19,870.32	33,153.12	15,443.53	1,984.80	0.00	0.00	50,581.45	70,451.76
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	47.1429	1,353.85	2,258.86	904.01	116.18	0.00	0.00	3,279.05	4,632.90
91103 Concrete - Wall	389.5025	14,200.64	14,600.07	4,768.30	514.11	315.76	51.15	20,249.39	34,450.03
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	254.7794	12,201.26	12,580.50	2,991.86	301.15	0.00	0.00	15,873.51	28,074.77

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	134.7230	1,999.38	2,019.57	1,776.44	212.96	315.76	51.15	4,375.88	6,375.26
91104 Steel Reinforcement Bars	144.3750	11,638.53	10,338.07	3,664.24	503.38	1,894.12	306.85	16,706.65	28,345.18
EP C75GV016 CRANES, HYDRAULIC, SELF-PROPELLED, ROUGH TERRAIN, 100 TON, 160' BOOM, 4X4, W/HOOK BLOCK & BALL	144.3750	11,638.53	10,338.07	3,664.24	503.38	1,894.12	306.85	16,706.65	28,345.18
91105 Erosion Protection	20.2540	545.83	604.76	359.28	52.34	23.74	3.85	1,043.96	1,589.78
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	10.1270	395.53	452.95	225.75	36.33	0.00	0.00	715.03	1,110.56
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	10.1270	150.29	151.81	133.53	16.01	23.74	3.85	328.93	479.22
913 Hydraulic Structure - Outlet to Red River of the North	963.4716	26,648.59	34,073.13	20,692.23	2,677.18	2,569.45	416.25	60,428.24	87,076.82
91301 Excavation and Embankment - Channel Realignment	624.3387	17,671.88	23,896.63	14,731.15	1,795.02	2,186.12	354.15	42,963.08	60,634.95
9130101 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	221.1331	6,073.62	8,124.07	5,360.74	681.20	685.77	111.10	14,962.88	21,036.50
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	28.3075	408.12	416.34	270.08	42.00	29.16	4.72	762.32	1,170.44
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	18.0320	223.66	203.35	91.11	13.34	0.00	0.00	307.80	531.46
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	57.4750	2,127.78	2,331.15	2,248.85	268.14	656.61	106.37	5,611.12	7,738.90

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	16.8125	25.20	27.21	0.00	4.20	0.00	0.00	31.41	56.61
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	34.8445	598.47	657.19	677.76	87.11	0.00	0.00	1,422.06	2,020.52
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	59.9140	2,525.33	4,213.44	1,962.72	252.25	0.00	0.00	6,428.41	8,953.74
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	5.7475	165.06	275.39	110.21	14.16	0.00	0.00	399.77	564.83
9130102 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	112.1577	3,204.88	4,231.59	2,876.84	362.81	424.26	68.73	7,964.22	11,169.10
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	13.8178	199.22	203.23	131.84	20.50	14.24	2.31	372.11	571.33
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	7.5370	93.49	85.00	38.08	5.58	0.00	0.00	128.65	222.14
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	35.8905	1,328.70	1,455.69	1,404.30	167.44	410.02	66.42	3,503.88	4,832.58
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	7.5370	11.30	12.20	0.00	1.88	0.00	0.00	14.08	25.38
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	15.0740	258.90	284.31	293.20	37.68	0.00	0.00	615.19	874.09

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	28.7124	1,210.20	2,019.19	940.59	120.88	0.00	0.00	3,080.67	4,290.87
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	3.5890	103.07	171.97	68.82	8.85	0.00	0.00	249.64	352.71
9130103 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	291.0478	8,393.38	11,540.97	6,493.58	751.00	1,076.09	174.33	20,035.97	28,429.35
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	20.6978	298.41	304.42	197.48	30.71	21.32	3.45	557.39	855.80
EP H25CA043 HYDRAULIC EXCAVATOR, CRAWLER, 190,500 LBS, 6.00 CY BUCKET, 27.83' MAX DIGGING DEPTH	22.1029	1,001.76	1,476.75	826.03	45.50	0.00	0.00	2,348.28	3,350.03
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	22.1029	183.13	210.12	122.17	58.19	24.28	3.93	418.69	601.81
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	15.2510	189.17	171.99	77.06	11.28	0.00	0.00	260.33	449.49
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	15.2510	22.86	24.68	0.00	3.81	0.00	0.00	28.49	51.36
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	30.5020	523.88	575.29	593.29	76.25	0.00	0.00	1,244.83	1,768.71
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	77.3601	2,474.32	2,604.62	1,801.97	155.69	1,030.48	166.94	5,759.69	8,234.01

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	87.7801	3,699.86	6,173.12	2,875.59	369.57	0.00	0.00	9,418.27	13,118.13
91303 Temporary Haul Roads	1.3320	28.79	41.98	21.24	3.70	0.95	0.15	68.01	96.80
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.4440	6.40	6.53	4.24	0.66	0.46	0.07	11.96	18.36
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	0.4440	3.68	4.22	2.45	1.17	0.49	0.08	8.41	12.09
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	0.4440	18.71	31.22	14.54	1.87	0.00	0.00	47.64	66.35
91304 Erosion Protection	337.8009	8,947.91	10,134.53	5,939.84	878.46	382.38	61.95	17,397.15	26,345.07
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	9.7220	140.17	142.99	92.76	14.43	10.02	1.62	261.81	401.98
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	9.7220	80.55	92.42	53.74	25.59	10.68	1.73	184.16	264.71
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	154.3175	6,027.25	6,902.12	3,440.06	553.57	0.00	0.00	10,895.75	16,923.00
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	154.3175	2,290.17	2,313.30	2,034.81	243.93	361.68	58.59	5,012.32	7,302.49
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	9.7220	409.77	683.70	318.48	40.93	0.00	0.00	1,043.11	1,452.89
914 Diversion Channel Drop Structure	743.0571	17,247.38	19,607.18	8,696.53	1,404.14	566.04	91.70	30,365.58	47,612.96
91401 Steel Sheetpile	357.0000	7,073.83	8,008.56	1,925.89	398.30	133.59	21.64	10,487.99	17,561.82

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP C85LB014 CRANES, MECHANICAL, LATTICE BOOM, CRAWLER, 110 TON, 230' BOOM, LIFTING	100.0000	4,788.95	4,937.80	1,174.29	118.20	0.00	0.00	6,230.30	11,019.25
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	57.0000	845.92	854.46	751.59	90.10	133.59	21.64	1,851.39	2,697.31
MAP P10IC010 PILE HAMMER ACCESSORIES, PILE LEADS, SWING, 26" X 86'	100.0000	249.77	232.99	0.00	0.00	0.00	0.00	232.99	482.76
MAP P20IC002 PILE HAMMER, DOUBLE ACTING, DIESEL, 22,500 FT-LBS, MAX STROKE 5' 8" (ADD LEADS & CRANE)	100.0000	1,189.20	1,983.31	0.00	190.00	0.00	0.00	2,173.31	3,362.51
91402 Riprap	386.0571	10,173.55	11,598.61	6,770.65	1,005.84	432.44	70.06	19,877.59	30,051.14
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	14.4000	207.61	211.79	137.39	21.37	14.84	2.40	387.79	595.40
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	14.4000	119.31	136.89	79.59	37.91	15.82	2.56	272.77	392.08
GEN H25Z3200 HYDRAULIC EXCAVATOR, CRAWLER, 90,000 LB (40,823 KG), 2.50 CY (1.9 M3) BUCKET, 30.4' (9.3 M) MAX DIGGING DEPTH	171.4286	6,695.57	7,667.44	3,821.50	614.96	0.00	0.00	12,103.90	18,799.47
GEN L40Z4395 LOADER, FRONT END, WHEEL, ARTICULATED, 2.75 CY (2.1 M3) BUCKET, 4X4,	171.4286	2,544.12	2,569.81	2,260.43	270.98	401.79	65.09	5,568.09	8,112.21
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	14.4000	606.95	1,012.68	471.73	60.63	0.00	0.00	1,545.03	2,151.98
11 Levees, Floodwalls and Floodproofing	23,434.1635	595,257.30	782,734.67	458,371.43	55,128.63	71,518.69	11,586.03	1,379,339.45	1,974,596.75
1101 Tie-Back Levee	23,434.1635	595,257.30	782,734.67	458,371.43	55,128.63	71,518.69	11,586.03	1,379,339.45	1,974,596.75
110101 Temporary Erosion and Sedimentation Control	377.8333	15,925.36	26,571.05	12,377.44	1,590.75	0.00	0.00	40,539.24	56,464.60

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	377.8333	15,925.36	26,571.05	12,377.44	1,590.75	0.00	0.00	40,539.24	56,464.60
110102 Strip and Stockpile Topsoil - Channel	1,040.0000	41,271.05	58,255.06	37,253.61	4,606.13	5,712.12	925.36	106,752.28	148,023.33
EP S20CA002 SCRAPER, TANDEM POWERED, STANDARD LOADING, 20 CY, 24 TON, 9.1' CUT WIDTH, 4X4, PUSH-PULL	500.0000	18,510.50	20,279.67	19,563.75	2,332.63	5,712.12	925.36	48,813.53	67,324.03
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	540.0000	22,760.54	37,975.39	17,689.86	2,273.50	0.00	0.00	57,938.75	80,699.29
110103 Excavation and Embankment - Tie-Back Levee	19,261.8322	473,062.47	611,015.75	368,664.55	43,698.48	65,484.25	10,608.45	1,099,471.47	1,572,533.94
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1,607.7962	23,180.32	23,647.30	15,339.98	2,385.67	1,656.48	268.35	43,297.79	66,478.11
EP R40SO001 ROLLER, VIBRATORY, TOWED, SINGLE DRUM, SHEEPSFOOT, 25.5 TON, 72" WIDE (ADD 180 HP TOWING UNIT)	2,804.8780	34,790.52	31,630.79	14,171.65	2,075.41	0.00	0.00	47,877.85	82,668.37
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	1,402.4390	2,102.47	2,269.38	0.00	350.61	0.00	0.00	2,619.99	4,722.46
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER- RUBBER TRACK, 267 HP, 3 POINT HITCH	4,207.3171	72,262.03	79,353.02	81,836.31	10,517.60	0.00	0.00	171,706.93	243,968.97
EP T55JD004 TRUCK, OFF- HIGHWAY, ARTICULATED FRAME, 29 CY, 40 TON, 6X6, REAR DUMP	4,791.6667	153,258.83	161,329.22	111,613.25	9,643.38	63,827.77	10,340.10	356,753.72	510,012.55
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	4,447.7352	187,468.29	312,786.05	145,703.36	18,725.80	0.00	0.00	477,215.20	664,683.49
110104 Topsoil Placement	1,394.4980	39,506.34	62,371.03	30,120.29	4,140.87	322.32	52.22	97,006.73	136,513.07

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
EP G15CA003 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	208.1660	3,001.22	3,061.68	1,986.11	308.88	214.47	34.74	5,605.89	8,607.11
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	98.1660	813.32	933.19	542.58	258.42	107.85	17.47	1,859.52	2,672.84
EP T10LE005 TRACTOR ATTACHMENTS, POWER HARROW, 160" WIDE ROTERRA ROTARY HOE (ADD 75 HP TRACTOR W/PTO)	110.0000	164.91	178.00	0.00	27.50	0.00	0.00	205.50	370.41
EP T25CA006 TRACTOR, AGRICULTURAL, CRAWLER-RUBBER TRACK, 267 HP, 3 POINT HITCH	110.0000	1,889.29	2,074.68	2,139.60	274.98	0.00	0.00	4,489.27	6,378.55
GEN T15Z6600 TRACTOR, CRAWLER (DOZER), 341-440 HP (254-328 KW), POWERSHIFT, W/UNIVERSAL BLADE	648.1660	27,319.65	45,582.14	21,233.27	2,728.90	0.00	0.00	69,544.31	96,863.96
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	220.0000	6,317.95	10,541.34	4,218.72	542.19	0.00	0.00	15,302.25	21,620.20
110105 Site Restoration	1,360.0000	25,492.09	24,521.79	9,955.54	1,092.40	0.00	0.00	35,569.73	61,061.82
GEN L15Z3880 LANDSCAPING EQUIPMENT, HYDROSEEDER, 3,000 GAL (11,356 L) TRUCK MOUNTED	680.0000	25,085.05	24,178.91	9,955.54	1,092.40	0.00	0.00	35,226.85	60,311.90
MAP T40KF018 TRUCK OPTIONS, FLATBED, W/SIDE RACKS, 8' X 20'	680.0000	407.03	342.88	0.00	0.00	0.00	0.00	342.88	749.91
14 Recreation Facilities	10,115.2042	159,747.91	210,983.75	117,994.43	16,523.81	5,689.56	921.71	352,113.25	511,861.16
Multi-Purpose Trails	4,450.6861	88,100.24	117,260.41	53,024.78	7,755.84	2,996.45	485.42	181,522.89	269,623.14
Compacted 12-inch Subgrade	1,121.0215	30,300.33	49,611.72	19,748.36	2,556.38	0.00	0.00	71,916.46	102,216.79
MAP R45CA005 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 6.6 TON, 56" WIDE, 2X1, ASPHALT COMPACTOR	144.4615	2,255.52	2,819.68	1,021.85	149.65	0.00	0.00	3,991.17	6,246.70

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	976.5600	28,044.80	46,792.04	18,726.51	2,406.73	0.00	0.00	67,925.28	95,970.09
Class 5 Aggregate	1,408.0800	21,549.18	27,454.35	19,861.64	2,652.10	853.93	138.34	50,960.35	72,509.53
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	281.6160	3,663.57	3,737.86	2,590.94	402.94	290.14	47.00	7,068.89	10,732.46
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	281.6160	4,663.15	5,829.50	3,073.39	450.09	0.00	0.00	9,352.98	14,016.12
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	281.6160	8,920.90	14,884.30	6,975.35	896.47	0.00	0.00	22,756.12	31,677.02
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	281.6160	2,051.60	1,394.47	1,292.49	141.82	275.19	44.58	3,148.55	5,200.16
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	281.6160	2,249.96	1,608.21	5,929.48	760.78	288.60	46.75	8,633.82	10,883.77
10-foot Wide Bituminous Trail	1,907.9179	36,041.58	39,927.88	13,222.00	2,521.61	2,134.23	345.75	58,151.47	94,193.05
MAP A30BG003 ASPHALT FINISHER, 10' WIDE SCREED, WHEEL, W/19' 6" SCREED EXTENSION, 215 CF HOPPER	562.0036	25,424.73	29,161.37	7,094.85	1,753.30	1,850.11	299.72	40,159.34	65,584.08
MAP R30CA010 ROLLER, STATIC, SELF-PROPELLED, PNEUMATIC, 14.25 TON, 68" WIDE, 9 TIRE, ASPHALT COMPACTOR	562.0036	5,501.68	4,371.92	3,513.08	385.48	284.12	46.03	8,600.65	14,102.32
MAP R45BO004 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 2.9 TON, 47.2" WIDE, 2X1, ASPHALT COMPACTOR	783.9106	5,115.17	6,394.58	2,614.07	382.82	0.00	0.00	9,391.48	14,506.65
Turf Shoulders	0.0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Topsoil for Turf Shoulders	0.0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN L40Z4390 LOADER, FRONT END, WHEEL, ARTICULATED, 1.75 CY (1.3 M3) BUCKET, 4X4	0.0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Seeding for Turf Shoulders	0.0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MAP B20MQ001 BRUSH CHIPPER, 10" CAPACITY, DRUM TYPE, TRAILER MTD	0.0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MAP L50JC001 LOADER / BACKHOE, WHEEL, 0.80 CY FRONT END BUCKET, 24" DIP, 4.3 CF, 12' DIGGING DEPTH, 4X4	0.0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MAP T50XX023 TRUCK, HIGHWAY, 20,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	0.0000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Park Benches	10.6667	163.24	207.98	150.46	20.09	6.47	1.05	386.04	549.28
Concrete Pad for Bench	10.6667	163.24	207.98	150.46	20.09	6.47	1.05	386.04	549.28
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	2.1333	27.75	28.32	19.63	3.05	2.20	0.36	53.55	81.30
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	2.1333	35.32	44.16	23.28	3.41	0.00	0.00	70.85	106.18
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	2.1333	67.58	112.75	52.84	6.79	0.00	0.00	172.39	239.96
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	2.1333	15.54	10.56	9.79	1.07	2.08	0.34	23.85	39.39
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	2.1333	17.04	12.18	44.92	5.76	2.19	0.35	65.40	82.45
Trash Receptacles	3.0000	45.91	58.49	42.32	5.65	1.82	0.29	108.57	154.49
Concrete Pad for Trash Cans	3.0000	45.91	58.49	42.32	5.65	1.82	0.29	108.57	154.49
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.6000	7.81	7.96	5.52	0.86	0.62	0.10	15.06	22.87

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	0.6000	9.94	12.42	6.55	0.96	0.00	0.00	19.93	29.86
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	0.6000	19.01	31.71	14.86	1.91	0.00	0.00	48.48	67.49
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	0.6000	4.37	2.97	2.75	0.30	0.59	0.09	6.71	11.08
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	0.6000	4.79	3.43	12.63	1.62	0.61	0.10	18.39	23.19
Soft Trails	2,925.7562	48,118.34	66,824.50	39,459.24	5,287.60	1,594.99	258.39	113,424.72	161,543.05
Compacted 12-inch Subgrade	672.6129	18,180.20	29,767.03	11,849.02	1,533.83	0.00	0.00	43,149.87	61,330.07
MAP R45CA005 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 6.6 TON, 56" WIDE, 2X1, ASPHALT COMPACTOR	86.6769	1,353.31	1,691.81	613.11	89.79	0.00	0.00	2,394.70	3,748.02
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	585.9360	16,826.88	28,075.22	11,235.91	1,444.04	0.00	0.00	40,755.17	57,582.05
Class 5 Aggregate	844.8480	12,929.51	16,472.61	11,916.99	1,591.26	512.36	83.00	30,576.21	43,505.72
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	168.9696	2,198.14	2,242.72	1,554.56	241.77	174.09	28.20	4,241.33	6,439.47
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	168.9696	2,797.89	3,497.70	1,844.03	270.05	0.00	0.00	5,611.79	8,409.67
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	168.9696	5,352.54	8,930.58	4,185.21	537.88	0.00	0.00	13,653.67	19,006.21

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	168.9696	1,230.96	836.68	775.49	85.09	165.11	26.75	1,889.13	3,120.09
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	168.9696	1,349.97	964.93	3,557.69	456.47	173.16	28.05	5,180.29	6,530.26
10-foot Wide Aggregate Trail	828.2824	12,675.99	16,149.61	11,683.32	1,560.06	502.31	81.37	29,976.68	42,652.67
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	165.6565	2,155.04	2,198.74	1,524.08	237.03	170.67	27.65	4,158.17	6,313.21
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	165.6565	2,743.03	3,429.12	1,807.88	264.76	0.00	0.00	5,501.75	8,244.78
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	165.6565	5,247.59	8,755.47	4,103.15	527.34	0.00	0.00	13,385.95	18,633.54
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	165.6565	1,206.82	820.28	760.29	83.42	161.87	26.22	1,852.09	3,058.92
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	165.6565	1,323.50	946.01	3,487.93	447.52	169.76	27.50	5,078.72	6,402.22
Turf Shoulders	571.8129	4,207.15	4,275.37	3,894.25	587.00	575.36	93.21	9,425.18	13,632.33
Topsoil for Turf Shoulders	433.2308	3,600.27	3,634.90	2,808.92	336.73	514.80	83.40	7,378.74	10,979.01
GEN L40Z4390 LOADER, FRONT END, WHEEL, ARTICULATED, 1.75 CY (1.3 M3) BUCKET, 4X4	433.2308	3,600.27	3,634.90	2,808.92	336.73	514.80	83.40	7,378.74	10,979.01
Seeding for Turf Shoulders	138.5821	606.89	640.47	1,085.33	250.27	60.56	9.81	2,046.44	2,653.33
MAP B20MQ001 BRUSH CHIPPER, 10" CAPACITY, DRUM TYPE, TRAILER MTD	29.1456	74.39	77.04	182.60	23.43	1.19	0.19	284.45	358.84
MAP L50JC001 LOADER / BACKHOE, WHEEL, 0.80 CY FRONT END BUCKET, 24" DIP, 4.3 CF, 12' DIGGING DEPTH, 4X4	80.2909	422.03	483.46	303.40	144.50	45.99	7.45	984.82	1,406.84

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP T50XX023 TRUCK, HIGHWAY, 20,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	29.1456	110.47	79.97	599.33	82.33	13.37	2.17	777.17	887.64
Park Benches	6.4000	97.95	124.79	90.28	12.05	3.88	0.63	231.62	329.57
Concrete Pad for Bench	6.4000	97.95	124.79	90.28	12.05	3.88	0.63	231.62	329.57
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1.2800	16.65	16.99	11.78	1.83	1.32	0.21	32.13	48.78
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	1.2800	21.19	26.50	13.97	2.05	0.00	0.00	42.51	63.71
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	1.2800	40.55	67.65	31.70	4.07	0.00	0.00	103.43	143.98
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	1.2800	9.32	6.34	5.87	0.64	1.25	0.20	14.31	23.64
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	1.2800	10.23	7.31	26.95	3.46	1.31	0.21	39.24	49.47
Trash Receptacles	1.8000	27.55	35.10	25.39	3.39	1.09	0.18	65.14	92.69
Concrete Pad for Trash Cans	1.8000	27.55	35.10	25.39	3.39	1.09	0.18	65.14	92.69
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.3600	4.68	4.78	3.31	0.52	0.37	0.06	9.04	13.72
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	0.3600	5.96	7.45	3.93	0.58	0.00	0.00	11.96	17.92
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	0.3600	11.40	19.03	8.92	1.15	0.00	0.00	29.09	40.49
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	0.3600	2.62	1.78	1.65	0.18	0.35	0.06	4.02	6.65

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	0.3600	2.88	2.06	7.58	0.97	0.37	0.06	11.04	13.91
Traihead Facilities	194.7341	2,409.77	1,681.83	1,402.25	211.37	236.18	38.26	3,569.89	5,979.66
Picnic Tables	15.4000	179.51	183.89	181.20	22.90	10.39	1.68	400.06	579.57
Tables	9.0000	81.56	59.11	90.93	10.84	6.51	1.05	168.44	250.00
MAP T50XX035 TRUCK, HIGHWAY, 30,000 LBS GVW, 2 AXLE, 4X2, WITH 3-ARM ARTICULATING CRANE, 3.5 TON, 32' BOOM, WITH 8' X 20' FLATBED	9.0000	81.56	59.11	90.93	10.84	6.51	1.05	168.44	250.00
Concrete Pad for Tables	6.4000	97.95	124.79	90.28	12.05	3.88	0.63	231.62	329.57
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1.2800	16.65	16.99	11.78	1.83	1.32	0.21	32.13	48.78
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	1.2800	21.19	26.50	13.97	2.05	0.00	0.00	42.51	63.71
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	1.2800	40.55	67.65	31.70	4.07	0.00	0.00	103.43	143.98
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	1.2800	9.32	6.34	5.87	0.64	1.25	0.20	14.31	23.64
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	1.2800	10.23	7.31	26.95	3.46	1.31	0.21	39.24	49.47
Park Benches	2.1333	32.65	41.60	30.09	4.02	1.29	0.21	77.21	109.86
Concrete Pad for Bench	2.1333	32.65	41.60	30.09	4.02	1.29	0.21	77.21	109.86
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.4267	5.55	5.66	3.93	0.61	0.44	0.07	10.71	16.26

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	0.4267	7.06	8.83	4.66	0.68	0.00	0.00	14.17	21.24
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	0.4267	13.52	22.55	10.57	1.36	0.00	0.00	34.48	47.99
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	0.4267	3.11	2.11	1.96	0.21	0.42	0.07	4.77	7.88
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	0.4267	3.41	2.44	8.98	1.15	0.44	0.07	13.08	16.49
Restroom Facility	148.7341	1,874.30	1,134.05	861.46	143.06	205.13	33.23	2,376.94	4,251.24
EP L50CS006 LOADER / BACKHOE, WHEEL, 1.30 CY FRONT END BUCKET, 24" DIP, 6.4 CF, 18' DIGGING DEPTH, 4X4, EXTENDAHOE	6.0000	49.71	57.04	33.16	15.79	6.59	1.07	113.66	163.37
GEN C40Z1760 CONCRETE MIXER, PLASTER/MORTAR, 12 CF (0.3 M3), W/TRAILER	29.5385	36.47	34.20	74.03	10.84	1.11	0.18	120.36	156.83
GEN XMEZ9640 TERRAZZO GRINDER	29.5385	0.31	0.34	0.08	0.03	0.00	0.00	0.45	0.75
MAP C80TE006 CRANES, HYDRAULIC, TRUCK MTD, ALL TERRAIN, 25 TON, 94' BOOM, 6X4X2	6.8571	142.14	94.68	120.89	19.95	24.30	3.94	263.75	405.89
MAP H30CA007 HYDRAULIC EXCAVATORS, WHEEL, 35,100 LBS, 0.70 CY BUCKET, 1-PIECE BOOM, 17' 7" DIGGING DEPTH, 4X4X2	76.8000	1,645.66	947.80	633.30	96.44	173.13	28.05	1,878.72	3,524.39
Picnic Grills	18.0000	163.13	118.21	181.86	21.68	13.02	2.11	336.88	500.01
MAP T50XX035 TRUCK, HIGHWAY, 30,000 LBS GVW, 2 AXLE, 4X2, WITH 3-ARM ARTICULATING CRANE, 3.5 TON, 32' BOOM, WITH 8' X 20' FLATBED	18.0000	163.13	118.21	181.86	21.68	13.02	2.11	336.88	500.01
Trash Receptacles	1.8000	27.55	35.10	25.39	3.39	1.09	0.18	65.14	92.69

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
Concrete Pad for Trash Cans	1.8000	27.55	35.10	25.39	3.39	1.09	0.18	65.14	92.69
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.3600	4.68	4.78	3.31	0.52	0.37	0.06	9.04	13.72
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	0.3600	5.96	7.45	3.93	0.58	0.00	0.00	11.96	17.92
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	0.3600	11.40	19.03	8.92	1.15	0.00	0.00	29.09	40.49
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	0.3600	2.62	1.78	1.65	0.18	0.35	0.06	4.02	6.65
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	0.3600	2.88	2.06	7.58	0.97	0.37	0.06	11.04	13.91
Recycling Trash Receptacles	0.6000	9.18	11.70	8.46	1.13	0.36	0.06	21.71	30.90
Concrete Pad for Trash Cans	0.6000	9.18	11.70	8.46	1.13	0.36	0.06	21.71	30.90
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.1200	1.56	1.59	1.10	0.17	0.12	0.02	3.01	4.57
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	0.1200	1.99	2.48	1.31	0.19	0.00	0.00	3.99	5.97
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	0.1200	3.80	6.34	2.97	0.38	0.00	0.00	9.70	13.50
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	0.1200	0.87	0.59	0.55	0.06	0.12	0.02	1.34	2.22
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	0.1200	0.96	0.69	2.53	0.32	0.12	0.02	3.68	4.64
Information Kiosks	8.0667	123.45	157.28	113.78	15.19	4.89	0.79	291.94	415.40

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	1.6133	20.99	21.41	14.84	2.31	1.66	0.27	40.50	61.48
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	1.6133	26.71	33.40	17.61	2.58	0.00	0.00	53.58	80.30
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	1.6133	51.11	85.27	39.96	5.14	0.00	0.00	130.37	181.47
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	1.6133	11.75	7.99	7.40	0.81	1.58	0.26	18.04	29.79
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	1.6133	12.89	9.21	33.97	4.36	1.65	0.27	49.46	62.35
Parking Lots	2,516.5993	21,064.57	25,170.63	23,826.15	3,202.84	855.65	138.61	53,193.87	74,258.44
Car Parking Areas	1,119.3513	8,574.64	10,065.29	10,286.88	1,387.62	331.83	53.76	22,125.38	30,700.01
Compacted 12-inch Subgrade	19.1015	516.30	845.35	336.50	43.56	0.00	0.00	1,225.41	1,741.71
MAP R45CA005 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 6.6 TON, 56" WIDE, 2X1, ASPHALT COMPACTOR	2.4615	38.43	48.05	17.41	2.55	0.00	0.00	68.01	106.44
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	16.6400	477.87	797.31	319.09	41.01	0.00	0.00	1,157.41	1,635.27
Aggregate Sub-Base	44.8128	685.81	873.75	632.11	84.40	27.18	4.40	1,621.84	2,307.65
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	8.9626	116.59	118.96	82.46	12.82	9.23	1.50	224.97	341.57
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	8.9626	148.41	185.53	97.81	14.32	0.00	0.00	297.66	446.07

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	8.9626	283.91	473.70	221.99	28.53	0.00	0.00	724.22	1,008.14
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	8.9626	65.29	44.38	41.13	4.51	8.76	1.42	100.20	165.50
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	8.9626	71.61	51.18	188.71	24.21	9.18	1.49	274.78	346.38
Aggregate Base	37.6471	576.15	734.03	531.03	70.91	22.83	3.70	1,362.50	1,938.65
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	7.5294	97.95	99.94	69.27	10.77	7.76	1.26	189.00	286.95
MAP R45B0006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	7.5294	124.68	155.86	82.17	12.03	0.00	0.00	250.07	374.74
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	7.5294	238.51	397.95	186.50	23.97	0.00	0.00	608.42	846.93
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	7.5294	54.85	37.28	34.56	3.79	7.36	1.19	84.18	139.03
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	7.5294	60.16	43.00	158.53	20.34	7.72	1.25	230.84	290.99
Aggregate Surface Course	37.6471	576.15	734.03	531.03	70.91	22.83	3.70	1,362.50	1,938.65
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	7.5294	97.95	99.94	69.27	10.77	7.76	1.26	189.00	286.95
MAP R45B0006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	7.5294	124.68	155.86	82.17	12.03	0.00	0.00	250.07	374.74

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	7.5294	238.51	397.95	186.50	23.97	0.00	0.00	608.42	846.93
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	7.5294	54.85	37.28	34.56	3.79	7.36	1.19	84.18	139.03
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	7.5294	60.16	43.00	158.53	20.34	7.72	1.25	230.84	290.99
Barrier Posts	900.0000	5,524.97	6,142.76	7,722.78	1,046.83	181.95	29.48	15,123.80	20,648.77
GEN D30Z2840 DRILL, EARTH/AUGER, HYDRAULIC AUGER, 14" (356 MM) DIA, 30' (9.1 M) DEPTH, 3,500 FT-LBS (483.9 KGF-M), W/TRAILER (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR)	300.0000	4,361.84	5,279.88	1,553.82	199.36	44.30	7.18	7,084.54	11,446.38
GEN T40Z7000 TRUCK OPTION, FLATBED, 8' (2.4 M) x 20' (6.1 M) (ADD 25,000 LB (11,340 KG) GVW TRUCK)	300.0000	179.57	151.27	0.00	0.00	0.00	0.00	151.27	330.84
GEN T50Z7400 TRUCK, HIGHWAY, 25,000 LB (11,340 KG) GVW, 4X2, 2 AXLE (ADD ACCESSORIES)	300.0000	983.56	711.61	6,168.96	847.47	137.65	22.30	7,887.99	8,871.55
Signs	2.7429	5.50	4.64	28.20	6.62	0.63	0.10	40.19	45.69
MAP T50XX024 TRUCK, HIGHWAY, 25,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	1.3714	4.50	3.25	28.20	3.87	0.63	0.10	36.06	40.56
MAP XMEZ0055 POST DRIVER 8" POST 15 TON IMPACT (ADD TRACTOR)	1.3714	1.00	1.39	0.00	2.74	0.00	0.00	4.13	5.13
Site Work	76.8000	680.58	719.03	496.77	63.26	76.05	12.32	1,367.43	2,048.01
GEN T15Z6440 TRACTOR, CRAWLER (DOZER), 76-100 HP (57 -75 KW), POWERSHIFT, W/UNIVERSAL BLADE	12.8000	148.72	182.05	81.82	13.52	0.00	0.00	277.39	426.11
MAP L40CA019 LOADER, FRONT END, WHEEL, 1.70 CY BUCKET, ARTICULATED, 4X4	64.0000	531.86	536.97	414.95	49.74	76.05	12.32	1,090.04	1,621.90

<u>Description</u>	<u>EQHours</u>	<u>Ownership</u>	<u>EQRepair</u>	<u>Fuel</u>	<u>FOG</u>	<u>TireWear</u>	<u>TireRepair</u>	<u>Operating</u>	<u>Total</u>
Trash Receptacles	0.6000	9.18	11.70	8.46	1.13	0.36	0.06	21.71	30.90
Concrete Pad for Trash Cans	0.6000	9.18	11.70	8.46	1.13	0.36	0.06	21.71	30.90
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.1200	1.56	1.59	1.10	0.17	0.12	0.02	3.01	4.57
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	0.1200	1.99	2.48	1.31	0.19	0.00	0.00	3.99	5.97
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	0.1200	3.80	6.34	2.97	0.38	0.00	0.00	9.70	13.50
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	0.1200	0.87	0.59	0.55	0.06	0.12	0.02	1.34	2.22
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	0.1200	0.96	0.69	2.53	0.32	0.12	0.02	3.68	4.64
Car/Trailer Parking Areas	1,397.2479	12,489.93	15,105.34	13,539.27	1,815.22	523.81	84.86	31,068.50	43,558.43
Compacted 12-inch Subgrade	43.7744	1,183.19	1,937.27	771.15	99.82	0.00	0.00	2,808.24	3,991.43
MAP R45CA005 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 6.6 TON, 56" WIDE, 2X1, ASPHALT COMPACTOR	5.6410	88.08	110.10	39.90	5.84	0.00	0.00	155.85	243.92
MAP T15CA014 TRACTOR, CRAWLER (DOZER), 240 HP, LOW GROUND PRESSURE, W/7.70 CY STRAIGHT BLADE (ADD ATTACHMENTS)	38.1333	1,095.11	1,827.17	731.24	93.98	0.00	0.00	2,652.39	3,747.50
Aggregate Sub-Base	102.6960	1,571.65	2,002.34	1,448.58	193.43	62.28	10.09	3,716.71	5,288.36
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	20.5392	267.20	272.61	188.97	29.39	21.16	3.43	515.56	782.75

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	20.5392	340.10	425.16	224.15	32.83	0.00	0.00	682.14	1,022.24
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	20.5392	650.63	1,085.56	508.74	65.38	0.00	0.00	1,659.68	2,310.31
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	20.5392	149.63	101.70	94.27	10.34	20.07	3.25	229.63	379.26
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	20.5392	164.10	117.29	432.46	55.49	21.05	3.41	629.69	793.79
Aggregate Base	86.2745	1,320.34	1,682.16	1,216.94	162.50	52.32	8.48	3,122.39	4,442.73
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	17.2549	224.47	229.02	158.75	24.69	17.78	2.88	433.12	657.59
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	17.2549	285.72	357.18	188.31	27.58	0.00	0.00	573.07	858.78
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	17.2549	546.59	911.98	427.39	54.93	0.00	0.00	1,394.29	1,940.88
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	17.2549	125.70	85.44	79.19	8.69	16.86	2.73	192.92	318.62
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	17.2549	137.86	98.54	363.31	46.61	17.68	2.86	529.00	666.86
Aggregate Surface Course	86.2745	1,320.34	1,682.16	1,216.94	162.50	52.32	8.48	3,122.39	4,442.73
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	17.2549	224.47	229.02	158.75	24.69	17.78	2.88	433.12	657.59

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
MAP R45B0006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	17.2549	285.72	357.18	188.31	27.58	0.00	0.00	573.07	858.78
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	17.2549	546.59	911.98	427.39	54.93	0.00	0.00	1,394.29	1,940.88
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	17.2549	125.70	85.44	79.19	8.69	16.86	2.73	192.92	318.62
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	17.2549	137.86	98.54	363.31	46.61	17.68	2.86	529.00	666.86
Barrier Posts	900.0000	5,524.97	6,142.76	7,722.78	1,046.83	181.95	29.48	15,123.80	20,648.77
GEN D30Z2840 DRILL, EARTH/AUGER, HYDRAULIC AUGER, 14" (356 MM) DIA, 30' (9.1 M) DEPTH, 3,500 FT-LBS (483.9 KGF-M), W/TRAILER (ADD COST FOR DRILL STEEL AND CUTTING EDGE WEAR)	300.0000	4,361.84	5,279.88	1,553.82	199.36	44.30	7.18	7,084.54	11,446.38
GEN T40Z7000 TRUCK OPTION, FLATBED, 8' (2.4 M) x 20' (6.1 M) (ADD 25,000 LB (11,340 KG) GVW TRUCK)	300.0000	179.57	151.27	0.00	0.00	0.00	0.00	151.27	330.84
GEN T50Z7400 TRUCK, HIGHWAY, 25,000 LB (11,340 KG) GVW, 4X2, 2 AXLE (ADD ACCESSORIES)	300.0000	983.56	711.61	6,168.96	847.47	137.65	22.30	7,887.99	8,871.55
Signs	1.8286	3.67	3.09	18.80	4.41	0.42	0.07	26.79	30.46
MAP T50XX024 TRUCK, HIGHWAY, 25,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	0.9143	3.00	2.17	18.80	2.58	0.42	0.07	24.04	27.04
MAP XMEZ0055 POST DRIVER 8" POST 15 TON IMPACT (ADD TRACTOR)	0.9143	0.67	0.92	0.00	1.83	0.00	0.00	2.75	3.42
Site Work	176.0000	1,559.65	1,647.77	1,138.43	144.98	174.28	28.23	3,133.69	4,693.35

Description	EQHours	Ownership	EQRepair	Fuel	FOG	TireWear	TireRepair	Operating	Total
GEN T15Z6440 TRACTOR, CRAWLER (DOZER), 76-100 HP (57 -75 KW), POWERSHIFT, W/UNIVERSAL BLADE	29.3333	340.81	417.20	187.50	30.98	0.00	0.00	635.68	976.50
MAP L40CA019 LOADER, FRONT END, WHEEL, 1.70 CY BUCKET, ARTICULATED, 4X4	146.6667	1,218.84	1,230.56	950.94	114.00	174.28	28.23	2,498.01	3,716.85
Trash Receptacles	0.4000	6.12	7.80	5.64	0.75	0.24	0.04	14.48	20.60
Concrete Pad for Trash Cans	0.4000	6.12	7.80	5.64	0.75	0.24	0.04	14.48	20.60
MAP G15CA007 GRADER, MOTOR, ARTICULATED, 6X4, 12' BLADE W/17 TEETH SCARIFIERS	0.0800	1.04	1.06	0.74	0.11	0.08	0.01	2.01	3.05
MAP R45BO006 ROLLER, VIBRATORY, SELF-PROPELLED, DOUBLE DRUM, SMOOTH, 7.8 TON, 66.1" WIDE, 2X1, ASPHALT COMPACTOR	0.0800	1.32	1.66	0.87	0.13	0.00	0.00	2.66	3.98
MAP T15CA016 TRACTOR, CRAWLER (DOZER), 310 HP, POWERSHIFT, W/15.3 CY SEMI-U BLADE (ADD ATTACHMENTS)	0.0800	2.53	4.23	1.98	0.25	0.00	0.00	6.46	9.00
MAP T45XX030 TRUCK TRAILER, WATER TANKER, 5,000 GAL, W/PUMP (ADD TOWING TRUCK)	0.0800	0.58	0.40	0.37	0.04	0.08	0.01	0.89	1.48
MAP T50XX029 TRUCK, HIGHWAY, 50,000 LBS GVW, 2 AXLE, 6X4 (CHASSIS ONLY-ADD OPTIONS)	0.0800	0.64	0.46	1.68	0.22	0.08	0.01	2.45	3.09
Interpretive Signage	27.4286	55.00	46.38	282.01	66.17	6.29	1.02	401.87	456.88
MAP T50XX024 TRUCK, HIGHWAY, 25,000 LBS GVW, 2 AXLE, 4X2 (CHASSIS ONLY-ADD OPTIONS)	13.7143	44.96	32.53	282.01	38.74	6.29	1.02	360.59	405.56
MAP XMEZ0055 POST DRIVER 8" POST 15 TON IMPACT (ADD TRACTOR)	13.7143	10.04	13.85	0.00	27.43	0.00	0.00	41.28	51.32

Description	Page
FCP MN Diversion Phase 4 Equipment	1
09 Channels and Canals	1
901 Diversion Channel	1
90102 Reach 2013	1
9010202 Clearing and Grubbing	1
9010203 Temporary Erosion and Sedimentation Control	1
9010204 Dewatering and Control of Water	1
9010205 Strip and Stockpile Topsoil - Channel	1
9010206 Strip and Stockpile Topsoil - Spoil Berm	2
9010207 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	2
9010208 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	3
9010212 Temporary Haul Roads	3
9010212 Temporary Haul Roads	4
9010213 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	4
901021301 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	4
901021302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	5
9010214a Lower Bank Protection	6
9010214b Low Flow Channel Protection	6
9010215 Topsoil Placement - Channel	6
9010216 Topsoil Placement - Spoil Berm	7
9010219 Site Restoration	8
9010220 Snow Removal	8
90103 Reach 2014	8
9010302 Clearing and Grubbing	8
9010303 Temporary Erosion and Sedimentation Control	8
9010304 Dewatering and Control of Water	8
9010305 Strip and Stockpile Topsoil - Channel	9
9010306 Strip and Stockpile Topsoil - Spoil Berm	9
9010307 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	9
9010308 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	10
9010312 Temporary Haul Roads	11
9010313 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	12
901031302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	12
9010314a Lower Bank Protection	13
9010314b Low Flow Channel Protection	13
9010315 Topsoil Placement - Channel	13
9010316 Topsoil Placement - Spoil Berm	14
9010319 Site Restoration	14
9010320 Snow Removal	14
90104 Reach 2015	15
9010402 Clearing and Grubbing	15
9010403 Temporary Erosion and Sedimentation Control	15
9010404 Dewatering and Control of Water	15
9010405 Strip and Stockpile Topsoil - Channel	15

Description	Page
9010406 Strip and Stockpile Topsoil - Spoil Berm	16
9010407 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	16
9010408 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	17
9010410 Excavation and Embankment - Channel - Type 4 Brenna	17
9010410 Excavation and Embankment - Channel - Type 4 Brenna	18
9010412 Temporary Haul Roads	18
9010413 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	19
901041302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	19
901041304 Excavation and Embankment - Channel - Type 4 Brenna	20
9010414a Lower Bank Protection	21
9010414b Low Flow Channel Protection	21
9010415 Topsoil Placement - Channel	21
9010416 Topsoil Placement - Spoil Berm	22
9010419 Site Restoration	22
9010420 Snow Removal	23
90105 Reach 2016	23
9010502 Clearing and Grubbing	23
9010503 Temporary Erosion and Sedimentation Control	23
9010504 Dewatering and Control of Water	23
9010505 Strip and Stockpile Topsoil - Channel	23
9010505 Strip and Stockpile Topsoil - Channel	24
9010506 Strip and Stockpile Topsoil - Spoil Berm	24
9010507 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	24
9010508 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	25
9010509 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	26
9010510 Excavation and Embankment - Channel - Type 4 Brenna	27
9010511 Excavation and Embankment - Channel	27
9010512 Temporary Haul Roads	28
9010513 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	28
901051302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	28
901051304 Excavation and Embankment - Channel - Type 4 Brenna	29
9010514a Lower Bank Protection	30
9010514b Low Flow Channel Protection	30
9010515 Topsoil Placement - Channel	31
9010516 Topsoil Placement - Spoil Berm	31
9010519 Site Restoration	32
9010520 Snow Removal	32
90106 Reach 2017	32
9010602 Clearing and Grubbing	32
9010603 Temporary Erosion and Sedimentation Control	32
9010604 Dewatering and Control of Water	32
9010604 Dewatering and Control of Water	33
9010605 Strip and Stockpile Topsoil - Channel	33
9010606 Strip and Stockpile Topsoil - Spoil Berm	33

Description	Page
9010607 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	33
9010608 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	34
9010609 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	35
9010610 Excavation and Embankment - Channel - Type 4 Brenna	36
9010612 Temporary Haul Roads	37
9010613 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	37
9010613 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	38
901061302 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	38
901061304 Excavation and Embankment - Channel - Type 4 Brenna	38
9010614a Lower Bank Protection	39
9010614b Low Flow Channel Protection	39
9010615 Topsoil Placement - Channel	40
9010616 Topsoil Placement - Spoil Berm	40
9010619 Site Restoration	41
9010620 Snow Removal	41
90107 Reach 2018	41
9010702 Clearing and Grubbing	41
9010703 Temporary Erosion and Sedimentation Control	41
9010704 Dewatering and Control of Water	41
9010704 Dewatering and Control of Water	42
9010705 Strip and Stockpile Topsoil - Channel	42
9010706 Strip and Stockpile Topsoil - Spoil Berm	42
9010707 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	42
9010708 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	43
9010709 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	44
9010710 Excavation and Embankment - Channel - Type 4 Brenna	45
9010712 Temporary Haul Roads	46
9010713 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	46
9010713 Excavation and Embankment - Channel - Lower Bank Protection Riprap Excavation	47
901071301 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	47
901071303 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	47
901071304 Excavation and Embankment - Channel - Type 4 Brenna	48
9010714a Lower Bank Protection	49
9010714b Low Flow Channel Protection	49
9010715 Topsoil Placement - Channel	50
9010716 Topsoil Placement - Spoil Berm	50
9010719 Site Restoration	51
9010720 Snow Removal	51
902 Hydraulic Structure - Red River Control Structure	51
90201 Hydraulic Structure - Red River Control Structure - Site work	51
9020102 Temporary Erosion and Sedimentation Control	51
9020103 Clearing and Grubbing	51
9020104 Strip and Stockpile Topsoil	52
9020105 Temporary Haul Roads	52

Description	Page
9020106 Coffering - Steel Sheetpile	53
9020108 Embankment - Temporary Levee	53
9020109 Excavation and Embankment - Channel Realignment	54
902010901 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	54
902010902 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	55
902010903 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	55
902010904 Excavation and Embankment - Channel - Type 4 Brenna	56
902010905 Excavation and Embankment - Channel	57
9020110 Dewatering and Control of Water	57
9020115 Topsoil Placement	58
9020116 Site Restoration	58
9020117 Miscellaneous Features	58
9020118 Snow Removal	59
90202 Hydraulic Structure Red River Control Structure - Structure	59
9020201 Earthwork - Structural	59
9020202 Gated Structure	60
902020201 HP 14X73 Piling	60
902020202 Concrete - Footing	60
902020203 Concrete - Piers	60
902020204 Concrete - Elevated Deck	61
902020205 Steel Reinforcement Bars	61
902020206 Hydraulic Gates - Steel	61
902020209 Steel Sheetpile	61
902020210 Structural Aggregate Backfill	62
9020203 Walls	62
902020301 HP 14X73 Piling	62
902020302 Concrete - Footing	62
902020303 Concrete - Elevated Deck	63
902020304 Concrete - Wall	63
902020305 Steel Reinforcement	63
902020307 Steel Sheetpile	63
902020308 Structural Aggregate Backfill	64
9020204 Riprap	64
9020205 Fish Passage System	64
90203 Hydraulic Structure - Red River Control Structure - Inlet Weir to Diversion	65
9020301 Earthwork - Structural	65
9020302 Steel Sheetpile	66
9020303 Riprap	66
90204 Hydraulic Structure - Red River Control Structure - Inlet Weir to Extension Channel	66
90204 Hydraulic Structure - Red River Control Structure - Inlet Weir to Extension Channel	67
9020401 Earthwork - Structural	67
9020402 Temporary Haul Roads	67
9020403 Steel Sheetpile	68
9020404 Riprap	68

Description	Page
908 Hydraulic Structure - Small Drain Structure (3 Structures)	69
90801 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	69
90802 Concrete - Wall	69
90803 Steel Reinforcement Bars	70
90804 Erosion Protection	70
910 Hydraulic Structure - Side Channel Inlet 1X72" (7 Inlets)	70
91001 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	70
91003 Concrete - Wall	71
91004 Steel Reinforcement Bars	71
91005 Erosion Protection	71
911 Hydraulic Structure - Side Channel Inlet 2X72" (11 Inlets)	71
911 Hydraulic Structure - Side Channel Inlet 2X72" (11 Inlets)	72
91101 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	72
91103 Concrete - Wall	72
91104 Steel Reinforcement Bars	73
91105 Erosion Protection	73
913 Hydraulic Structure - Outlet to Red River of the North	73
91301 Excavation and Embankment - Channel Realignment	73
9130101 Excavation and Embankment - Channel - Type 1 Non-Saturated Non-Brenna	73
9130102 Excavation and Embankment - Channel - Type 2 Saturated Non-Brenna	74
9130103 Excavation and Embankment - Channel - Type 3 Oxidized Brenna	75
91303 Temporary Haul Roads	76
91304 Erosion Protection	76
914 Diversion Channel Drop Structure	76
91401 Steel Sheetpile	76
91402 Riprap	77
11 Levees, Floodwalls and Floodproofing	77
1101 Tie-Back Levee	77
110101 Temporary Erosion and Sedimentation Control	77
110102 Strip and Stockpile Topsoil - Channel	78
110103 Excavation and Embankment - Tie-Back Levee	78
110104 Topsoil Placement	78
110105 Site Restoration	79
14 Recreation Facilities	79
Multi-Purpose Trails	79
Compacted 12-inch Subgrade	79
Class 5 Aggregate	80
10-foot Wide Bituminous Trail	80
Turf Shoulders	80
Topsoil for Turf Shoulders	80
Seeding for Turf Shoulders	81
Park Benches	81
Concrete Pad for Bench	81
Trash Receptacles	81

Description	Page
Concrete Pad for Trash Cans	81
Soft Trails	82
Compacted 12-inch Subgrade	82
Class 5 Aggregate	82
10-foot Wide Aggregate Trail	83
Turf Shoulders	83
Topsoil for Turf Shoulders	83
Seeding for Turf Shoulders	83
Park Benches	84
Concrete Pad for Bench	84
Trash Receptacles	84
Concrete Pad for Trash Cans	84
Trailhead Facilities	85
Picnic Tables	85
Tables	85
Concrete Pad for Tables	85
Park Benches	85
Concrete Pad for Bench	85
Restroom Facility	86
Picnic Grills	86
Trash Receptacles	86
Concrete Pad for Trash Cans	86
Concrete Pad for Trash Cans	87
Recycling Trash Receptacles	87
Concrete Pad for Trash Cans	87
Information Kiosks	87
Parking Lots	88
Car Parking Areas	88
Compacted 12-inch Subgrade	88
Aggregate Sub-Base	88
Aggregate Base	89
Aggregate Surface Course	89
Barrier Posts	90
Signs	90
Site Work	90
Trash Receptacles	90
Trash Receptacles	91
Concrete Pad for Trash Cans	91
Car/Trailer Parking Areas	91
Compacted 12-inch Subgrade	91
Aggregate Sub-Base	91
Aggregate Base	92
Aggregate Surface Course	92
Barrier Posts	93

Description	Page
Signs	93
Site Work	93
Trash Receptacles	94
Concrete Pad for Trash Cans	94
Interpretive Signage	94