

Depth, Duration, Frequency Impact Table by OIN



| OIN | *Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|-----|-----------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 23 | 910.0 | 905.5 | 0.0 | 910.7 | 4.5 | 911.7 | 10.0 | 912.5 | 15.0 | 912.7 | 9.5 | 918.7 | 10.0 | 920.9 | 11.0 | 922.0 | 14.5 |
| 24 | 909.0 | 905.5 | 0.0 | 910.7 | 7.5 | 911.7 | 12.5 | 912.5 | 17.5 | 912.7 | 11.0 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 15.0 |
| 27 | 907.0 | 905.5 | 0.0 | 910.7 | 11.5 | 911.7 | 15.5 | 912.5 | 20.5 | 912.7 | 12.5 | 918.7 | 11.5 | 920.9 | 13.0 | 922.0 | 17.5 |
| 28 | 906.0 | 905.5 | 0.0 | 910.7 | 13.0 | 911.7 | 16.5 | 912.5 | 22.0 | 912.7 | 13.0 | 918.7 | 12.5 | 920.9 | 13.5 | 922.0 | 18.5 |
| 29 | 908.0 | 906.1 | 0.0 | 910.8 | 11.0 | 911.8 | 15.0 | 912.6 | 19.5 | 912.7 | 11.5 | 918.7 | 11.5 | 920.9 | 13.0 | 922.0 | 16.0 |
| 30 | 912.5 | 909.9 | 0.0 | 913.7 | 5.5 | 914.0 | 9.5 | 914.5 | 13.5 | 912.7 | 2.5 | 918.7 | 9.0 | 920.9 | 10.5 | 922.0 | 13.0 |
| 176 | 924.0 | 915.5 | 0.0 | 918.4 | 0.0 | 921.1 | 0.0 | 925.7 | 6.0 | 915.7 | 0.0 | 920.4 | 0.0 | 923.1 | 0.0 | 925.9 | 9.0 |
| 213 | 905.0 | 905.0 | 1.0 | 910.7 | 13.5 | 911.7 | 17.0 | 912.5 | 23.0 | 912.7 | 31.5 | 918.7 | 31.5 | 920.9 | 32.0 | 921.9 | 32.0 |
| 232 | 915.5 | 915.4 | 0.0 | 916.1 | 5.5 | 916.3 | 9.0 | 916.8 | 12.0 | 914.9 | 0.0 | 918.7 | 8.5 | 920.9 | 10.5 | 922.0 | 13.0 |
| 249 | 908.5 | 910.3 | 27.5 | 912.4 | 29.0 | 913.6 | 29.5 | 915.1 | 31.0 | 910.8 | 6.5 | 918.5 | 12.0 | 921.0 | 16.0 | 922.4 | 31.5 |
| 250 | 912.0 | 910.3 | 0.0 | 912.3 | 3.0 | 913.6 | 7.5 | 915.0 | 25.5 | 910.8 | 0.0 | 918.5 | 9.5 | 921.0 | 11.5 | 922.4 | 27.5 |
| 251 | 910.0 | 910.6 | 3.0 | 913.0 | 9.0 | 914.5 | 13.5 | 916.5 | 31.0 | 911.1 | 4.0 | 918.6 | 11.5 | 921.1 | 14.5 | 922.6 | 31.0 |
| 255 | 905.5 | 910.0 | 9.5 | 912.0 | 14.5 | 913.3 | 22.0 | 914.7 | 32.5 | 910.7 | 37.5 | 918.6 | 37.5 | 921.1 | 37.5 | 922.5 | 37.5 |
| 809 | 900.0 | 910.4 | 15.5 | 912.6 | 21.0 | 913.9 | 32.0 | 915.5 | 33.5 | 910.9 | 16.0 | 918.6 | 21.0 | 921.0 | 32.0 | 922.4 | 33.5 |
| 816 | 910.0 | 911.5 | 8.5 | 913.8 | 15.0 | 914.0 | 18.0 | 914.5 | 23.5 | 912.7 | 11.0 | 918.7 | 13.0 | 920.9 | 14.5 | 922.0 | 19.5 |
| 817 | 910.5 | 911.5 | 8.5 | 913.8 | 15.0 | 914.0 | 18.0 | 914.5 | 23.0 | 912.7 | 8.5 | 918.7 | 10.0 | 920.9 | 11.0 | 922.0 | 15.0 |
| 818 | 910.0 | 911.5 | 8.5 | 913.8 | 15.0 | 914.0 | 18.0 | 914.5 | 23.5 | 912.7 | 11.0 | 918.7 | 13.0 | 920.9 | 14.5 | 922.0 | 19.5 |
| 821 | 911.0 | 911.5 | 6.5 | 913.8 | 13.5 | 914.0 | 16.5 | 914.5 | 22.0 | 912.7 | 7.5 | 918.7 | 9.5 | 920.9 | 11.0 | 922.0 | 14.5 |
| 824 | 911.0 | 909.9 | 0.0 | 913.7 | 8.0 | 914.0 | 11.0 | 914.5 | 15.5 | 912.7 | 7.5 | 918.7 | 10.0 | 920.9 | 12.5 | 922.0 | 15.5 |
| 825 | 911.0 | 909.9 | 0.0 | 913.7 | 8.0 | 914.0 | 11.0 | 914.5 | 15.5 | 912.7 | 7.5 | 918.7 | 10.0 | 920.9 | 12.5 | 922.0 | 15.5 |
| 827 | 911.0 | 909.9 | 0.0 | 913.7 | 8.0 | 914.0 | 11.0 | 914.5 | 15.5 | 912.7 | 7.5 | 918.7 | 10.0 | 920.9 | 12.5 | 922.0 | 15.5 |
| 828 | 911.0 | 909.9 | 0.0 | 913.7 | 8.0 | 914.0 | 11.0 | 914.5 | 15.5 | 912.7 | 7.5 | 918.7 | 10.0 | 920.9 | 12.5 | 922.0 | 15.5 |
| 829 | 912.0 | 909.9 | 0.0 | 913.7 | 6.5 | 914.0 | 10.0 | 914.5 | 14.5 | 912.7 | 4.5 | 918.7 | 9.5 | 920.9 | 10.5 | 922.0 | 13.5 |
| 830 | 913.0 | 912.5 | 0.0 | 913.7 | 4.5 | 913.9 | 8.5 | 914.5 | 13.0 | 914.6 | 5.0 | 918.7 | 13.5 | 920.9 | 15.0 | 921.9 | 16.5 |
| 832 | 915.0 | 912.5 | 0.0 | 913.7 | 0.0 | 913.9 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 7.5 | 920.9 | 9.0 | 921.9 | 11.5 |
| 833 | 915.5 | 912.5 | 0.0 | 913.7 | 0.0 | 913.9 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 7.0 | 920.9 | 8.5 | 921.9 | 11.0 |
| 835 | 916.0 | 915.4 | 0.0 | 916.1 | 2.0 | 916.3 | 5.5 | 916.8 | 9.0 | 914.9 | 0.0 | 918.7 | 7.5 | 920.9 | 9.0 | 922.0 | 12.0 |
| 836 | 916.0 | 915.4 | 0.0 | 916.1 | 2.0 | 916.3 | 5.5 | 916.8 | 9.0 | 914.9 | 0.0 | 918.7 | 7.5 | 920.9 | 9.0 | 922.0 | 12.0 |
| 838 | 917.0 | 915.4 | 0.0 | 916.1 | 0.0 | 916.3 | 0.0 | 916.8 | 0.0 | 914.9 | 0.0 | 918.7 | 5.5 | 920.9 | 8.0 | 922.0 | 10.5 |
| 840 | 908.5 | 915.1 | 12.0 | 915.9 | 19.0 | 916.1 | 21.5 | 916.6 | 30.5 | 913.8 | 13.0 | 918.7 | 19.0 | 921.0 | 21.5 | 922.1 | 31.5 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 841 | 911.5 | 915.3 | 9.0 | 916.0 | 16.5 | 916.2 | 18.5 | 916.7 | 23.5 | 914.8 | 9.0 | 918.7 | 16.0 | 920.9 | 18.0 | 922.0 | 25.0 |
| 842 | 912.0 | 915.7 | 9.5 | 916.2 | 16.5 | 916.3 | 18.5 | 916.8 | 23.0 | 915.3 | 9.5 | 918.7 | 16.0 | 921.0 | 18.0 | 922.1 | 24.0 |
| 843 | 907.5 | 911.9 | 10.0 | 912.7 | 17.0 | 913.2 | 19.5 | 914.5 | 30.5 | 911.6 | 9.0 | 918.6 | 13.5 | 921.0 | 18.5 | 922.3 | 31.5 |
| 844 | 911.0 | 915.1 | 8.0 | 915.7 | 14.5 | 915.8 | 17.0 | 916.3 | 25.5 | 912.8 | 9.0 | 918.7 | 14.5 | 921.0 | 17.0 | 922.1 | 25.5 |
| 845 | 908.5 | 915.1 | 29.5 | 915.7 | 30.5 | 915.8 | 30.5 | 916.3 | 31.0 | 912.8 | 30.5 | 918.7 | 31.0 | 921.0 | 31.5 | 922.1 | 32.0 |
| 846 | 909.5 | 911.9 | 8.5 | 912.7 | 15.0 | 913.2 | 18.0 | 914.5 | 28.0 | 911.6 | 5.0 | 918.6 | 12.0 | 921.0 | 15.0 | 922.4 | 31.0 |
| 847 | 907.0 | 911.9 | 10.5 | 912.7 | 17.0 | 913.2 | 20.0 | 914.5 | 32.0 | 911.6 | 9.0 | 918.6 | 15.0 | 921.0 | 19.0 | 922.4 | 31.5 |
| 848 | 911.0 | 916.0 | 10.5 | 916.4 | 17.5 | 916.5 | 20.0 | 917.0 | 26.0 | 915.8 | 10.5 | 918.8 | 17.0 | 921.0 | 20.0 | 922.1 | 27.0 |
| 849 | 912.0 | 916.6 | 10.0 | 917.0 | 17.0 | 917.1 | 19.5 | 917.5 | 24.0 | 916.5 | 10.0 | 918.8 | 16.5 | 921.0 | 19.0 | 922.1 | 25.5 |
| 850 | 917.5 | 915.4 | 0.0 | 916.1 | 0.0 | 916.4 | 0.0 | 916.9 | 0.0 | 915.0 | 0.0 | 918.7 | 5.0 | 921.0 | 7.5 | 922.0 | 10.5 |
| 851 | 918.5 | 915.4 | 0.0 | 916.1 | 0.0 | 916.4 | 0.0 | 916.9 | 0.0 | 915.0 | 0.0 | 918.7 | 2.0 | 921.0 | 6.5 | 922.0 | 8.5 |
| 852 | 919.5 | 915.4 | 0.0 | 916.1 | 0.0 | 916.4 | 0.0 | 916.9 | 0.0 | 915.0 | 0.0 | 918.7 | 0.0 | 921.0 | 5.0 | 922.0 | 7.5 |
| 853 | 919.5 | 915.4 | 0.0 | 916.1 | 0.0 | 916.4 | 0.0 | 916.9 | 0.0 | 915.0 | 0.0 | 918.7 | 0.0 | 921.0 | 5.0 | 922.0 | 7.5 |
| 854 | 917.0 | 915.4 | 0.0 | 916.2 | 0.0 | 916.4 | 0.0 | 917.0 | 0.0 | 915.0 | 0.0 | 918.8 | 5.5 | 921.0 | 8.0 | 922.1 | 10.5 |
| 855 | 920.5 | 915.4 | 0.0 | 916.2 | 0.0 | 916.4 | 0.0 | 917.0 | 0.0 | 915.0 | 0.0 | 918.8 | 0.0 | 921.0 | 3.0 | 922.1 | 5.5 |
| 856 | 916.0 | 917.4 | 5.0 | 917.9 | 11.5 | 918.1 | 13.5 | 918.7 | 16.5 | 917.3 | 5.0 | 918.9 | 11.5 | 921.0 | 13.0 | 922.1 | 16.5 |
| 857 | 915.0 | 918.0 | 7.5 | 918.5 | 14.0 | 918.7 | 16.5 | 919.4 | 19.0 | 917.9 | 7.0 | 919.1 | 13.5 | 921.0 | 15.5 | 922.1 | 19.0 |
| 859 | 914.5 | 918.5 | 8.0 | 919.1 | 15.5 | 919.3 | 17.5 | 920.1 | 20.5 | 918.5 | 8.0 | 919.4 | 15.0 | 921.1 | 17.0 | 922.2 | 20.5 |
| 860 | 916.0 | 918.9 | 7.0 | 919.5 | 13.5 | 919.7 | 16.0 | 920.5 | 18.5 | 918.9 | 7.0 | 919.6 | 13.0 | 921.1 | 15.5 | 922.2 | 18.0 |
| 861 | 916.0 | 919.1 | 7.0 | 919.7 | 13.5 | 919.9 | 16.0 | 920.7 | 18.5 | 919.1 | 7.0 | 919.7 | 13.0 | 921.2 | 15.5 | 922.3 | 18.5 |
| 866 | 918.0 | 919.9 | 5.0 | 920.7 | 11.0 | 921.0 | 13.0 | 922.1 | 16.0 | 919.8 | 4.5 | 920.6 | 11.0 | 921.7 | 12.5 | 922.7 | 16.0 |
| 867 | 920.0 | 920.2 | 1.5 | 921.0 | 6.5 | 921.4 | 9.5 | 922.6 | 12.5 | 920.2 | 1.5 | 921.0 | 8.0 | 921.9 | 10.5 | 922.9 | 12.5 |
| 872 | 905.0 | 910.5 | 10.5 | 912.7 | 14.5 | 914.0 | 23.5 | 915.7 | 32.0 | 911.0 | 10.5 | 918.6 | 15.0 | 921.1 | 23.5 | 922.5 | 32.0 |
| 874 | 901.0 | 910.5 | 15.0 | 912.7 | 20.0 | 914.0 | 32.0 | 915.7 | 33.0 | 911.0 | 15.5 | 918.6 | 19.5 | 921.1 | 32.0 | 922.5 | 33.0 |
| 875 | 907.0 | 910.6 | 8.0 | 912.7 | 12.5 | 914.1 | 19.5 | 915.7 | 31.5 | 911.0 | 8.5 | 918.6 | 13.5 | 921.1 | 19.5 | 922.5 | 32.0 |
| 1075 | 909.0 | 907.2 | 0.0 | 908.5 | 0.0 | 911.7 | 14.5 | 912.5 | 22.0 | 912.7 | 11.0 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 16.0 |
| 1076 | 909.0 | 907.2 | 0.0 | 908.5 | 0.0 | 911.7 | 14.5 | 912.5 | 22.0 | 912.7 | 11.0 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 16.0 |
| 1077 | 909.0 | 907.2 | 0.0 | 908.5 | 0.0 | 911.7 | 14.5 | 912.5 | 22.0 | 912.7 | 11.0 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 16.0 |
| 1078 | 908.0 | 907.2 | 0.0 | 908.5 | 9.5 | 911.7 | 18.5 | 912.5 | 26.0 | 912.7 | 11.5 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 17.5 |
| 1079 | 908.5 | 907.2 | 0.0 | 908.5 | 0.0 | 911.7 | 16.5 | 912.5 | 24.0 | 912.7 | 11.5 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 16.5 |
| 1080 | 908.5 | 907.2 | 0.0 | 908.5 | 0.0 | 911.7 | 16.5 | 912.5 | 24.0 | 912.7 | 0.0 | 918.7 | 0.0 | 920.9 | 0.0 | 922.0 | 0.0 |
| 1083 | 908.0 | 905.5 | 0.0 | 910.7 | 10.5 | 911.7 | 14.5 | 912.5 | 19.5 | 912.7 | 11.5 | 918.7 | 11.5 | 920.9 | 12.5 | 922.0 | 16.0 |
| 1084 | 908.5 | 905.5 | 0.0 | 910.7 | 9.0 | 911.7 | 13.5 | 912.5 | 18.5 | 912.7 | 11.5 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 15.5 |
| 1085 | 908.5 | 905.5 | 0.0 | 910.7 | 9.0 | 911.7 | 13.5 | 912.5 | 18.5 | 912.7 | 11.5 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 15.5 |
| 1086 | 905.5 | 905.5 | 0.0 | 910.7 | 13.0 | 911.7 | 17.0 | 912.5 | 22.5 | 912.7 | 14.5 | 918.7 | 13.0 | 920.9 | 14.5 | 922.0 | 19.0 |
| 1087 | 907.0 | 905.0 | 0.0 | 910.7 | 11.0 | 911.7 | 15.0 | 912.5 | 20.5 | 912.7 | 12.5 | 918.7 | 10.5 | 920.9 | 12.0 | 921.9 | 17.0 |
| 1093 | 911.0 | 905.3 | 0.0 | 910.7 | 0.0 | 911.8 | 5.5 | 912.6 | 12.0 | 912.7 | 7.5 | 918.7 | 9.0 | 920.9 | 10.5 | 921.9 | 13.5 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 1095 | 911.0 | 905.3 | 0.0 | 910.7 | 0.0 | 911.8 | 5.5 | 912.6 | 12.0 | 912.7 | 7.5 | 918.7 | 9.0 | 920.9 | 10.5 | 921.9 | 13.5 |
| 1098 | 910.0 | 905.3 | 0.0 | 910.7 | 5.0 | 911.8 | 10.0 | 912.6 | 15.0 | 912.7 | 9.5 | 918.7 | 10.0 | 920.9 | 11.0 | 921.9 | 14.5 |
| 1100 | 906.0 | 906.1 | 1.5 | 910.8 | 13.0 | 911.8 | 17.0 | 912.6 | 22.0 | 912.7 | 14.0 | 918.7 | 13.0 | 920.9 | 14.0 | 922.0 | 18.5 |
| 1102 | 911.0 | 906.1 | 0.0 | 910.8 | 0.0 | 911.8 | 6.0 | 912.6 | 12.0 | 912.7 | 7.5 | 918.7 | 9.0 | 920.9 | 10.5 | 922.0 | 13.5 |
| 1105 | 908.5 | 906.1 | 0.0 | 910.8 | 10.5 | 911.8 | 14.0 | 912.6 | 18.5 | 912.7 | 11.5 | 918.7 | 11.5 | 920.9 | 12.5 | 922.0 | 15.5 |
| 1106 | 906.5 | 906.1 | 0.0 | 910.8 | 12.5 | 911.8 | 16.5 | 912.6 | 21.5 | 912.7 | 12.5 | 918.7 | 12.5 | 920.9 | 13.5 | 922.0 | 18.0 |
| 1108 | 909.5 | 906.1 | 0.0 | 910.8 | 8.0 | 911.8 | 12.0 | 912.6 | 17.0 | 912.7 | 10.0 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 15.0 |
| 1109 | 907.0 | 906.1 | 0.0 | 910.8 | 12.5 | 911.8 | 16.0 | 912.6 | 21.0 | 912.7 | 12.5 | 918.7 | 12.0 | 920.9 | 13.0 | 922.0 | 17.5 |
| 1110 | 908.0 | 906.1 | 0.0 | 910.8 | 11.0 | 911.8 | 15.0 | 912.6 | 19.5 | 912.7 | 11.5 | 918.7 | 11.5 | 920.9 | 13.0 | 922.0 | 16.0 |
| 1112 | 913.0 | 906.1 | 0.0 | 910.8 | 0.0 | 911.8 | 0.0 | 912.6 | 0.0 | 912.7 | 0.0 | 918.7 | 8.5 | 920.9 | 10.0 | 922.0 | 12.5 |
| 1113 | 914.0 | 906.1 | 0.0 | 910.8 | 0.0 | 911.8 | 0.0 | 912.6 | 0.0 | 912.7 | 0.0 | 918.7 | 8.0 | 920.9 | 9.0 | 922.0 | 12.0 |
| 1116 | 908.5 | 910.1 | 7.5 | 911.6 | 14.5 | 911.8 | 17.5 | 912.7 | 26.0 | 912.7 | 11.5 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 17.0 |
| 1117 | 907.0 | 910.1 | 9.0 | 911.6 | 16.0 | 911.8 | 18.5 | 912.7 | 30.5 | 912.7 | 12.5 | 918.7 | 11.5 | 920.9 | 12.5 | 922.0 | 19.0 |
| 1118 | 908.0 | 910.1 | 8.0 | 911.6 | 15.0 | 911.8 | 18.5 | 912.7 | 27.5 | 912.7 | 12.0 | 918.7 | 10.5 | 920.9 | 12.0 | 922.0 | 17.5 |
| 1237 | 923.5 | 914.4 | 0.0 | 917.3 | 0.0 | 919.7 | 0.0 | 924.3 | 3.5 | 914.6 | 0.0 | 919.9 | 0.0 | 922.4 | 0.0 | 924.7 | 8.0 |
| 1238 | 924.0 | 915.2 | 0.0 | 918.1 | 0.0 | 920.7 | 0.0 | 925.4 | 5.0 | 915.4 | 0.0 | 920.3 | 0.0 | 922.9 | 0.0 | 925.6 | 8.5 |
| 1239 | 923.5 | 915.2 | 0.0 | 918.1 | 0.0 | 920.7 | 0.0 | 925.4 | 6.0 | 915.4 | 0.0 | 920.3 | 0.0 | 922.9 | 0.0 | 925.6 | 9.0 |
| 1240 | 920.0 | 929.0 | 14.5 | 931.7 | 20.0 | 934.1 | 32.5 | 939.3 | 35.0 | 929.1 | 14.5 | 931.7 | 20.0 | 934.2 | 32.5 | 939.3 | 35.0 |
| 1249 | 922.5 | 919.7 | 0.0 | 920.4 | 0.0 | 921.0 | 0.0 | 924.7 | 10.0 | 919.6 | 0.0 | 920.1 | 0.0 | 921.7 | 0.0 | 924.9 | 12.0 |
| 1250 | 922.0 | 919.7 | 0.0 | 920.4 | 0.0 | 921.0 | 0.0 | 924.7 | 12.5 | 919.6 | 0.0 | 920.1 | 0.0 | 921.7 | 0.0 | 924.9 | 12.5 |
| 1252 | 923.0 | 913.8 | 0.0 | 916.7 | 0.0 | 919.1 | 0.0 | 923.4 | 2.5 | 914.1 | 0.0 | 919.7 | 0.0 | 922.2 | 0.0 | 924.2 | 7.5 |
| 1253 | 907.5 | 913.8 | 10.5 | 916.7 | 14.0 | 919.1 | 25.5 | 923.4 | 32.0 | 914.1 | 10.5 | 919.7 | 14.5 | 922.2 | 25.5 | 924.2 | 32.0 |
| 1254 | 907.0 | 914.0 | 11.5 | 916.9 | 15.0 | 919.4 | 28.5 | 923.8 | 32.5 | 914.3 | 11.5 | 919.8 | 15.0 | 922.3 | 28.5 | 924.5 | 32.5 |
| 1256 | 906.0 | 914.7 | 13.0 | 917.6 | 16.0 | 920.1 | 31.0 | 924.8 | 33.0 | 914.9 | 13.5 | 920.1 | 16.0 | 922.6 | 31.0 | 925.0 | 33.0 |
| 1257 | 921.0 | 919.7 | 0.0 | 920.4 | 0.0 | 921.0 | 0.0 | 924.7 | 15.0 | 919.6 | 0.0 | 920.1 | 0.0 | 921.7 | 5.5 | 924.9 | 14.5 |
| 1258 | 922.0 | 919.7 | 0.0 | 920.4 | 0.0 | 921.0 | 0.0 | 924.7 | 12.5 | 919.6 | 0.0 | 920.1 | 0.0 | 921.7 | 0.0 | 924.9 | 12.5 |
| 1259 | 922.0 | 920.6 | 0.0 | 920.6 | 0.0 | 920.6 | 0.0 | 924.9 | 9.5 | 920.6 | 0.0 | 920.6 | 0.0 | 922.4 | 2.5 | 925.0 | 12.0 |
| 1260 | 922.5 | 920.6 | 0.0 | 920.6 | 0.0 | 920.6 | 0.0 | 924.9 | 9.0 | 920.6 | 0.0 | 920.6 | 0.0 | 922.4 | 0.0 | 925.0 | 11.5 |
| 1261 | 921.0 | 920.2 | 0.0 | 921.1 | 0.5 | 921.7 | 5.0 | 924.8 | 16.0 | 919.9 | 0.0 | 920.6 | 0.0 | 922.0 | 8.0 | 924.9 | 15.0 |
| 1262 | 922.0 | 920.2 | 0.0 | 921.1 | 0.0 | 921.7 | 0.0 | 924.8 | 14.5 | 919.9 | 0.0 | 920.6 | 0.0 | 922.0 | 0.0 | 924.9 | 13.5 |
| 1263 | 922.0 | 920.2 | 0.0 | 921.1 | 0.0 | 921.7 | 0.0 | 924.8 | 14.5 | 919.9 | 0.0 | 920.6 | 0.0 | 922.0 | 0.0 | 924.9 | 13.5 |
| 1265 | 923.0 | 919.7 | 0.0 | 920.5 | 0.0 | 921.3 | 0.0 | 926.2 | 9.5 | 919.0 | 0.0 | 920.2 | 0.0 | 922.8 | 0.0 | 926.3 | 11.0 |
| 1266 | 922.5 | 915.7 | 0.0 | 918.6 | 0.0 | 921.3 | 0.0 | 925.9 | 10.5 | 915.8 | 0.0 | 920.5 | 0.0 | 923.2 | 4.0 | 926.0 | 12.5 |
| 1267 | 922.5 | 920.2 | 0.0 | 921.1 | 0.0 | 921.7 | 0.0 | 924.8 | 12.0 | 919.9 | 0.0 | 920.6 | 0.0 | 922.0 | 0.0 | 924.9 | 12.0 |
| 1268 | 922.0 | 920.2 | 0.0 | 921.1 | 0.0 | 921.7 | 0.0 | 924.8 | 14.5 | 919.9 | 0.0 | 920.6 | 0.0 | 922.0 | 0.0 | 924.9 | 13.5 |
| 1269 | 921.0 | 920.2 | 0.0 | 921.1 | 0.5 | 921.7 | 5.0 | 924.8 | 16.0 | 919.9 | 0.0 | 920.6 | 0.0 | 922.0 | 8.0 | 924.9 | 15.0 |
| 1270 | 921.5 | 920.6 | 0.0 | 921.4 | 0.0 | 922.1 | 4.0 | 925.1 | 16.0 | 920.8 | 0.0 | 922.1 | 1.5 | 923.4 | 8.0 | 925.6 | 15.5 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 1271 | 922.0 | 920.6 | 0.0 | 921.4 | 0.0 | 922.1 | 2.0 | 925.1 | 15.0 | 920.8 | 0.0 | 922.1 | 1.0 | 923.4 | 4.5 | 925.6 | 15.5 |
| 1276 | 922.5 | 920.4 | 0.0 | 921.0 | 0.0 | 921.9 | 0.0 | 926.5 | 14.0 | 919.9 | 0.0 | 920.7 | 0.0 | 922.3 | 0.0 | 926.5 | 13.0 |
| 1277 | 922.0 | 921.6 | 0.0 | 922.1 | 1.0 | 922.6 | 3.5 | 926.1 | 15.5 | 921.5 | 0.0 | 922.2 | 1.5 | 922.7 | 7.5 | 926.1 | 15.0 |
| 1294 | 921.0 | 916.1 | 0.0 | 919.0 | 0.0 | 921.8 | 3.0 | 926.2 | 18.5 | 916.2 | 0.0 | 920.8 | 0.0 | 923.5 | 7.5 | 926.3 | 18.0 |
| 1297 | 923.0 | 920.4 | 0.0 | 921.0 | 0.0 | 921.9 | 0.0 | 926.5 | 12.5 | 919.9 | 0.0 | 920.7 | 0.0 | 922.3 | 0.0 | 926.5 | 12.0 |
| 1298 | 922.5 | 920.4 | 0.0 | 921.0 | 0.0 | 921.9 | 0.0 | 926.5 | 14.0 | 919.9 | 0.0 | 920.7 | 0.0 | 922.3 | 0.0 | 926.5 | 13.0 |
| 1299 | 922.5 | 920.4 | 0.0 | 921.0 | 0.0 | 921.9 | 0.0 | 926.5 | 14.0 | 919.9 | 0.0 | 920.7 | 0.0 | 922.3 | 0.0 | 926.5 | 13.0 |
| 1303 | 914.0 | 916.2 | 5.0 | 919.2 | 9.5 | 922.0 | 15.5 | 926.5 | 31.5 | 916.3 | 5.5 | 920.8 | 11.0 | 923.6 | 15.5 | 926.5 | 31.5 |
| 1306 | 914.0 | 916.4 | 5.0 | 919.4 | 9.5 | 922.2 | 15.5 | 926.5 | 31.5 | 916.5 | 5.5 | 920.9 | 11.0 | 923.7 | 15.5 | 926.5 | 31.5 |
| 1307 | 919.0 | 916.5 | 0.0 | 919.5 | 2.0 | 922.3 | 6.5 | 926.6 | 28.5 | 916.6 | 0.0 | 921.0 | 7.0 | 923.8 | 9.5 | 926.6 | 28.5 |
| 1308 | 915.5 | 916.4 | 3.0 | 919.2 | 7.5 | 922.0 | 13.0 | 926.5 | 31.0 | 916.5 | 3.0 | 920.9 | 9.5 | 923.6 | 13.5 | 926.5 | 31.0 |
| 1309 | 910.0 | 916.8 | 10.5 | 919.9 | 14.0 | 922.7 | 27.5 | 926.9 | 32.0 | 916.9 | 10.5 | 921.2 | 14.0 | 924.0 | 27.5 | 926.9 | 32.0 |
| 1310 | 913.0 | 916.9 | 7.0 | 920.0 | 11.5 | 922.9 | 19.0 | 927.0 | 31.5 | 917.0 | 7.0 | 921.3 | 12.0 | 924.1 | 19.0 | 927.0 | 31.5 |
| 1311 | 921.0 | 916.8 | 0.0 | 919.2 | 0.0 | 922.2 | 3.5 | 926.6 | 19.5 | 916.8 | 0.0 | 920.9 | 0.0 | 923.6 | 7.5 | 926.6 | 19.0 |
| 1312 | 922.0 | 916.8 | 0.0 | 919.2 | 0.0 | 922.2 | 1.0 | 926.6 | 16.0 | 916.8 | 0.0 | 920.9 | 0.0 | 923.6 | 6.5 | 926.6 | 15.5 |
| 1313 | 923.5 | 919.4 | 0.0 | 919.4 | 0.0 | 922.8 | 0.0 | 926.6 | 13.0 | 919.5 | 0.0 | 920.1 | 0.0 | 923.6 | 2.5 | 926.6 | 13.5 |
| 1314 | 925.0 | 917.1 | 0.0 | 920.2 | 0.0 | 923.1 | 0.0 | 927.2 | 9.0 | 917.2 | 0.0 | 921.4 | 0.0 | 924.2 | 0.0 | 927.2 | 10.5 |
| 1315 | 924.0 | 917.4 | 0.0 | 920.5 | 0.0 | 923.4 | 0.0 | 927.4 | 13.0 | 917.6 | 0.0 | 921.6 | 0.0 | 924.4 | 3.0 | 927.4 | 13.5 |
| 1316 | 907.0 | 917.3 | 15.0 | 920.4 | 17.5 | 923.3 | 31.5 | 927.3 | 34.0 | 917.5 | 15.5 | 921.6 | 17.5 | 924.4 | 31.5 | 927.3 | 34.0 |
| 1317 | 923.5 | 919.4 | 0.0 | 919.4 | 0.0 | 922.8 | 0.0 | 926.6 | 13.0 | 919.5 | 0.0 | 920.1 | 0.0 | 923.6 | 2.5 | 926.6 | 13.5 |
| 1318 | 924.0 | 918.2 | 0.0 | 921.2 | 0.0 | 924.1 | 0.5 | 928.1 | 15.5 | 918.3 | 0.0 | 922.1 | 0.0 | 924.9 | 4.5 | 928.1 | 15.5 |
| 1320 | 926.5 | 918.9 | 0.0 | 921.8 | 0.0 | 924.7 | 0.0 | 929.1 | 10.0 | 919.0 | 0.0 | 922.6 | 0.0 | 925.4 | 0.0 | 929.1 | 11.0 |
| 1321 | 925.0 | 919.5 | 0.0 | 922.6 | 0.0 | 925.4 | 1.5 | 929.9 | 17.5 | 919.6 | 0.0 | 923.1 | 0.0 | 925.9 | 4.5 | 929.9 | 17.5 |
| 1324 | 925.0 | 919.2 | 0.0 | 922.3 | 0.0 | 925.0 | 0.5 | 929.4 | 15.0 | 919.3 | 0.0 | 922.9 | 0.0 | 925.6 | 3.5 | 929.4 | 15.5 |
| 1325 | 927.5 | 919.5 | 0.0 | 922.6 | 0.0 | 925.4 | 0.0 | 929.9 | 9.0 | 919.6 | 0.0 | 923.1 | 0.0 | 925.9 | 0.0 | 929.9 | 9.5 |
| 1328 | 924.5 | 917.1 | 0.0 | 920.2 | 0.0 | 923.1 | 0.0 | 927.2 | 10.0 | 917.2 | 0.0 | 921.4 | 0.0 | 924.2 | 0.0 | 927.2 | 12.0 |
| 1329 | 925.0 | 917.3 | 0.0 | 920.4 | 0.0 | 923.3 | 0.0 | 927.3 | 9.5 | 917.5 | 0.0 | 921.6 | 0.0 | 924.4 | 0.0 | 927.3 | 11.0 |
| 1330 | 928.0 | 918.6 | 0.0 | 921.6 | 0.0 | 924.5 | 0.0 | 928.7 | 4.0 | 918.8 | 0.0 | 922.4 | 0.0 | 925.2 | 0.0 | 928.7 | 4.5 |
| 1335 | 923.0 | 917.4 | 0.0 | 920.5 | 0.0 | 923.4 | 1.5 | 927.4 | 16.5 | 917.6 | 0.0 | 921.6 | 0.0 | 924.4 | 6.0 | 927.4 | 16.5 |
| 1336 | 926.0 | 917.9 | 0.0 | 920.9 | 0.0 | 923.8 | 0.0 | 927.8 | 8.0 | 918.0 | 0.0 | 921.9 | 0.0 | 924.7 | 0.0 | 927.8 | 9.5 |
| 1337 | 921.5 | 917.5 | 0.0 | 920.4 | 0.0 | 922.6 | 3.5 | 927.0 | 20.5 | 917.6 | 0.0 | 921.2 | 0.0 | 924.0 | 7.5 | 927.0 | 20.5 |
| 1338 | 914.0 | 917.7 | 6.5 | 920.7 | 11.0 | 923.6 | 18.5 | 927.7 | 31.5 | 917.8 | 7.0 | 921.8 | 12.0 | 924.6 | 18.5 | 927.7 | 31.5 |
| 1339 | 922.5 | 918.2 | 0.0 | 918.2 | 0.0 | 918.3 | 0.0 | 925.0 | 4.0 | 918.2 | 0.0 | 918.6 | 0.0 | 921.8 | 0.0 | 925.2 | 7.0 |
| 1342 | 923.5 | 915.1 | 0.0 | 918.0 | 0.0 | 920.6 | 0.0 | 925.7 | 6.0 | 915.2 | 0.0 | 920.2 | 0.0 | 922.9 | 0.0 | 925.9 | 9.0 |
| 1344 | 918.0 | 915.1 | 0.0 | 918.0 | 0.0 | 920.6 | 6.0 | 925.7 | 27.0 | 915.2 | 0.0 | 920.2 | 7.5 | 922.9 | 9.5 | 925.9 | 27.0 |
| 1345 | 924.0 | 917.1 | 0.0 | 920.2 | 0.0 | 923.1 | 0.0 | 927.2 | 12.0 | 917.2 | 0.0 | 921.4 | 0.0 | 924.2 | 2.5 | 927.2 | 12.5 |
| 1347 | 922.0 | 917.5 | 0.0 | 920.4 | 0.0 | 922.6 | 3.0 | 927.0 | 18.0 | 917.6 | 0.0 | 921.2 | 0.0 | 924.0 | 7.0 | 927.0 | 18.0 |

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 1348 | 927.0 | 918.3 | 0.0 | 921.2 | 0.0 | 924.2 | 0.0 | 928.3 | 6.0 | 918.4 | 0.0 | 922.1 | 0.0 | 925.0 | 0.0 | 928.3 | 7.5 |
| 1349 | 926.0 | 918.1 | 0.0 | 921.0 | 0.0 | 923.9 | 0.0 | 927.9 | 8.5 | 918.2 | 0.0 | 922.0 | 0.0 | 924.8 | 0.0 | 927.9 | 10.0 |
| 1351 | 909.0 | 917.7 | 12.5 | 920.7 | 15.0 | 923.6 | 31.0 | 927.7 | 33.0 | 917.8 | 13.0 | 921.8 | 15.0 | 924.6 | 31.0 | 927.7 | 33.0 |
| 1352 | 920.0 | 917.5 | 0.0 | 920.4 | 2.0 | 922.6 | 6.5 | 927.0 | 29.0 | 917.6 | 0.0 | 921.2 | 6.5 | 924.0 | 9.5 | 927.0 | 29.0 |
| 1354 | 922.5 | 917.5 | 0.0 | 920.4 | 0.0 | 922.6 | 1.0 | 927.0 | 16.0 | 917.6 | 0.0 | 921.2 | 0.0 | 924.0 | 6.0 | 927.0 | 15.5 |
| 1355 | 923.0 | 917.3 | 0.0 | 920.4 | 0.0 | 923.3 | 1.5 | 927.3 | 16.0 | 917.5 | 0.0 | 921.6 | 0.0 | 924.4 | 6.0 | 927.3 | 16.0 |
| 1356 | 927.0 | 918.3 | 0.0 | 921.2 | 0.0 | 924.2 | 0.0 | 928.3 | 6.0 | 918.4 | 0.0 | 922.1 | 0.0 | 925.0 | 0.0 | 928.3 | 7.5 |
| 1357 | 924.5 | 918.5 | 0.0 | 921.4 | 0.0 | 924.3 | 0.0 | 928.5 | 14.5 | 918.6 | 0.0 | 922.3 | 0.0 | 925.1 | 4.0 | 928.5 | 14.5 |
| 1358 | 924.5 | 918.5 | 0.0 | 921.4 | 0.0 | 924.3 | 0.0 | 928.5 | 14.5 | 918.6 | 0.0 | 922.3 | 0.0 | 925.1 | 4.0 | 928.5 | 14.5 |
| 1360 | 923.0 | 917.5 | 0.0 | 920.4 | 0.0 | 922.6 | 0.0 | 927.0 | 14.0 | 917.6 | 0.0 | 921.2 | 0.0 | 924.0 | 5.0 | 927.0 | 14.0 |
| 1361 | 924.5 | 917.5 | 0.0 | 920.4 | 0.0 | 922.6 | 0.0 | 927.0 | 9.5 | 917.6 | 0.0 | 921.2 | 0.0 | 924.0 | 0.0 | 927.0 | 11.0 |
| 1362 | 924.5 | 917.5 | 0.0 | 920.4 | 0.0 | 922.6 | 0.0 | 927.0 | 9.5 | 917.6 | 0.0 | 921.2 | 0.0 | 924.0 | 0.0 | 927.0 | 11.0 |
| 1363 | 921.5 | 917.5 | 0.0 | 920.4 | 0.0 | 922.6 | 3.5 | 927.0 | 20.5 | 917.6 | 0.0 | 921.2 | 0.0 | 924.0 | 7.5 | 927.0 | 20.5 |
| 1366 | 924.5 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 3.5 | 930.6 | 20.5 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 6.0 | 930.6 | 20.5 |
| 1367 | 925.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.4 | 0.0 | 926.8 | 7.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 926.8 | 9.5 |
| 1368 | 925.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.4 | 0.0 | 926.8 | 7.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 926.8 | 9.5 |
| 1369 | 921.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.4 | 4.0 | 926.8 | 21.5 | 916.6 | 0.0 | 921.1 | 1.0 | 923.9 | 8.0 | 926.8 | 21.0 |
| 1370 | 919.5 | 916.5 | 0.0 | 919.6 | 0.5 | 922.4 | 6.0 | 926.8 | 27.5 | 916.6 | 0.0 | 921.1 | 6.5 | 923.9 | 9.5 | 926.8 | 27.5 |
| 1371 | 923.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.4 | 0.0 | 926.8 | 13.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 5.0 | 926.8 | 14.0 |
| 1375 | 925.0 | 916.7 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.4 | 7.5 | 916.7 | 0.0 | 921.1 | 0.0 | 924.0 | 0.0 | 927.5 | 9.5 |
| 1402 | 922.0 | 913.8 | 0.0 | 916.2 | 0.0 | 918.1 | 0.0 | 923.6 | 4.0 | 913.8 | 0.0 | 919.4 | 0.0 | 921.8 | 0.0 | 923.8 | 7.5 |
| 1412 | 923.0 | 914.4 | 0.0 | 917.3 | 0.0 | 919.7 | 0.0 | 924.3 | 5.0 | 914.6 | 0.0 | 919.9 | 0.0 | 922.4 | 0.0 | 924.7 | 8.5 |
| 1447 | 922.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 2.0 | 927.1 | 17.0 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 6.5 | 927.1 | 16.5 |
| 1450 | 922.0 | 915.0 | 0.0 | 916.2 | 0.0 | 918.1 | 0.0 | 923.7 | 4.0 | 915.0 | 0.0 | 919.4 | 0.0 | 921.8 | 0.0 | 923.8 | 7.5 |
| 1451 | 919.5 | 913.4 | 0.0 | 916.2 | 0.0 | 918.5 | 0.0 | 922.2 | 10.5 | 913.7 | 0.0 | 919.5 | 0.0 | 921.8 | 7.0 | 923.7 | 13.0 |
| 1452 | 919.5 | 918.5 | 0.0 | 918.5 | 0.0 | 918.5 | 0.0 | 923.0 | 10.0 | 918.5 | 0.0 | 918.9 | 0.0 | 921.8 | 7.0 | 923.9 | 12.5 |
| 1453 | 922.0 | 914.0 | 0.0 | 916.9 | 0.0 | 919.4 | 0.0 | 923.8 | 6.0 | 914.3 | 0.0 | 919.8 | 0.0 | 922.3 | 2.5 | 924.5 | 10.0 |
| 1455 | 921.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 4.0 | 927.1 | 21.5 | 915.6 | 0.0 | 921.1 | 1.0 | 923.9 | 8.0 | 927.2 | 21.0 |
| 1461 | 924.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 10.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 11.5 |
| 1463 | 920.0 | 915.6 | 0.0 | 920.3 | 7.5 | 922.5 | 12.5 | 927.1 | 25.5 | 915.6 | 0.0 | 921.1 | 9.0 | 923.9 | 12.5 | 927.2 | 25.5 |
| 1466 | 920.0 | 913.8 | 0.0 | 916.7 | 0.0 | 919.1 | 0.0 | 923.4 | 11.0 | 914.1 | 0.0 | 919.7 | 0.0 | 922.2 | 7.0 | 924.2 | 13.0 |
| 1468 | 924.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 10.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 11.5 |
| 1471 | 918.5 | 915.0 | 0.0 | 916.2 | 0.0 | 918.1 | 0.0 | 923.7 | 12.5 | 915.0 | 0.0 | 919.4 | 4.5 | 921.8 | 8.5 | 923.8 | 14.0 |
| 1473 | 922.0 | 913.1 | 0.0 | 915.9 | 0.0 | 918.1 | 0.0 | 922.0 | 1.0 | 913.4 | 0.0 | 919.4 | 0.0 | 921.7 | 0.0 | 923.6 | 7.5 |
| 1474 | 921.0 | 916.8 | 0.0 | 918.8 | 0.0 | 919.0 | 0.0 | 923.6 | 6.0 | 916.8 | 0.0 | 919.4 | 0.0 | 921.8 | 4.0 | 923.7 | 9.5 |
| 1475 | 920.5 | 913.8 | 0.0 | 916.2 | 0.0 | 918.1 | 0.0 | 923.6 | 6.0 | 913.8 | 0.0 | 919.4 | 0.0 | 921.8 | 5.5 | 923.8 | 10.5 |
| 1477 | 916.0 | 913.8 | 0.0 | 916.2 | 3.0 | 918.1 | 6.5 | 923.6 | 25.5 | 913.8 | 0.0 | 919.4 | 8.0 | 921.8 | 10.0 | 923.8 | 26.0 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 1478 | 923.0 | 913.8 | 0.0 | 916.2 | 0.0 | 918.1 | 0.0 | 923.6 | 3.0 | 913.8 | 0.0 | 919.4 | 0.0 | 921.8 | 0.0 | 923.8 | 6.5 |
| 1479 | 919.0 | 913.8 | 0.0 | 916.2 | 0.0 | 918.1 | 0.0 | 923.6 | 11.0 | 913.8 | 0.0 | 919.4 | 3.0 | 921.8 | 7.5 | 923.8 | 13.0 |
| 1481 | 922.0 | 918.0 | 0.0 | 919.8 | 0.0 | 920.1 | 0.0 | 925.6 | 6.5 | 918.0 | 0.0 | 919.8 | 0.0 | 921.9 | 0.0 | 925.6 | 8.5 |
| 1485 | 923.0 | 914.4 | 0.0 | 917.3 | 0.0 | 919.7 | 0.0 | 924.3 | 5.0 | 914.6 | 0.0 | 919.9 | 0.0 | 922.4 | 0.0 | 924.7 | 8.5 |
| 1486 | 904.5 | 914.4 | 14.5 | 917.3 | 18.0 | 919.7 | 31.5 | 924.3 | 33.5 | 914.6 | 15.0 | 919.9 | 18.0 | 922.4 | 31.5 | 924.7 | 33.0 |
| 1491 | 918.0 | 915.6 | 0.0 | 920.3 | 13.0 | 922.5 | 16.5 | 927.1 | 30.5 | 915.6 | 0.0 | 921.1 | 13.5 | 923.9 | 17.0 | 927.2 | 31.0 |
| 1494 | 921.5 | 913.4 | 0.0 | 916.2 | 0.0 | 918.5 | 0.0 | 922.2 | 3.5 | 913.7 | 0.0 | 919.5 | 0.0 | 921.8 | 2.5 | 923.7 | 9.0 |
| 1496 | 921.0 | 915.0 | 0.0 | 916.2 | 0.0 | 918.1 | 0.0 | 923.7 | 5.0 | 915.0 | 0.0 | 919.4 | 0.0 | 921.8 | 4.0 | 923.8 | 9.5 |
| 1512 | 924.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 0.0 | 927.1 | 10.0 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.1 | 11.5 |
| 1513 | 922.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 2.0 | 927.1 | 17.0 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 6.5 | 927.1 | 16.5 |
| 1514 | 918.0 | 916.5 | 0.0 | 919.6 | 4.0 | 922.5 | 8.5 | 927.1 | 31.0 | 916.6 | 0.0 | 921.1 | 8.5 | 923.9 | 11.0 | 927.1 | 31.0 |
| 1515 | 927.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 0.0 | 927.1 | 0.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.1 | 1.0 |
| 1516 | 925.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 0.0 | 927.1 | 7.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.1 | 9.5 |
| 1517 | 927.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 0.0 | 927.1 | 0.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.1 | 1.0 |
| 1520 | 924.0 | 918.0 | 0.0 | 926.6 | 27.5 | 926.6 | 29.0 | 929.9 | 30.5 | 918.0 | 0.0 | 921.1 | 0.0 | 924.0 | 0.0 | 929.9 | 11.5 |
| 1523 | 921.0 | 916.7 | 0.0 | 920.3 | 0.0 | 922.5 | 4.0 | 927.4 | 21.5 | 916.7 | 0.0 | 921.1 | 1.0 | 924.0 | 8.5 | 927.5 | 21.0 |
| 1524 | 921.0 | 916.7 | 0.0 | 920.3 | 0.0 | 922.5 | 4.0 | 927.4 | 21.5 | 916.7 | 0.0 | 921.1 | 1.0 | 924.0 | 8.5 | 927.5 | 21.0 |
| 1541 | 924.0 | 919.6 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.5 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.3 | 0.0 | 922.4 | 0.0 |
| 1542 | 924.0 | 915.9 | 0.0 | 918.9 | 0.0 | 921.6 | 0.0 | 926.1 | 8.0 | 916.1 | 0.0 | 920.7 | 0.0 | 923.4 | 0.0 | 926.2 | 10.0 |
| 1543 | 924.0 | 916.1 | 0.0 | 919.0 | 0.0 | 921.8 | 0.0 | 926.2 | 8.5 | 916.2 | 0.0 | 920.8 | 0.0 | 923.5 | 0.0 | 926.3 | 10.0 |
| 1545 | 925.0 | 916.5 | 0.0 | 919.5 | 0.0 | 922.4 | 0.0 | 926.8 | 7.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 926.9 | 9.5 |
| 1548 | 924.5 | 916.5 | 0.0 | 919.5 | 0.0 | 922.3 | 0.0 | 926.6 | 8.5 | 916.6 | 0.0 | 921.0 | 0.0 | 923.8 | 0.0 | 926.6 | 10.0 |
| 1550 | 924.0 | 919.7 | 0.0 | 920.4 | 0.0 | 920.8 | 0.0 | 921.9 | 0.0 | 919.7 | 0.0 | 920.4 | 0.0 | 921.3 | 0.0 | 922.4 | 0.0 |
| 1551 | 924.0 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.4 | 0.0 | 922.4 | 0.0 |
| 1554 | 923.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1556 | 926.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1568 | 926.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 4.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 5.5 |
| 1569 | 925.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 0.0 | 927.1 | 7.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.1 | 9.5 |
| 1570 | 922.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 2.0 | 927.1 | 17.0 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 6.5 | 927.1 | 16.5 |
| 1572 | 922.0 | 919.7 | 0.0 | 920.3 | 0.0 | 920.7 | 0.0 | 921.8 | 0.0 | 919.6 | 0.0 | 920.3 | 0.0 | 921.3 | 0.0 | 922.4 | 3.5 |
| 1573 | 917.0 | 919.7 | 6.0 | 920.3 | 12.5 | 920.7 | 15.0 | 921.8 | 17.0 | 919.6 | 6.0 | 920.3 | 12.0 | 921.3 | 14.5 | 922.4 | 17.0 |
| 1578 | 919.0 | 916.5 | 0.0 | 919.6 | 2.0 | 922.4 | 6.5 | 926.8 | 29.0 | 916.6 | 0.0 | 921.1 | 7.0 | 923.9 | 9.5 | 926.8 | 29.0 |
| 1580 | 919.5 | 916.5 | 0.0 | 919.6 | 0.5 | 922.4 | 6.0 | 926.8 | 27.5 | 916.6 | 0.0 | 921.1 | 6.5 | 923.9 | 9.5 | 926.8 | 27.5 |
| 1581 | 907.0 | 916.5 | 13.5 | 919.5 | 16.5 | 922.4 | 31.0 | 926.8 | 33.0 | 916.6 | 13.5 | 921.1 | 16.5 | 923.9 | 31.0 | 926.9 | 33.0 |
| 1582 | 921.0 | 915.1 | 0.0 | 918.0 | 0.0 | 920.6 | 0.0 | 925.7 | 13.5 | 915.2 | 0.0 | 920.2 | 0.0 | 922.9 | 6.5 | 925.9 | 14.0 |
| 1583 | 923.5 | 915.1 | 0.0 | 918.0 | 0.0 | 920.6 | 0.0 | 925.7 | 6.0 | 915.2 | 0.0 | 920.2 | 0.0 | 922.9 | 0.0 | 925.9 | 9.0 |
| 1584 | 919.0 | 915.1 | 0.0 | 918.0 | 0.0 | 920.6 | 4.5 | 925.7 | 22.5 | 915.2 | 0.0 | 920.2 | 6.0 | 922.9 | 9.0 | 925.9 | 22.5 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 1585 | 917.5 | 915.8 | 0.0 | 918.7 | 3.5 | 921.4 | 7.5 | 926.0 | 30.5 | 915.9 | 0.0 | 920.6 | 8.0 | 923.3 | 11.0 | 926.1 | 30.5 |
| 1586 | 921.0 | 915.9 | 0.0 | 918.9 | 0.0 | 921.6 | 2.5 | 926.1 | 18.0 | 916.1 | 0.0 | 920.7 | 0.0 | 923.4 | 7.5 | 926.2 | 17.5 |
| 1587 | 919.0 | 916.1 | 0.0 | 919.0 | 0.5 | 921.8 | 6.0 | 926.2 | 27.0 | 916.2 | 0.0 | 920.8 | 7.0 | 923.5 | 9.5 | 926.3 | 27.0 |
| 1588 | 913.5 | 916.5 | 6.0 | 919.5 | 10.0 | 922.4 | 17.0 | 926.8 | 31.5 | 916.6 | 6.0 | 921.1 | 11.5 | 923.9 | 17.0 | 926.9 | 31.5 |
| 1589 | 921.0 | 919.8 | 0.0 | 919.8 | 0.0 | 920.6 | 0.0 | 926.1 | 13.5 | 919.8 | 0.0 | 920.2 | 0.0 | 922.9 | 6.5 | 926.2 | 14.0 |
| 1594 | 921.5 | 919.7 | 0.0 | 920.3 | 0.0 | 920.7 | 0.0 | 921.8 | 2.0 | 919.6 | 0.0 | 920.3 | 0.0 | 921.3 | 0.0 | 922.4 | 7.5 |
| 1595 | 923.0 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.4 | 0.0 | 922.4 | 0.0 |
| 1596 | 909.0 | 918.8 | 14.5 | 921.7 | 16.5 | 924.7 | 31.5 | 929.0 | 34.0 | 918.9 | 15.0 | 922.5 | 16.5 | 925.4 | 31.5 | 929.0 | 34.0 |
| 1597 | 927.0 | 918.6 | 0.0 | 921.6 | 0.0 | 924.5 | 0.0 | 928.7 | 7.5 | 918.8 | 0.0 | 922.4 | 0.0 | 925.2 | 0.0 | 928.7 | 9.0 |
| 1599 | 923.5 | 917.5 | 0.0 | 920.4 | 0.0 | 922.6 | 0.0 | 927.0 | 12.5 | 917.6 | 0.0 | 921.2 | 0.0 | 924.0 | 3.5 | 927.0 | 13.0 |
| 1600 | 924.0 | 916.1 | 0.0 | 919.0 | 0.0 | 921.8 | 0.0 | 926.2 | 8.5 | 916.2 | 0.0 | 920.8 | 0.0 | 923.5 | 0.0 | 926.3 | 10.0 |
| 1615 | 927.0 | 919.3 | 0.0 | 922.4 | 0.0 | 925.2 | 0.0 | 930.3 | 10.0 | 919.4 | 0.0 | 923.0 | 0.0 | 925.8 | 0.0 | 930.3 | 11.0 |
| 1616 | 924.0 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 4.5 | 930.6 | 22.5 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 7.0 | 930.6 | 22.5 |
| 1630 | 916.0 | 910.8 | 0.0 | 913.1 | 0.0 | 914.5 | 0.0 | 916.8 | 4.5 | 911.2 | 0.0 | 918.7 | 7.0 | 921.1 | 9.0 | 922.7 | 12.5 |
| 1633 | 920.0 | 911.2 | 0.0 | 914.1 | 0.0 | 916.9 | 0.0 | 920.0 | 0.0 | 910.6 | 0.0 | 918.9 | 0.0 | 921.5 | 5.5 | 923.1 | 9.0 |
| 1634 | 904.0 | 912.5 | 13.5 | 915.1 | 17.5 | 917.1 | 31.0 | 920.2 | 32.5 | 912.8 | 14.0 | 919.1 | 17.5 | 921.6 | 31.0 | 923.3 | 32.5 |
| 1638 | 912.5 | 910.0 | 0.0 | 912.0 | 0.0 | 913.3 | 5.5 | 914.7 | 19.0 | 910.7 | 0.0 | 918.6 | 9.5 | 921.1 | 11.5 | 922.5 | 24.5 |
| 1648 | 913.0 | 910.8 | 0.0 | 913.1 | 1.5 | 914.5 | 6.5 | 916.8 | 25.5 | 911.2 | 0.0 | 918.7 | 9.0 | 921.1 | 11.0 | 922.7 | 26.5 |
| 1650 | 915.0 | 910.8 | 0.0 | 913.1 | 0.0 | 914.5 | 0.0 | 916.8 | 10.5 | 911.2 | 0.0 | 918.7 | 8.0 | 921.1 | 9.5 | 922.7 | 14.5 |
| 1670 | 918.0 | 914.5 | 0.0 | 915.9 | 0.0 | 917.8 | 0.0 | 921.7 | 15.0 | 915.2 | 0.0 | 919.3 | 5.5 | 921.6 | 9.5 | 923.2 | 16.0 |
| 1671 | 915.0 | 914.5 | 0.0 | 915.9 | 5.0 | 917.8 | 9.0 | 921.7 | 30.0 | 915.2 | 0.5 | 919.3 | 10.5 | 921.6 | 12.5 | 923.2 | 30.0 |
| 1672 | 910.0 | 912.8 | 6.5 | 915.6 | 11.0 | 917.7 | 17.5 | 921.6 | 31.5 | 913.1 | 7.0 | 919.3 | 12.0 | 921.6 | 17.5 | 923.2 | 31.5 |
| 1673 | 917.5 | 912.8 | 0.0 | 915.6 | 0.0 | 917.7 | 2.0 | 921.6 | 16.0 | 913.1 | 0.0 | 919.3 | 6.0 | 921.6 | 9.0 | 923.2 | 16.0 |
| 1678 | 917.5 | 910.7 | 0.0 | 913.1 | 0.0 | 914.5 | 0.0 | 916.8 | 0.0 | 911.1 | 0.0 | 918.7 | 5.0 | 921.2 | 7.5 | 922.7 | 11.0 |
| 1689 | 917.0 | 912.2 | 0.0 | 914.8 | 0.0 | 916.6 | 0.0 | 919.4 | 12.0 | 912.5 | 0.0 | 919.0 | 6.5 | 921.5 | 8.5 | 923.1 | 14.0 |
| 1690 | 911.5 | 911.6 | 1.0 | 914.1 | 7.5 | 915.9 | 12.5 | 918.7 | 31.0 | 912.0 | 2.5 | 918.9 | 10.5 | 921.3 | 13.5 | 922.9 | 31.0 |
| 1777 | 912.0 | 909.9 | 0.0 | 914.1 | 8.0 | 916.7 | 13.0 | 919.9 | 31.5 | 911.0 | 0.0 | 918.9 | 12.0 | 921.4 | 14.5 | 923.0 | 31.0 |
| 1783 | 919.5 | 911.2 | 0.0 | 914.1 | 0.0 | 916.9 | 0.0 | 920.0 | 2.5 | 910.6 | 0.0 | 918.9 | 0.0 | 921.5 | 6.0 | 923.1 | 9.5 |
| 1785 | 916.0 | 912.5 | 0.0 | 915.1 | 0.0 | 917.1 | 4.5 | 920.2 | 20.5 | 912.8 | 0.0 | 919.1 | 8.0 | 921.6 | 10.0 | 923.3 | 21.5 |
| 1791 | 920.0 | 911.2 | 0.0 | 914.1 | 0.0 | 916.9 | 0.0 | 920.0 | 0.0 | 910.6 | 0.0 | 918.9 | 0.0 | 921.5 | 5.5 | 923.1 | 9.0 |
| 1792 | 919.0 | 911.2 | 0.0 | 914.1 | 0.0 | 916.9 | 0.0 | 920.0 | 4.5 | 910.6 | 0.0 | 918.9 | 0.0 | 921.5 | 6.5 | 923.1 | 10.5 |
| 1794 | 920.0 | 912.6 | 0.0 | 915.3 | 0.0 | 917.3 | 0.0 | 920.6 | 3.5 | 912.9 | 0.0 | 919.2 | 0.0 | 921.6 | 6.0 | 923.3 | 10.0 |
| 1796 | 916.0 | 911.2 | 0.0 | 914.1 | 0.0 | 916.9 | 4.0 | 920.0 | 19.5 | 910.6 | 0.0 | 918.9 | 8.0 | 921.5 | 10.5 | 923.1 | 20.0 |
| 1803 | 919.5 | 917.6 | 0.0 | 917.6 | 0.0 | 917.6 | 0.0 | 920.8 | 7.5 | 917.6 | 0.0 | 919.3 | 0.0 | 921.5 | 7.5 | 923.1 | 12.5 |
| 1806 | 919.5 | 917.6 | 0.0 | 917.6 | 0.0 | 917.6 | 0.0 | 920.8 | 7.5 | 917.6 | 0.0 | 919.3 | 0.0 | 921.5 | 7.5 | 923.1 | 12.5 |
| 1812 | 908.5 | 912.8 | 8.5 | 915.6 | 13.0 | 917.7 | 21.0 | 921.6 | 31.5 | 913.1 | 8.5 | 919.3 | 13.5 | 921.6 | 21.0 | 923.2 | 31.5 |
| 1822 | 921.0 | 914.5 | 0.0 | 915.9 | 0.0 | 917.8 | 0.0 | 921.7 | 3.5 | 915.2 | 0.0 | 919.3 | 0.0 | 921.6 | 4.0 | 923.2 | 9.5 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 1824 | 922.0 | 913.2 | 0.0 | 916.0 | 0.0 | 918.2 | 0.0 | 922.1 | 1.0 | 913.4 | 0.0 | 919.4 | 0.0 | 921.9 | 0.0 | 923.7 | 8.0 |
| 1827 | 921.5 | 920.3 | 0.0 | 920.3 | 0.0 | 920.3 | 0.0 | 922.6 | 28.5 | 920.3 | 0.0 | 920.3 | 0.0 | 921.1 | 0.0 | 923.6 | 28.5 |
| 1830 | 904.0 | 913.3 | 14.0 | 916.2 | 18.0 | 918.4 | 31.5 | 922.4 | 33.0 | 913.6 | 14.5 | 919.5 | 18.0 | 921.9 | 31.5 | 923.8 | 33.0 |
| 1833 | 920.0 | 914.5 | 0.0 | 915.9 | 0.0 | 917.8 | 0.0 | 921.7 | 6.0 | 915.2 | 0.0 | 919.3 | 0.0 | 921.6 | 6.0 | 923.2 | 11.0 |
| 1834 | 923.0 | 920.3 | 0.0 | 920.3 | 0.0 | 920.3 | 0.0 | 922.6 | 0.0 | 920.3 | 0.0 | 920.3 | 0.0 | 921.1 | 0.0 | 923.6 | 6.0 |
| 1835 | 910.0 | 911.4 | 4.5 | 913.8 | 10.0 | 915.5 | 15.0 | 917.8 | 31.0 | 911.8 | 5.0 | 918.8 | 11.5 | 921.2 | 15.5 | 922.7 | 31.0 |
| 1836 | 913.0 | 912.8 | 0.0 | 913.1 | 1.5 | 914.5 | 6.0 | 916.9 | 25.0 | 912.8 | 0.0 | 918.7 | 9.5 | 921.2 | 11.5 | 922.7 | 26.0 |
| 1837 | 911.5 | 910.8 | 0.0 | 913.1 | 7.0 | 914.5 | 11.0 | 916.8 | 30.5 | 911.2 | 0.0 | 918.7 | 10.5 | 921.1 | 13.0 | 922.7 | 31.0 |
| 1838 | 908.0 | 910.8 | 7.0 | 913.1 | 12.0 | 914.5 | 18.0 | 916.7 | 31.5 | 911.3 | 7.5 | 918.6 | 12.5 | 921.1 | 18.0 | 922.6 | 31.5 |
| 1839 | 914.0 | 911.6 | 0.0 | 914.1 | 1.0 | 915.9 | 6.0 | 918.5 | 26.0 | 912.0 | 0.0 | 918.8 | 8.5 | 921.3 | 11.0 | 922.8 | 26.5 |
| 1840 | 913.0 | 910.7 | 0.0 | 913.1 | 1.5 | 914.5 | 6.5 | 916.8 | 25.5 | 911.1 | 0.0 | 918.7 | 9.0 | 921.2 | 11.0 | 922.7 | 26.5 |
| 1841 | 916.0 | 912.0 | 0.0 | 914.6 | 0.0 | 916.4 | 2.5 | 919.0 | 17.0 | 912.4 | 0.0 | 919.0 | 8.0 | 921.5 | 9.5 | 923.1 | 17.5 |
| 1842 | 916.0 | 910.7 | 0.0 | 913.1 | 0.0 | 914.5 | 0.0 | 916.8 | 4.5 | 911.1 | 0.0 | 918.7 | 7.0 | 921.2 | 9.0 | 922.7 | 12.5 |
| 1845 | 912.5 | 910.3 | 0.0 | 912.0 | 0.0 | 913.4 | 7.0 | 915.5 | 20.0 | 911.2 | 0.0 | 918.7 | 9.5 | 921.1 | 12.0 | 922.7 | 28.5 |
| 1850 | 914.5 | 910.0 | 0.0 | 912.0 | 0.0 | 913.3 | 0.0 | 914.7 | 1.5 | 910.7 | 0.0 | 918.6 | 8.5 | 921.1 | 9.5 | 922.5 | 14.0 |
| 1861 | 913.0 | 911.2 | 0.0 | 914.1 | 4.0 | 916.9 | 10.5 | 920.0 | 30.5 | 910.6 | 0.0 | 918.9 | 11.0 | 921.5 | 13.0 | 923.1 | 31.0 |
| 1868 | 917.5 | 912.3 | 0.0 | 914.9 | 0.0 | 916.8 | 0.0 | 919.7 | 10.5 | 912.6 | 0.0 | 919.1 | 6.0 | 921.5 | 8.5 | 923.2 | 13.5 |
| 1869 | 917.5 | 909.9 | 0.0 | 914.1 | 0.0 | 916.7 | 0.0 | 919.9 | 14.0 | 911.0 | 0.0 | 918.9 | 6.0 | 921.4 | 9.0 | 923.0 | 15.5 |
| 1876 | 917.5 | 910.7 | 0.0 | 913.1 | 0.0 | 914.5 | 0.0 | 916.8 | 0.0 | 911.1 | 0.0 | 918.7 | 5.0 | 921.2 | 7.5 | 922.7 | 11.0 |
| 1880 | 904.0 | 913.8 | 14.5 | 916.7 | 18.5 | 919.1 | 31.5 | 923.4 | 33.0 | 914.1 | 15.0 | 919.7 | 18.5 | 922.2 | 31.5 | 924.2 | 33.0 |
| 1881 | 914.5 | 915.4 | 4.5 | 916.1 | 11.0 | 916.3 | 12.5 | 916.8 | 16.0 | 914.9 | 3.0 | 918.7 | 10.0 | 920.9 | 12.0 | 922.0 | 15.5 |
| 1882 | 915.0 | 915.4 | 3.0 | 916.1 | 8.5 | 916.3 | 11.0 | 916.8 | 14.0 | 914.9 | 0.0 | 918.7 | 10.0 | 920.9 | 11.0 | 922.0 | 13.5 |
| 1883 | 908.5 | 910.6 | 6.0 | 912.8 | 11.0 | 914.1 | 16.5 | 915.7 | 31.5 | 911.0 | 6.5 | 918.6 | 12.0 | 921.0 | 16.5 | 922.4 | 31.5 |
| 1885 | 914.0 | 910.8 | 0.0 | 913.2 | 0.0 | 914.6 | 3.5 | 916.6 | 18.0 | 911.3 | 0.0 | 918.6 | 8.5 | 921.1 | 10.5 | 922.5 | 18.0 |
| 1886 | 911.0 | 910.9 | 0.0 | 913.0 | 7.5 | 914.7 | 12.0 | 916.6 | 30.5 | 911.2 | 1.5 | 918.6 | 10.5 | 921.0 | 13.5 | 922.4 | 31.0 |
| 1890 | 918.5 | 915.3 | 0.0 | 915.3 | 0.0 | 918.1 | 0.0 | 921.0 | 12.5 | 915.3 | 0.0 | 919.1 | 4.5 | 921.7 | 8.0 | 923.5 | 13.5 |
| 1892 | 901.0 | 913.5 | 18.5 | 916.3 | 32.0 | 918.6 | 32.0 | 922.6 | 37.5 | 913.8 | 19.0 | 919.5 | 31.5 | 922.0 | 32.0 | 923.9 | 37.5 |
| 1893 | 914.0 | 911.0 | 0.0 | 913.4 | 0.0 | 914.9 | 4.5 | 917.1 | 20.5 | 911.4 | 0.0 | 918.7 | 8.5 | 921.1 | 10.5 | 922.6 | 21.0 |
| 1895 | 908.0 | 912.6 | 8.5 | 915.3 | 13.0 | 917.3 | 21.5 | 920.6 | 32.0 | 912.9 | 9.0 | 919.2 | 13.5 | 921.6 | 21.5 | 923.3 | 32.0 |
| 1896 | 910.5 | 913.1 | 6.5 | 915.9 | 11.0 | 918.1 | 17.0 | 921.9 | 31.5 | 913.4 | 6.5 | 919.4 | 12.0 | 921.7 | 17.0 | 923.5 | 31.5 |
| 1897 | 910.5 | 913.1 | 6.5 | 915.9 | 11.0 | 918.1 | 17.0 | 921.9 | 31.5 | 913.4 | 6.5 | 919.4 | 12.0 | 921.7 | 17.0 | 923.5 | 31.5 |
| 1898 | 917.0 | 912.8 | 0.0 | 915.6 | 0.0 | 917.7 | 3.0 | 921.4 | 18.5 | 913.1 | 0.0 | 919.3 | 7.0 | 921.7 | 9.5 | 923.5 | 19.0 |
| 1899 | 915.0 | 913.2 | 0.0 | 916.0 | 3.5 | 918.2 | 7.5 | 922.1 | 29.5 | 913.4 | 0.0 | 919.4 | 9.0 | 921.9 | 11.0 | 923.7 | 30.0 |
| 1901 | 916.5 | 915.4 | 0.0 | 916.1 | 0.0 | 916.3 | 0.0 | 916.8 | 5.5 | 914.9 | 0.0 | 918.7 | 6.5 | 920.9 | 8.5 | 922.0 | 11.0 |
| 1902 | 916.0 | 915.4 | 0.0 | 916.1 | 2.0 | 916.3 | 5.5 | 916.8 | 9.0 | 914.9 | 0.0 | 918.7 | 7.5 | 920.9 | 9.0 | 922.0 | 12.0 |
| 1903 | 915.5 | 915.4 | 0.0 | 916.1 | 5.5 | 916.3 | 9.0 | 916.8 | 12.0 | 914.9 | 0.0 | 918.7 | 8.5 | 920.9 | 10.5 | 922.0 | 13.0 |
| 1904 | 912.0 | 915.4 | 8.5 | 916.1 | 15.5 | 916.3 | 18.0 | 916.8 | 22.5 | 914.9 | 8.5 | 918.7 | 14.5 | 920.9 | 17.5 | 922.0 | 23.5 |

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 1905 | 912.5 | 915.4 | 8.0 | 916.1 | 14.5 | 916.3 | 17.5 | 916.8 | 21.5 | 914.9 | 8.0 | 918.7 | 14.0 | 920.9 | 16.0 | 922.0 | 22.0 |
| 1906 | 913.0 | 915.4 | 7.5 | 916.1 | 14.0 | 916.3 | 16.5 | 916.8 | 20.0 | 914.9 | 7.0 | 918.7 | 12.5 | 920.9 | 15.0 | 922.0 | 20.0 |
| 1907 | 912.0 | 915.4 | 8.5 | 916.1 | 15.5 | 916.3 | 18.0 | 916.8 | 22.5 | 914.9 | 9.0 | 918.7 | 15.0 | 920.9 | 17.5 | 922.0 | 23.5 |
| 1908 | 912.0 | 915.4 | 8.5 | 916.1 | 15.5 | 916.3 | 18.0 | 916.8 | 22.5 | 914.9 | 9.0 | 918.7 | 15.0 | 920.9 | 17.5 | 922.0 | 23.5 |
| 1909 | 915.0 | 912.5 | 0.0 | 913.7 | 0.0 | 913.9 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 7.5 | 920.9 | 9.0 | 921.9 | 11.5 |
| 1910 | 913.0 | 912.5 | 0.0 | 913.7 | 4.5 | 913.9 | 8.5 | 914.5 | 13.0 | 914.6 | 5.0 | 918.7 | 13.5 | 920.9 | 15.0 | 921.9 | 16.5 |
| 1911 | 915.0 | 912.5 | 0.0 | 913.7 | 0.0 | 913.9 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 7.5 | 920.9 | 9.0 | 921.9 | 11.5 |
| 1913 | 913.0 | 912.5 | 0.0 | 913.7 | 4.5 | 913.9 | 8.5 | 914.5 | 13.0 | 914.6 | 5.0 | 918.7 | 13.5 | 920.9 | 15.0 | 921.9 | 16.5 |
| 1915 | 910.5 | 915.4 | 10.0 | 916.1 | 17.0 | 916.3 | 19.5 | 916.8 | 26.5 | 914.9 | 10.5 | 918.7 | 17.0 | 920.9 | 19.0 | 922.0 | 27.5 |
| 1917 | 910.0 | 915.3 | 10.5 | 916.0 | 17.5 | 916.2 | 20.0 | 916.7 | 27.5 | 914.8 | 11.0 | 918.7 | 17.5 | 920.9 | 20.0 | 922.0 | 28.0 |
| 1918 | 910.0 | 915.3 | 10.5 | 916.0 | 17.5 | 916.2 | 20.0 | 916.7 | 27.5 | 914.8 | 11.0 | 918.7 | 17.5 | 920.9 | 20.0 | 922.0 | 28.0 |
| 1920 | 911.0 | 915.1 | 8.0 | 915.7 | 14.5 | 915.8 | 17.0 | 916.3 | 25.5 | 912.8 | 9.0 | 918.7 | 14.5 | 921.0 | 17.0 | 922.1 | 25.5 |
| 1921 | 909.0 | 911.9 | 9.0 | 912.7 | 16.0 | 913.2 | 18.0 | 914.5 | 29.0 | 911.6 | 6.0 | 918.6 | 12.0 | 921.0 | 15.5 | 922.3 | 31.5 |
| 1922 | 910.5 | 911.9 | 7.0 | 912.7 | 13.5 | 913.2 | 15.5 | 914.5 | 26.5 | 911.6 | 4.0 | 918.6 | 11.0 | 921.0 | 14.0 | 922.4 | 31.0 |
| 1923 | 908.0 | 911.9 | 10.0 | 912.7 | 16.0 | 913.2 | 19.0 | 914.5 | 29.5 | 911.6 | 8.0 | 918.6 | 13.5 | 921.0 | 18.0 | 922.4 | 31.5 |
| 1924 | 909.0 | 911.9 | 9.0 | 912.7 | 15.5 | 913.2 | 18.0 | 914.5 | 28.5 | 911.6 | 6.0 | 918.6 | 12.0 | 921.0 | 15.5 | 922.4 | 31.5 |
| 1925 | 909.5 | 911.9 | 8.5 | 912.7 | 15.0 | 913.2 | 18.0 | 914.5 | 28.0 | 911.6 | 5.0 | 918.6 | 12.0 | 921.0 | 15.0 | 922.4 | 31.0 |
| 1927 | 910.5 | 911.9 | 7.0 | 912.7 | 13.5 | 913.2 | 15.5 | 914.5 | 26.5 | 911.6 | 4.0 | 918.6 | 11.0 | 921.0 | 14.0 | 922.4 | 31.0 |
| 1929 | 911.0 | 912.0 | 5.5 | 912.7 | 11.5 | 913.3 | 14.5 | 914.7 | 25.0 | 911.6 | 3.5 | 918.6 | 10.5 | 921.0 | 13.5 | 922.4 | 31.0 |
| 1930 | 913.5 | 912.0 | 0.0 | 912.7 | 0.0 | 913.3 | 0.0 | 914.7 | 8.5 | 911.6 | 0.0 | 918.6 | 9.0 | 921.0 | 11.0 | 922.4 | 15.0 |
| 1932 | 908.5 | 912.0 | 10.0 | 912.7 | 16.0 | 913.3 | 19.0 | 914.7 | 29.5 | 911.6 | 9.5 | 918.6 | 15.0 | 921.0 | 18.0 | 922.4 | 31.5 |
| 1933 | 909.5 | 915.2 | 9.0 | 915.8 | 15.0 | 915.9 | 18.0 | 916.4 | 28.0 | 912.9 | 9.5 | 918.7 | 15.5 | 921.0 | 18.5 | 922.1 | 31.5 |
| 1934 | 910.0 | 915.2 | 8.5 | 915.8 | 14.5 | 915.9 | 17.5 | 916.4 | 27.5 | 912.9 | 9.5 | 918.7 | 15.5 | 921.0 | 18.0 | 922.1 | 31.5 |
| 1938 | 910.0 | 915.2 | 8.5 | 915.8 | 14.5 | 915.9 | 17.5 | 916.4 | 27.5 | 912.9 | 9.5 | 918.7 | 15.5 | 921.0 | 18.0 | 922.1 | 31.5 |
| 1940 | 912.5 | 912.0 | 0.0 | 912.7 | 4.0 | 913.3 | 7.5 | 914.7 | 15.5 | 911.6 | 0.0 | 918.6 | 10.0 | 921.0 | 11.5 | 922.4 | 20.5 |
| 1941 | 910.0 | 912.0 | 8.0 | 912.7 | 14.5 | 913.3 | 17.0 | 914.7 | 27.5 | 911.6 | 6.0 | 918.6 | 12.0 | 921.0 | 15.0 | 922.4 | 31.0 |
| 1942 | 914.0 | 916.0 | 7.5 | 916.4 | 13.5 | 916.5 | 16.5 | 917.0 | 19.5 | 915.8 | 7.0 | 918.8 | 13.0 | 921.0 | 15.5 | 922.1 | 19.0 |
| 1943 | 912.0 | 915.4 | 8.5 | 916.1 | 15.5 | 916.4 | 18.0 | 916.9 | 22.5 | 915.0 | 9.0 | 918.7 | 15.0 | 921.0 | 17.5 | 922.0 | 23.5 |
| 1944 | 911.0 | 915.2 | 8.0 | 915.8 | 14.5 | 916.0 | 17.0 | 916.5 | 25.5 | 913.8 | 8.5 | 918.8 | 14.0 | 921.0 | 16.5 | 922.1 | 26.0 |
| 1945 | 911.5 | 915.2 | 8.0 | 915.8 | 14.0 | 916.0 | 16.5 | 916.5 | 22.5 | 913.8 | 8.0 | 918.8 | 13.5 | 921.0 | 15.5 | 922.1 | 24.5 |
| 1946 | 908.0 | 915.4 | 12.5 | 916.1 | 20.0 | 916.4 | 22.5 | 916.9 | 32.5 | 915.0 | 13.5 | 918.7 | 20.0 | 921.0 | 22.5 | 922.0 | 32.5 |
| 1947 | 907.5 | 915.4 | 13.0 | 916.1 | 20.5 | 916.4 | 23.5 | 916.9 | 32.5 | 915.0 | 14.0 | 918.7 | 20.5 | 921.0 | 23.5 | 922.0 | 32.5 |
| 1948 | 913.0 | 915.4 | 7.5 | 916.1 | 14.0 | 916.4 | 16.5 | 916.9 | 20.0 | 915.0 | 7.0 | 918.7 | 12.5 | 921.0 | 15.0 | 922.0 | 20.0 |
| 1949 | 908.5 | 915.4 | 12.0 | 916.1 | 19.5 | 916.4 | 21.5 | 916.9 | 30.5 | 915.0 | 13.0 | 918.7 | 19.5 | 921.0 | 21.5 | 922.0 | 31.5 |
| 1950 | 908.5 | 915.4 | 12.0 | 916.1 | 19.5 | 916.4 | 21.5 | 916.9 | 30.5 | 915.0 | 13.0 | 918.7 | 19.5 | 921.0 | 21.5 | 922.0 | 31.5 |
| 1951 | 913.0 | 915.4 | 7.5 | 916.1 | 14.0 | 916.4 | 16.5 | 916.9 | 20.0 | 915.0 | 7.0 | 918.7 | 12.5 | 921.0 | 15.0 | 922.0 | 20.0 |
| 1952 | 916.0 | 915.4 | 0.0 | 916.1 | 2.5 | 916.4 | 5.5 | 916.9 | 9.5 | 915.0 | 0.0 | 918.7 | 7.5 | 921.0 | 9.5 | 922.0 | 12.0 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 1953 | 916.0 | 915.4 | 0.0 | 916.1 | 2.5 | 916.4 | 5.5 | 916.9 | 9.5 | 915.0 | 0.0 | 918.7 | 7.5 | 921.0 | 9.5 | 922.0 | 12.0 |
| 1954 | 912.5 | 915.4 | 8.0 | 916.2 | 15.0 | 916.4 | 17.0 | 917.0 | 21.5 | 915.0 | 8.0 | 918.8 | 14.0 | 921.0 | 16.0 | 922.1 | 22.5 |
| 1956 | 914.5 | 915.4 | 4.5 | 916.1 | 11.0 | 916.4 | 12.5 | 916.9 | 16.5 | 915.0 | 3.0 | 918.7 | 10.0 | 921.0 | 12.0 | 922.0 | 15.5 |
| 1957 | 913.5 | 915.4 | 7.0 | 916.1 | 13.0 | 916.4 | 15.5 | 916.9 | 19.0 | 915.0 | 6.0 | 918.7 | 12.0 | 921.0 | 14.0 | 922.0 | 18.5 |
| 1960 | 916.0 | 915.4 | 0.0 | 916.1 | 2.5 | 916.4 | 5.5 | 916.9 | 9.5 | 915.0 | 0.0 | 918.7 | 7.5 | 921.0 | 9.5 | 922.0 | 12.0 |
| 1961 | 921.0 | 915.4 | 0.0 | 916.2 | 0.0 | 916.4 | 0.0 | 917.0 | 0.0 | 915.0 | 0.0 | 918.8 | 0.0 | 921.0 | 0.0 | 922.1 | 4.5 |
| 1962 | 918.5 | 915.4 | 0.0 | 916.2 | 0.0 | 916.4 | 0.0 | 917.0 | 0.0 | 915.0 | 0.0 | 918.8 | 2.0 | 921.0 | 6.5 | 922.1 | 9.0 |
| 1963 | 919.0 | 915.4 | 0.0 | 916.2 | 0.0 | 916.4 | 0.0 | 917.0 | 0.0 | 915.0 | 0.0 | 918.8 | 0.0 | 921.0 | 6.0 | 922.1 | 8.5 |
| 1964 | 921.5 | 915.4 | 0.0 | 916.2 | 0.0 | 916.4 | 0.0 | 917.0 | 0.0 | 915.0 | 0.0 | 918.8 | 0.0 | 921.0 | 0.0 | 922.1 | 3.0 |
| 1965 | 915.0 | 915.4 | 3.0 | 916.2 | 8.5 | 916.4 | 11.0 | 917.0 | 14.0 | 915.0 | 0.0 | 918.7 | 10.0 | 921.0 | 11.5 | 922.1 | 14.0 |
| 1966 | 909.5 | 915.4 | 11.0 | 916.2 | 18.0 | 916.4 | 21.0 | 917.0 | 28.5 | 915.0 | 11.5 | 918.7 | 18.0 | 921.0 | 20.5 | 922.1 | 29.0 |
| 1967 | 912.5 | 915.4 | 8.0 | 916.2 | 15.0 | 916.4 | 17.0 | 917.0 | 21.5 | 915.0 | 8.0 | 918.7 | 14.0 | 921.0 | 16.0 | 922.1 | 22.5 |
| 1969 | 916.0 | 915.4 | 0.0 | 916.2 | 2.5 | 916.4 | 6.0 | 917.0 | 10.0 | 915.0 | 0.0 | 918.7 | 7.5 | 921.0 | 9.5 | 922.1 | 12.0 |
| 1970 | 912.5 | 916.6 | 7.5 | 917.1 | 13.5 | 917.2 | 16.0 | 917.6 | 20.0 | 916.5 | 5.5 | 918.8 | 11.5 | 921.0 | 13.5 | 922.1 | 21.0 |
| 1971 | 914.0 | 916.6 | 5.5 | 917.1 | 12.0 | 917.2 | 14.5 | 917.6 | 17.5 | 916.5 | 5.0 | 918.8 | 11.5 | 921.0 | 13.0 | 922.1 | 16.0 |
| 1972 | 918.0 | 918.1 | 1.5 | 918.7 | 6.5 | 918.9 | 9.5 | 919.6 | 12.5 | 918.1 | 1.0 | 919.2 | 9.0 | 921.1 | 10.5 | 922.1 | 13.0 |
| 1973 | 916.0 | 916.6 | 3.5 | 917.1 | 9.0 | 917.2 | 11.5 | 917.6 | 14.5 | 916.5 | 3.0 | 918.8 | 9.5 | 921.0 | 11.5 | 922.1 | 14.5 |
| 1974 | 916.0 | 916.6 | 3.5 | 917.1 | 9.0 | 917.2 | 11.5 | 917.6 | 14.5 | 916.5 | 3.0 | 918.8 | 9.5 | 921.0 | 11.5 | 922.1 | 14.5 |
| 1975 | 915.5 | 912.0 | 0.0 | 912.8 | 0.0 | 913.4 | 0.0 | 915.5 | 0.0 | 911.6 | 0.0 | 918.6 | 7.5 | 921.0 | 9.0 | 922.4 | 12.0 |
| 1976 | 911.0 | 915.4 | 8.0 | 916.5 | 14.5 | 916.7 | 16.5 | 917.3 | 25.5 | 914.9 | 8.5 | 918.8 | 14.0 | 921.0 | 16.5 | 922.1 | 25.5 |
| 1977 | 913.0 | 915.4 | 7.0 | 916.5 | 13.5 | 916.7 | 15.5 | 917.3 | 19.5 | 914.9 | 5.0 | 918.8 | 12.0 | 921.0 | 14.0 | 922.1 | 18.0 |
| 1978 | 916.5 | 915.4 | 0.0 | 916.5 | 0.0 | 916.7 | 4.0 | 917.3 | 8.0 | 914.9 | 0.0 | 918.8 | 6.5 | 921.0 | 9.0 | 922.1 | 11.5 |
| 1991 | 916.5 | 915.3 | 0.0 | 915.3 | 0.0 | 915.3 | 0.0 | 920.5 | 12.0 | 915.3 | 0.0 | 919.1 | 7.5 | 921.6 | 12.0 | 923.4 | 16.0 |
| 1993 | 915.0 | 912.6 | 0.0 | 913.0 | 0.0 | 913.9 | 0.0 | 920.5 | 13.0 | 912.6 | 0.0 | 918.5 | 8.5 | 921.6 | 12.5 | 923.4 | 16.0 |
| 1995 | 918.0 | 915.3 | 0.0 | 915.3 | 0.0 | 918.1 | 0.5 | 921.0 | 15.0 | 915.3 | 0.0 | 919.1 | 5.5 | 921.7 | 8.5 | 923.5 | 15.5 |
| 1996 | 916.0 | 913.5 | 0.0 | 913.6 | 0.0 | 913.7 | 0.0 | 916.5 | 2.0 | 913.6 | 0.0 | 918.6 | 7.0 | 921.6 | 10.0 | 923.4 | 13.0 |
| 1997 | 916.0 | 913.5 | 0.0 | 913.6 | 0.0 | 913.7 | 0.0 | 916.5 | 2.0 | 913.6 | 0.0 | 918.6 | 7.0 | 921.6 | 10.0 | 923.4 | 13.0 |
| 1998 | 917.5 | 915.7 | 0.0 | 917.7 | 2.0 | 918.2 | 5.0 | 920.0 | 9.0 | 915.3 | 0.0 | 919.2 | 6.5 | 921.1 | 9.5 | 922.2 | 11.5 |
| 2000 | 919.5 | 915.7 | 0.0 | 917.7 | 0.0 | 918.2 | 0.0 | 920.0 | 4.0 | 915.3 | 0.0 | 919.2 | 0.0 | 921.1 | 6.0 | 922.2 | 9.5 |
| 2001 | 917.5 | 913.5 | 0.0 | 913.6 | 0.0 | 913.7 | 0.0 | 916.5 | 0.0 | 913.6 | 0.0 | 918.6 | 5.0 | 921.6 | 8.5 | 923.4 | 11.5 |
| 2003 | 917.5 | 919.3 | 5.0 | 919.9 | 11.5 | 920.2 | 13.5 | 921.1 | 16.5 | 919.3 | 5.0 | 919.9 | 11.5 | 921.3 | 13.0 | 922.3 | 16.0 |
| 2005 | 915.0 | 919.3 | 8.5 | 919.9 | 15.5 | 920.2 | 17.5 | 921.1 | 21.0 | 919.3 | 8.5 | 919.9 | 15.5 | 921.3 | 17.0 | 922.3 | 21.0 |
| 2006 | 916.0 | 919.5 | 7.5 | 920.1 | 14.5 | 920.4 | 16.5 | 921.3 | 19.0 | 919.4 | 7.0 | 920.1 | 13.5 | 921.3 | 16.0 | 922.4 | 19.0 |
| 2007 | 917.0 | 918.6 | 3.0 | 919.3 | 8.5 | 919.6 | 11.0 | 920.5 | 13.5 | 918.6 | 2.5 | 919.4 | 9.5 | 921.1 | 11.5 | 922.2 | 13.5 |
| 2008 | 915.5 | 918.6 | 3.5 | 919.3 | 9.5 | 919.6 | 12.0 | 920.5 | 14.0 | 918.6 | 3.0 | 919.4 | 10.0 | 921.1 | 12.0 | 922.2 | 14.0 |
| 2009 | 918.5 | 918.6 | 1.5 | 919.3 | 6.5 | 919.6 | 9.5 | 920.5 | 12.5 | 918.6 | 1.0 | 919.4 | 8.0 | 921.1 | 10.0 | 922.2 | 12.5 |
| 2010 | 920.0 | 918.6 | 0.0 | 919.3 | 0.0 | 919.6 | 0.0 | 920.5 | 5.0 | 918.6 | 0.0 | 919.4 | 0.0 | 921.1 | 5.0 | 922.2 | 9.0 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 2011 | 918.0 | 918.6 | 2.0 | 919.3 | 7.5 | 919.6 | 10.0 | 920.5 | 13.0 | 918.6 | 2.0 | 919.4 | 9.0 | 921.1 | 10.5 | 922.2 | 13.0 |
| 2012 | 921.0 | 919.5 | 0.0 | 920.1 | 0.0 | 920.4 | 0.0 | 921.3 | 4.0 | 919.4 | 0.0 | 920.1 | 0.0 | 921.3 | 3.5 | 922.4 | 8.0 |
| 2013 | 920.5 | 919.5 | 0.0 | 920.2 | 0.0 | 920.4 | 0.0 | 921.3 | 6.5 | 919.5 | 0.0 | 920.1 | 0.0 | 921.3 | 5.5 | 922.4 | 9.5 |
| 2014 | 918.0 | 919.5 | 4.5 | 920.1 | 10.5 | 920.4 | 12.5 | 921.3 | 15.5 | 919.4 | 4.5 | 920.1 | 11.0 | 921.3 | 12.5 | 922.4 | 15.5 |
| 2015 | 915.0 | 919.5 | 8.5 | 920.1 | 15.5 | 920.4 | 17.5 | 921.3 | 21.0 | 919.4 | 8.5 | 920.1 | 15.5 | 921.3 | 17.5 | 922.4 | 21.0 |
| 2021 | 924.0 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.4 | 0.0 | 922.4 | 0.0 |
| 2022 | 924.0 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.4 | 0.0 | 922.4 | 0.0 |
| 2023 | 923.0 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.4 | 0.0 | 922.4 | 0.0 |
| 2024 | 925.0 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.4 | 0.0 | 922.4 | 0.0 |
| 2025 | 916.0 | 919.9 | 7.5 | 920.7 | 15.0 | 921.0 | 16.5 | 922.1 | 19.5 | 919.8 | 7.5 | 920.6 | 14.5 | 921.7 | 16.5 | 922.7 | 19.0 |
| 2026 | 919.0 | 919.5 | 2.5 | 920.2 | 7.5 | 920.4 | 10.5 | 921.3 | 13.0 | 919.5 | 2.5 | 920.1 | 9.0 | 921.3 | 11.0 | 922.4 | 13.0 |
| 2027 | 920.0 | 919.5 | 0.0 | 920.2 | 2.0 | 920.5 | 5.0 | 921.4 | 8.5 | 919.5 | 0.0 | 920.1 | 4.5 | 921.3 | 9.0 | 922.4 | 10.5 |
| 2029 | 921.0 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 4.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.3 | 3.5 | 922.4 | 8.0 |
| 2031 | 919.5 | 920.2 | 3.0 | 921.0 | 8.0 | 921.4 | 11.0 | 922.6 | 13.5 | 920.2 | 3.0 | 921.0 | 9.0 | 921.9 | 11.0 | 922.9 | 13.5 |
| 2032 | 920.5 | 920.2 | 0.0 | 921.0 | 4.5 | 921.4 | 7.0 | 922.6 | 11.0 | 920.2 | 0.0 | 921.0 | 6.0 | 921.9 | 9.0 | 922.9 | 11.5 |
| 2033 | 919.0 | 919.9 | 4.0 | 920.7 | 9.0 | 921.0 | 11.5 | 922.2 | 14.0 | 919.9 | 3.5 | 920.7 | 9.5 | 921.7 | 11.5 | 922.7 | 14.0 |
| 2035 | 917.0 | 920.6 | 7.0 | 921.5 | 14.0 | 922.0 | 16.0 | 923.2 | 18.5 | 920.6 | 7.0 | 921.5 | 14.0 | 922.3 | 15.5 | 923.4 | 18.0 |
| 2040 | 920.5 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 4.0 | 923.5 | 9.0 |
| 2041 | 919.5 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 6.0 | 923.5 | 10.0 |
| 2042 | 919.5 | 920.0 | 2.5 | 920.3 | 7.5 | 920.4 | 10.0 | 921.2 | 13.0 | 920.0 | 2.5 | 920.3 | 9.0 | 921.1 | 10.5 | 922.6 | 13.0 |
| 2043 | 919.5 | 920.0 | 2.5 | 920.3 | 7.5 | 920.4 | 10.0 | 921.2 | 13.0 | 920.0 | 2.5 | 920.3 | 9.0 | 921.1 | 10.5 | 922.6 | 13.0 |
| 2044 | 923.0 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 0.0 | 923.5 | 3.5 |
| 2045 | 922.0 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 0.0 | 923.5 | 7.0 |
| 2046 | 921.0 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 3.5 | 923.5 | 8.5 |
| 2047 | 921.0 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 3.5 | 923.5 | 8.5 |
| 2048 | 915.0 | 913.1 | 0.0 | 915.9 | 3.0 | 918.1 | 7.5 | 921.9 | 29.5 | 913.4 | 0.0 | 919.4 | 8.5 | 921.7 | 11.0 | 923.5 | 30.0 |
| 2049 | 915.0 | 913.1 | 0.0 | 915.9 | 3.0 | 918.1 | 7.5 | 921.9 | 29.5 | 913.4 | 0.0 | 919.4 | 8.5 | 921.7 | 11.0 | 923.5 | 30.0 |
| 2050 | 918.5 | 915.6 | 0.0 | 915.6 | 0.0 | 915.6 | 0.0 | 920.8 | 8.0 | 915.6 | 0.0 | 918.5 | 0.5 | 921.7 | 9.0 | 923.5 | 12.5 |
| 2051 | 920.0 | 915.6 | 0.0 | 915.6 | 0.0 | 915.6 | 0.0 | 920.8 | 4.0 | 915.6 | 0.0 | 918.5 | 0.0 | 921.7 | 5.5 | 923.5 | 9.5 |
| 2052 | 910.5 | 913.1 | 6.5 | 915.9 | 11.0 | 918.1 | 17.0 | 921.9 | 31.5 | 913.4 | 6.5 | 919.4 | 12.0 | 921.7 | 17.0 | 923.5 | 31.5 |
| 2361 | 906.5 | 915.4 | 14.0 | 916.1 | 22.0 | 916.4 | 24.5 | 916.9 | 32.5 | 915.0 | 15.0 | 918.7 | 22.0 | 921.0 | 24.5 | 922.0 | 32.5 |
| 5001 | 909.0 | 907.2 | 0.0 | 908.5 | 0.0 | 911.7 | 14.5 | 912.5 | 22.0 | 912.7 | 0.0 | 918.7 | 0.0 | 920.9 | 0.0 | 922.0 | 0.0 |
| 5004 | 917.0 | 912.3 | 0.0 | 912.6 | 0.0 | 913.7 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 6.0 | 920.9 | 8.5 | 921.9 | 10.5 |
| 5009 | 917.0 | 912.3 | 0.0 | 912.6 | 0.0 | 913.7 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 6.0 | 920.9 | 8.5 | 921.9 | 10.5 |
| 5012 | 917.5 | 912.3 | 0.0 | 912.6 | 0.0 | 913.7 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 5.0 | 920.9 | 8.0 | 921.9 | 10.5 |
| 5013 | 916.0 | 912.3 | 0.0 | 912.6 | 0.0 | 913.7 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 7.0 | 920.9 | 9.5 | 921.9 | 11.5 |
| 5014 | 921.5 | 921.1 | 0.0 | 921.1 | 0.0 | 921.1 | 0.0 | 921.1 | 0.0 | 915.0 | 0.0 | 918.7 | 0.0 | 920.9 | 0.0 | 921.9 | 3.0 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 5015 | 921.5 | 915.0 | 0.0 | 917.0 | 0.0 | 917.1 | 0.0 | 917.1 | 0.0 | 915.0 | 0.0 | 918.7 | 0.0 | 920.9 | 0.0 | 921.9 | 3.0 |
| 5016 | 917.0 | 915.0 | 0.0 | 917.0 | 0.0 | 917.1 | 4.0 | 917.1 | 6.0 | 915.0 | 0.0 | 918.7 | 5.5 | 920.9 | 8.0 | 921.9 | 10.0 |
| 5017 | 920.0 | 915.0 | 0.0 | 917.0 | 0.0 | 917.1 | 0.0 | 917.1 | 0.0 | 915.0 | 0.0 | 918.7 | 0.0 | 920.9 | 4.0 | 921.9 | 6.0 |
| 5019 | 917.0 | 915.4 | 0.0 | 916.1 | 0.0 | 916.3 | 0.0 | 916.8 | 0.0 | 914.9 | 0.0 | 918.7 | 5.5 | 920.9 | 8.0 | 922.0 | 10.5 |
| 5020 | 917.0 | 915.4 | 0.0 | 916.1 | 0.0 | 916.3 | 0.0 | 916.8 | 0.0 | 914.9 | 0.0 | 918.7 | 5.5 | 920.9 | 8.0 | 922.0 | 10.5 |
| 5021 | 916.0 | 915.4 | 0.0 | 916.1 | 2.0 | 916.3 | 5.5 | 916.8 | 9.0 | 914.9 | 0.0 | 918.7 | 7.5 | 920.9 | 9.0 | 922.0 | 12.0 |
| 5022 | 917.0 | 915.4 | 0.0 | 916.1 | 0.0 | 916.3 | 0.0 | 916.8 | 0.0 | 914.9 | 0.0 | 918.7 | 5.5 | 920.9 | 8.0 | 922.0 | 10.5 |
| 5025 | 921.0 | 915.0 | 0.0 | 917.0 | 0.0 | 917.1 | 0.0 | 917.1 | 0.0 | 915.0 | 0.0 | 918.7 | 0.0 | 920.9 | 0.0 | 921.9 | 4.5 |
| 5026 | 920.5 | 915.0 | 0.0 | 917.0 | 0.0 | 917.1 | 0.0 | 917.1 | 0.0 | 915.0 | 0.0 | 918.7 | 0.0 | 920.9 | 3.0 | 921.9 | 5.5 |
| 5027 | 919.0 | 915.4 | 0.0 | 916.1 | 0.0 | 916.3 | 0.0 | 916.8 | 0.0 | 914.9 | 0.0 | 918.7 | 0.0 | 920.9 | 6.0 | 922.0 | 8.0 |
| 5029 | 918.0 | 915.4 | 0.0 | 916.1 | 0.0 | 916.3 | 0.0 | 916.8 | 0.0 | 914.9 | 0.0 | 918.7 | 3.5 | 920.9 | 7.0 | 922.0 | 9.5 |
| 5030 | 918.0 | 915.4 | 0.0 | 916.1 | 0.0 | 916.3 | 0.0 | 916.8 | 0.0 | 914.9 | 0.0 | 918.7 | 3.5 | 920.9 | 7.0 | 922.0 | 9.5 |
| 5032 | 921.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 918.7 | 0.0 | 920.9 | 0.0 | 922.0 | 4.5 |
| 5034 | 920.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 918.7 | 0.0 | 920.9 | 4.0 | 922.0 | 6.0 |
| 5035 | 920.5 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 918.7 | 0.0 | 920.9 | 3.0 | 922.0 | 5.5 |
| 5036 | 920.5 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 918.7 | 0.0 | 920.9 | 3.0 | 922.0 | 5.5 |
| 5038 | 920.5 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 916.1 | 0.0 | 918.7 | 0.0 | 920.9 | 3.0 | 922.0 | 5.5 |
| 5059 | 929.0 | 920.0 | 0.0 | 923.0 | 0.0 | 925.8 | 0.0 | 930.4 | 6.0 | 920.1 | 0.0 | 923.5 | 0.0 | 926.3 | 0.0 | 930.5 | 7.0 |
| 5061 | 920.0 | 914.5 | 0.0 | 915.9 | 0.0 | 917.8 | 0.0 | 921.7 | 6.0 | 915.2 | 0.0 | 919.3 | 0.0 | 921.6 | 6.0 | 923.2 | 11.0 |
| 5167 | 935.5 | 922.3 | 0.0 | 924.9 | 0.0 | 927.7 | 0.0 | 932.6 | 0.0 | 922.4 | 0.0 | 925.3 | 0.0 | 928.1 | 0.0 | 932.7 | 0.0 |
| 5168 | 933.0 | 922.3 | 0.0 | 924.9 | 0.0 | 927.7 | 0.0 | 932.6 | 0.0 | 922.4 | 0.0 | 925.3 | 0.0 | 928.1 | 0.0 | 932.7 | 0.0 |
| 5169 | 934.5 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 932.7 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 932.7 | 0.0 |
| 5170 | 933.0 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 932.7 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 932.7 | 0.0 |
| 5171 | 933.0 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 932.7 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 932.7 | 0.0 |
| 5172 | 921.0 | 922.3 | 3.0 | 924.9 | 7.5 | 927.7 | 13.0 | 932.6 | 31.5 | 922.4 | 3.5 | 925.3 | 9.0 | 928.1 | 13.5 | 932.7 | 31.5 |
| 5173 | 915.0 | 922.7 | 12.5 | 925.2 | 14.5 | 927.9 | 31.5 | 932.8 | 33.5 | 922.7 | 12.5 | 925.5 | 14.5 | 928.3 | 31.5 | 932.9 | 33.5 |
| 5174 | 915.0 | 923.0 | 13.0 | 925.4 | 14.5 | 928.1 | 31.5 | 933.0 | 34.0 | 923.0 | 13.0 | 925.7 | 14.5 | 928.4 | 31.5 | 933.1 | 34.0 |
| 5175 | 915.0 | 923.0 | 13.0 | 925.4 | 14.5 | 928.1 | 31.5 | 933.0 | 34.0 | 923.0 | 13.0 | 925.7 | 14.5 | 928.4 | 31.5 | 933.1 | 34.0 |
| 5176 | 936.0 | 923.3 | 0.0 | 925.8 | 0.0 | 928.4 | 0.0 | 933.3 | 0.0 | 923.4 | 0.0 | 926.0 | 0.0 | 928.7 | 0.0 | 933.4 | 0.0 |
| 5177 | 931.0 | 923.5 | 0.0 | 925.9 | 0.0 | 928.6 | 0.0 | 933.5 | 9.0 | 923.6 | 0.0 | 926.2 | 0.0 | 928.9 | 0.0 | 933.6 | 9.5 |
| 5178 | 935.5 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 934.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 934.1 | 0.0 |
| 5179 | 920.0 | 924.0 | 7.5 | 926.4 | 11.0 | 929.0 | 21.0 | 934.1 | 32.5 | 924.1 | 8.0 | 926.7 | 11.5 | 929.3 | 21.5 | 934.1 | 32.5 |
| 5180 | 936.0 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 934.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 934.1 | 0.0 |
| 5181 | 933.5 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 934.0 | 2.5 | 931.0 | 0.0 | 931.0 | 0.0 | 931.0 | 0.0 | 934.1 | 3.0 |
| 5182 | 934.5 | 924.0 | 0.0 | 926.3 | 0.0 | 929.0 | 0.0 | 934.0 | 0.0 | 924.0 | 0.0 | 926.6 | 0.0 | 929.3 | 0.0 | 934.1 | 0.0 |
| 5183 | 919.5 | 924.4 | 8.5 | 926.7 | 12.0 | 929.3 | 25.0 | 934.6 | 32.5 | 924.4 | 8.5 | 927.0 | 12.0 | 929.6 | 25.5 | 934.6 | 32.5 |
| 5184 | 921.0 | 924.3 | 6.0 | 926.7 | 10.5 | 929.3 | 18.5 | 934.4 | 32.0 | 924.4 | 6.5 | 926.9 | 11.0 | 929.6 | 18.5 | 934.5 | 32.0 |

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 5185 | 931.0 | 925.0 | 0.0 | 927.4 | 0.0 | 930.0 | 0.0 | 935.5 | 12.0 | 925.1 | 0.0 | 927.6 | 0.0 | 930.2 | 0.0 | 935.5 | 12.5 |
| 5186 | 935.5 | 925.1 | 0.0 | 927.5 | 0.0 | 930.0 | 0.0 | 935.5 | 0.5 | 925.1 | 0.0 | 927.7 | 0.0 | 930.3 | 0.0 | 935.7 | 0.5 |
| 5187 | 925.5 | 925.9 | 1.5 | 928.3 | 6.0 | 930.9 | 10.5 | 936.6 | 31.5 | 926.0 | 2.0 | 928.5 | 7.0 | 931.1 | 11.5 | 936.7 | 31.5 |
| 5188 | 936.0 | 926.0 | 0.0 | 928.3 | 0.0 | 930.9 | 0.0 | 936.7 | 2.0 | 926.0 | 0.0 | 928.5 | 0.0 | 931.1 | 0.0 | 936.7 | 2.5 |
| 5189 | 916.0 | 925.9 | 16.5 | 928.3 | 28.0 | 930.9 | 32.0 | 936.6 | 37.5 | 926.0 | 17.0 | 928.5 | 28.5 | 931.1 | 32.0 | 936.7 | 37.5 |
| 5190 | 923.0 | 926.5 | 6.5 | 929.4 | 10.5 | 932.1 | 20.0 | 936.9 | 32.0 | 926.6 | 6.5 | 929.6 | 11.0 | 932.3 | 20.0 | 937.0 | 32.0 |
| 5191 | 923.0 | 926.5 | 6.5 | 929.4 | 10.5 | 932.1 | 20.0 | 936.9 | 32.0 | 926.6 | 6.5 | 929.6 | 11.0 | 932.3 | 20.0 | 937.0 | 32.0 |
| 5206 | 931.5 | 921.6 | 0.0 | 924.3 | 0.0 | 927.2 | 0.0 | 932.0 | 3.0 | 921.7 | 0.0 | 924.8 | 0.0 | 927.6 | 0.0 | 932.1 | 3.5 |
| 5207 | 935.5 | 922.1 | 0.0 | 924.8 | 0.0 | 927.6 | 0.0 | 932.5 | 0.0 | 922.2 | 0.0 | 925.1 | 0.0 | 928.0 | 0.0 | 932.5 | 0.0 |
| 5208 | 932.5 | 928.7 | 0.0 | 928.7 | 0.0 | 928.7 | 0.0 | 930.1 | 0.0 | 928.7 | 0.0 | 928.7 | 0.0 | 928.7 | 0.0 | 930.2 | 0.0 |
| 5210 | 936.5 | 922.1 | 0.0 | 924.8 | 0.0 | 927.6 | 0.0 | 932.5 | 0.0 | 922.2 | 0.0 | 925.1 | 0.0 | 928.0 | 0.0 | 932.5 | 0.0 |
| 5212 | 933.0 | 924.4 | 0.0 | 926.7 | 0.0 | 929.3 | 0.0 | 934.6 | 5.0 | 924.4 | 0.0 | 927.0 | 0.0 | 929.6 | 0.0 | 934.6 | 5.0 |
| 5279 | 923.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 13.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 5.0 | 927.2 | 14.0 |
| 7002 | 920.5 | 913.0 | 0.0 | 915.8 | 0.0 | 918.0 | 0.0 | 921.8 | 5.5 | 913.3 | 0.0 | 919.4 | 0.0 | 921.8 | 5.5 | 923.5 | 10.5 |
| 7003 | 910.0 | 911.5 | 8.5 | 913.8 | 15.0 | 914.0 | 18.0 | 914.5 | 23.5 | 912.7 | 11.0 | 918.7 | 13.0 | 920.9 | 14.5 | 922.0 | 19.5 |
| 7100 | 936.0 | 926.8 | 0.0 | 929.6 | 0.0 | 932.3 | 0.0 | 937.2 | 4.5 | 926.8 | 0.0 | 929.8 | 0.0 | 932.5 | 0.0 | 937.3 | 4.5 |
| 7101 | 935.0 | 927.1 | 0.0 | 929.9 | 0.0 | 932.5 | 0.0 | 937.6 | 8.5 | 927.1 | 0.0 | 930.1 | 0.0 | 932.7 | 0.0 | 937.6 | 9.0 |
| 7102 | 925.5 | 927.8 | 5.0 | 930.6 | 9.0 | 933.1 | 15.5 | 938.3 | 31.5 | 927.9 | 5.0 | 930.7 | 9.5 | 933.3 | 15.5 | 938.3 | 31.5 |
| 7103 | 934.0 | 927.8 | 0.0 | 930.6 | 0.0 | 933.1 | 0.0 | 938.3 | 12.0 | 927.9 | 0.0 | 930.7 | 0.0 | 933.3 | 0.0 | 938.3 | 12.5 |
| 7104 | 938.0 | 927.8 | 0.0 | 930.6 | 0.0 | 933.1 | 0.0 | 938.3 | 1.5 | 927.9 | 0.0 | 930.7 | 0.0 | 933.3 | 0.0 | 938.3 | 1.5 |
| 7105 | 938.0 | 927.8 | 0.0 | 930.6 | 0.0 | 933.1 | 0.0 | 938.3 | 1.5 | 927.9 | 0.0 | 930.7 | 0.0 | 933.3 | 0.0 | 938.3 | 1.5 |
| 7106 | 937.0 | 927.8 | 0.0 | 930.6 | 0.0 | 933.1 | 0.0 | 938.3 | 4.0 | 927.9 | 0.0 | 930.7 | 0.0 | 933.3 | 0.0 | 938.3 | 4.0 |
| 7107 | 934.5 | 928.1 | 0.0 | 930.8 | 0.0 | 933.4 | 0.0 | 938.5 | 11.5 | 928.1 | 0.0 | 930.9 | 0.0 | 933.5 | 0.0 | 938.6 | 12.0 |
| 7108 | 923.0 | 928.1 | 8.5 | 930.8 | 12.0 | 933.4 | 27.0 | 938.5 | 32.5 | 928.1 | 8.5 | 930.9 | 12.0 | 933.5 | 27.0 | 938.6 | 32.5 |
| 7109 | 938.5 | 928.1 | 0.0 | 930.8 | 0.0 | 933.4 | 0.0 | 938.5 | 0.0 | 928.1 | 0.0 | 930.9 | 0.0 | 933.5 | 0.0 | 938.6 | 0.5 |
| 7110 | 927.0 | 918.3 | 0.0 | 921.2 | 0.0 | 924.2 | 0.0 | 928.3 | 6.0 | 918.4 | 0.0 | 922.1 | 0.0 | 925.0 | 0.0 | 928.3 | 7.5 |
| 8360 | 918.0 | 919.9 | 5.0 | 920.7 | 11.5 | 921.0 | 13.5 | 922.2 | 16.0 | 919.9 | 5.0 | 920.7 | 11.5 | 921.7 | 13.5 | 922.7 | 16.0 |
| 8465 | 924.0 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 4.5 | 930.6 | 22.5 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 7.0 | 930.6 | 22.5 |
| 8466 | 927.0 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 0.0 | 930.6 | 12.0 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 0.0 | 930.6 | 13.0 |
| 8467 | 925.5 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 1.5 | 930.6 | 16.5 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 4.0 | 930.6 | 17.0 |
| 8468 | 929.0 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 0.0 | 930.6 | 6.0 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 0.0 | 930.6 | 7.0 |
| 8473 | 926.5 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 0.0 | 930.6 | 13.5 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 1.0 | 930.6 | 14.0 |
| 8475 | 929.0 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 0.0 | 930.6 | 6.0 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 0.0 | 930.6 | 7.0 |
| 8476 | 928.0 | 920.3 | 0.0 | 923.0 | 0.0 | 925.9 | 0.0 | 930.6 | 9.0 | 920.4 | 0.0 | 923.4 | 0.0 | 926.6 | 0.0 | 930.6 | 10.0 |
| 8528 | 922.0 | 913.8 | 0.0 | 916.7 | 0.0 | 919.1 | 0.0 | 923.4 | 5.0 | 914.1 | 0.0 | 919.7 | 0.0 | 922.2 | 2.0 | 924.2 | 9.5 |
| 8687 | 924.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 10.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 11.5 |
| 8688 | 924.5 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 9.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 10.5 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 8689 | 925.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 7.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 9.5 |
| 8690 | 925.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 7.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 9.5 |
| 8691 | 926.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 4.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 5.5 |
| 8692 | 925.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 7.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 9.5 |
| 8693 | 924.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 10.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 11.5 |
| 8694 | 924.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 10.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 11.5 |
| 8695 | 926.0 | 916.7 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.4 | 4.5 | 916.7 | 0.0 | 921.1 | 0.0 | 924.0 | 0.0 | 927.5 | 5.5 |
| 8696 | 925.0 | 916.7 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.4 | 7.5 | 916.7 | 0.0 | 921.1 | 0.0 | 924.0 | 0.0 | 927.5 | 9.5 |
| 8697 | 923.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 13.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 5.0 | 927.2 | 14.0 |
| 8698 | 919.0 | 915.6 | 0.0 | 920.3 | 9.5 | 922.5 | 13.5 | 927.1 | 29.0 | 915.6 | 0.0 | 921.1 | 10.0 | 923.9 | 13.5 | 927.2 | 29.0 |
| 8699 | 918.5 | 915.6 | 0.0 | 920.3 | 11.0 | 922.5 | 14.0 | 927.1 | 30.5 | 915.6 | 0.0 | 921.1 | 11.0 | 923.9 | 14.5 | 927.2 | 30.5 |
| 8702 | 918.5 | 915.6 | 0.0 | 920.3 | 11.0 | 922.5 | 14.0 | 927.1 | 30.5 | 915.6 | 0.0 | 921.1 | 11.0 | 923.9 | 14.5 | 927.2 | 30.5 |
| 8703 | 926.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 4.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 5.5 |
| 8704 | 918.5 | 915.6 | 0.0 | 920.3 | 11.0 | 922.5 | 14.0 | 927.1 | 30.5 | 915.6 | 0.0 | 921.1 | 11.0 | 923.9 | 14.5 | 927.2 | 30.5 |
| 8705 | 923.5 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 12.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 3.5 | 927.2 | 12.5 |
| 8706 | 919.5 | 915.6 | 0.0 | 920.3 | 9.0 | 922.5 | 13.0 | 927.1 | 27.5 | 915.6 | 0.0 | 921.1 | 10.0 | 923.9 | 13.0 | 927.2 | 27.5 |
| 8707 | 918.5 | 915.6 | 0.0 | 920.3 | 11.0 | 922.5 | 14.0 | 927.1 | 30.5 | 915.6 | 0.0 | 921.1 | 11.0 | 923.9 | 14.5 | 927.2 | 30.5 |
| 8708 | 927.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 0.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 1.5 |
| 8709 | 924.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 10.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 11.5 |
| 8710 | 920.0 | 915.6 | 0.0 | 920.3 | 7.5 | 922.5 | 12.5 | 927.1 | 25.5 | 915.6 | 0.0 | 921.1 | 9.0 | 923.9 | 12.5 | 927.2 | 25.5 |
| 8711 | 922.5 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 15.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 5.5 | 927.2 | 15.0 |
| 8714 | 926.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 4.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 5.5 |
| 8715 | 926.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 4.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 5.5 |
| 8716 | 925.5 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 5.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 7.5 |
| 8717 | 925.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 7.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 9.5 |
| 8727 | 926.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 0.0 | 927.1 | 4.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.1 | 5.5 |
| 8728 | 922.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 2.0 | 927.1 | 17.0 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 6.5 | 927.1 | 16.5 |
| 8729 | 925.0 | 916.5 | 0.0 | 919.6 | 0.0 | 922.5 | 0.0 | 927.1 | 7.5 | 916.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.1 | 9.5 |
| 8772 | 925.0 | 918.0 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 929.9 | 7.5 | 918.0 | 0.0 | 921.1 | 0.0 | 924.0 | 0.0 | 929.9 | 9.5 |
| 8773 | 926.0 | 918.0 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 929.9 | 5.5 | 918.0 | 0.0 | 921.1 | 0.0 | 924.0 | 0.0 | 929.9 | 6.0 |
| 8775 | 926.0 | 916.7 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.4 | 4.5 | 916.7 | 0.0 | 921.1 | 0.0 | 924.0 | 0.0 | 927.5 | 5.5 |
| 8779 | 926.0 | 920.4 | 0.0 | 923.5 | 0.0 | 926.6 | 2.5 | 931.3 | 16.5 | 920.5 | 0.0 | 924.0 | 0.0 | 927.1 | 4.5 | 931.4 | 16.5 |
| 8780 | 922.0 | 920.4 | 0.0 | 923.5 | 7.5 | 926.6 | 11.0 | 931.3 | 31.0 | 920.5 | 0.0 | 924.0 | 8.5 | 927.1 | 11.5 | 931.4 | 31.0 |
| 8781 | 921.5 | 920.4 | 0.0 | 923.5 | 8.0 | 926.6 | 11.5 | 931.3 | 31.0 | 920.5 | 0.0 | 924.0 | 8.5 | 927.1 | 11.5 | 931.4 | 31.0 |
| 8782 | 929.0 | 921.2 | 0.0 | 924.0 | 0.0 | 926.9 | 0.0 | 931.7 | 9.5 | 921.3 | 0.0 | 924.5 | 0.0 | 927.3 | 0.0 | 931.8 | 10.0 |
| 8783 | 921.0 | 920.4 | 0.0 | 923.5 | 8.0 | 926.6 | 11.5 | 931.3 | 31.0 | 920.5 | 0.0 | 924.0 | 8.5 | 927.1 | 12.5 | 931.4 | 31.0 |
| 8784 | 921.0 | 920.4 | 0.0 | 923.5 | 8.0 | 926.6 | 11.5 | 931.3 | 31.0 | 920.5 | 0.0 | 924.0 | 8.5 | 927.1 | 12.5 | 931.4 | 31.0 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 8786 | 928.0 | 920.2 | 0.0 | 923.2 | 0.0 | 926.1 | 0.0 | 930.8 | 9.5 | 920.4 | 0.0 | 923.8 | 0.0 | 926.6 | 0.0 | 930.9 | 10.5 |
| 8788 | 927.5 | 926.0 | 0.0 | 926.0 | 0.0 | 926.0 | 0.0 | 930.4 | 10.0 | 926.0 | 0.0 | 926.0 | 0.0 | 926.1 | 0.0 | 930.5 | 11.0 |
| 8789 | 916.0 | 919.3 | 6.0 | 922.4 | 10.5 | 925.2 | 17.0 | 930.3 | 31.5 | 919.4 | 6.0 | 923.0 | 11.5 | 925.8 | 17.5 | 930.3 | 31.5 |
| 8790 | 933.0 | 920.5 | 0.0 | 923.4 | 0.0 | 926.3 | 0.0 | 931.0 | 0.0 | 920.6 | 0.0 | 923.9 | 0.0 | 926.7 | 0.0 | 931.1 | 0.0 |
| 8791 | 932.0 | 920.1 | 0.0 | 923.1 | 0.0 | 926.0 | 0.0 | 930.6 | 0.0 | 920.2 | 0.0 | 923.6 | 0.0 | 926.5 | 0.0 | 930.7 | 0.0 |
| 8792 | 920.0 | 919.9 | 0.0 | 922.9 | 5.5 | 925.8 | 11.0 | 930.4 | 31.0 | 920.0 | 0.5 | 923.5 | 8.5 | 926.3 | 12.0 | 930.4 | 31.0 |
| 8793 | 908.0 | 919.9 | 19.0 | 922.9 | 31.5 | 925.8 | 32.0 | 930.4 | 37.5 | 920.0 | 19.0 | 923.5 | 31.5 | 926.3 | 32.0 | 930.4 | 37.5 |
| 8794 | 927.0 | 919.9 | 0.0 | 922.9 | 0.0 | 925.8 | 0.0 | 930.4 | 11.0 | 920.0 | 0.0 | 923.5 | 0.0 | 926.3 | 0.0 | 930.4 | 12.0 |
| 8795 | 927.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 10.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 11.5 |
| 8796 | 926.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 13.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 2.5 | 930.2 | 14.0 |
| 8797 | 926.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 13.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 2.5 | 930.2 | 14.0 |
| 8798 | 926.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 13.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 2.5 | 930.2 | 14.0 |
| 8799 | 928.0 | 919.5 | 0.0 | 922.6 | 0.0 | 925.4 | 0.0 | 929.9 | 7.5 | 919.6 | 0.0 | 923.1 | 0.0 | 925.9 | 0.0 | 929.9 | 8.5 |
| 8801 | 918.0 | 919.7 | 4.0 | 922.7 | 8.5 | 925.6 | 14.0 | 930.1 | 31.5 | 919.8 | 4.0 | 923.3 | 10.0 | 926.1 | 14.0 | 930.2 | 31.5 |
| 8802 | 927.5 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 9.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 10.5 |
| 8803 | 923.5 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 4.5 | 930.1 | 24.0 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 7.5 | 930.2 | 24.0 |
| 8806 | 926.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 13.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 2.5 | 930.2 | 14.0 |
| 8807 | 926.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 13.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 2.5 | 930.2 | 14.0 |
| 8808 | 925.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 2.5 | 930.1 | 18.0 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 4.5 | 930.2 | 18.0 |
| 8809 | 922.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8810 | 924.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8812 | 927.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 10.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 11.5 |
| 8813 | 923.5 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 4.5 | 930.1 | 24.0 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 7.5 | 930.2 | 24.0 |
| 8814 | 926.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 13.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 2.5 | 930.2 | 14.0 |
| 8816 | 921.0 | 919.7 | 0.0 | 922.7 | 4.5 | 925.6 | 8.0 | 930.1 | 31.0 | 919.8 | 0.0 | 923.3 | 7.0 | 926.1 | 10.5 | 930.2 | 31.0 |
| 8817 | 922.0 | 919.7 | 0.0 | 922.7 | 2.5 | 925.6 | 7.0 | 930.1 | 30.0 | 919.8 | 0.0 | 923.3 | 5.0 | 926.1 | 9.5 | 930.2 | 30.0 |
| 8818 | 920.0 | 919.7 | 0.0 | 922.7 | 5.5 | 925.6 | 10.5 | 930.1 | 31.0 | 919.8 | 0.0 | 923.3 | 8.0 | 926.1 | 11.5 | 930.2 | 31.0 |
| 8819 | 919.0 | 919.7 | 2.5 | 922.7 | 7.0 | 925.6 | 12.5 | 930.1 | 31.5 | 919.8 | 2.5 | 923.3 | 9.5 | 926.1 | 13.0 | 930.2 | 31.5 |
| 8820 | 919.5 | 919.7 | 1.0 | 922.7 | 6.5 | 925.6 | 11.5 | 930.1 | 31.0 | 919.8 | 1.5 | 923.3 | 9.0 | 926.1 | 12.5 | 930.2 | 31.0 |
| 8821 | 927.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 10.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 11.5 |
| 8822 | 928.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 8.0 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 9.0 |
| 8823 | 928.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 8.0 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 9.0 |
| 8825 | 922.0 | 919.7 | 0.0 | 922.7 | 2.5 | 925.6 | 7.0 | 930.1 | 30.0 | 919.8 | 0.0 | 923.3 | 5.0 | 926.1 | 9.5 | 930.2 | 30.0 |
| 8827 | 928.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 8.0 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 9.0 |
| 8828 | 918.0 | 919.7 | 4.0 | 922.7 | 8.5 | 925.6 | 14.0 | 930.1 | 31.5 | 919.8 | 4.0 | 923.3 | 10.0 | 926.1 | 14.0 | 930.2 | 31.5 |
| 8829 | 923.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 5.0 | 930.1 | 26.0 | 919.8 | 0.0 | 923.3 | 3.0 | 926.1 | 8.0 | 930.2 | 26.5 |
| 8830 | 923.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 5.0 | 930.1 | 26.0 | 919.8 | 0.0 | 923.3 | 3.0 | 926.1 | 8.0 | 930.2 | 26.5 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 8831 | 929.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 4.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 5.5 |
| 8834 | 927.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 10.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 11.5 |
| 8835 | 928.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 8.0 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 9.0 |
| 8836 | 928.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 8.0 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 9.0 |
| 8838 | 924.0 | 924.9 | 2.5 | 925.2 | 3.0 | 925.4 | 4.0 | 925.9 | 7.0 | 924.9 | 2.5 | 925.2 | 3.0 | 925.4 | 4.0 | 925.8 | 8.5 |
| 8856 | 915.0 | 912.0 | 0.0 | 912.8 | 0.0 | 913.4 | 0.0 | 915.5 | 2.5 | 911.6 | 0.0 | 918.6 | 7.5 | 921.0 | 9.5 | 922.4 | 12.5 |
| 8919 | 908.0 | 911.8 | 5.5 | 912.6 | 11.0 | 913.2 | 16.0 | 914.5 | 31.5 | 911.5 | 7.0 | 918.6 | 12.5 | 921.0 | 17.0 | 922.4 | 31.5 |
| 8922 | 912.0 | 911.7 | 0.0 | 913.0 | 7.0 | 913.4 | 10.5 | 914.7 | 30.0 | 911.4 | 0.0 | 918.6 | 11.5 | 921.0 | 13.5 | 922.4 | 29.0 |
| 9054 | 915.0 | 912.3 | 0.0 | 912.6 | 0.0 | 913.7 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 7.5 | 920.9 | 9.5 | 921.9 | 12.5 |
| 9055 | 916.0 | 912.3 | 0.0 | 912.6 | 0.0 | 913.7 | 0.0 | 914.5 | 0.0 | 914.6 | 0.0 | 918.7 | 7.0 | 920.9 | 9.5 | 921.9 | 11.5 |
| 9056 | 918.0 | 916.5 | 0.0 | 917.0 | 0.0 | 919.1 | 1.0 | 919.1 | 1.0 | 914.6 | 0.0 | 918.7 | 4.0 | 920.9 | 7.0 | 921.9 | 9.5 |
| 9112 | 911.5 | 920.2 | 12.5 | 923.2 | 15.0 | 926.1 | 31.5 | 930.8 | 33.5 | 920.4 | 13.5 | 923.8 | 15.5 | 926.6 | 31.5 | 930.9 | 33.5 |
| 9115 | 923.0 | 920.4 | 0.0 | 923.5 | 2.0 | 926.6 | 6.5 | 931.3 | 28.5 | 920.5 | 0.0 | 924.0 | 4.5 | 927.0 | 9.0 | 931.3 | 29.0 |
| 9116 | 920.5 | 920.4 | 0.0 | 923.5 | 6.5 | 926.6 | 11.5 | 931.3 | 31.0 | 920.5 | 0.0 | 924.0 | 8.5 | 927.0 | 12.0 | 931.3 | 31.0 |
| 9119 | 936.0 | 929.0 | 0.0 | 931.7 | 0.0 | 934.1 | 0.0 | 939.3 | 9.5 | 929.1 | 0.0 | 931.7 | 0.0 | 934.2 | 0.0 | 939.3 | 10.0 |
| 9120 | 933.0 | 921.2 | 0.0 | 924.0 | 0.0 | 926.9 | 0.0 | 931.7 | 0.0 | 921.3 | 0.0 | 924.5 | 0.0 | 927.3 | 0.0 | 931.8 | 0.0 |
| 9152 | 921.0 | 920.6 | 0.0 | 921.4 | 2.0 | 922.1 | 5.0 | 925.1 | 16.0 | 920.8 | 0.0 | 922.1 | 1.5 | 923.4 | 9.0 | 925.6 | 15.5 |
| 9153 | 924.0 | 916.9 | 0.0 | 920.0 | 0.0 | 922.9 | 0.0 | 927.0 | 11.5 | 917.0 | 0.0 | 921.3 | 0.0 | 924.1 | 1.5 | 927.0 | 12.5 |
| 9157 | 926.0 | 918.2 | 0.0 | 921.2 | 0.0 | 924.1 | 0.0 | 928.1 | 9.0 | 918.3 | 0.0 | 922.1 | 0.0 | 924.9 | 0.0 | 928.1 | 10.0 |
| 9162 | 919.5 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 6.0 | 923.5 | 10.0 |
| 9164 | 920.5 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 4.0 | 923.5 | 9.0 |
| 9165 | 920.0 | 916.4 | 0.0 | 916.5 | 0.0 | 916.5 | 0.0 | 916.8 | 0.0 | 916.4 | 0.0 | 918.6 | 0.0 | 921.6 | 4.5 | 923.5 | 9.5 |
| 9179 | 927.0 | 919.7 | 0.0 | 922.7 | 0.0 | 925.6 | 0.0 | 930.1 | 10.5 | 919.8 | 0.0 | 923.3 | 0.0 | 926.1 | 0.0 | 930.2 | 11.5 |
| 9226 | 922.5 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.3 | 0.0 | 922.4 | 0.0 |
| 9227 | 916.0 | 919.5 | 7.5 | 920.2 | 14.5 | 920.5 | 16.5 | 921.4 | 19.0 | 919.5 | 7.0 | 920.2 | 14.0 | 921.3 | 16.0 | 922.4 | 19.0 |
| 9228 | 916.0 | 919.5 | 7.5 | 920.2 | 14.5 | 920.5 | 16.5 | 921.4 | 19.0 | 919.5 | 7.0 | 920.2 | 14.0 | 921.3 | 16.0 | 922.4 | 19.0 |
| 9229 | 922.0 | 919.5 | 0.0 | 920.2 | 0.0 | 920.5 | 0.0 | 921.4 | 0.0 | 919.5 | 0.0 | 920.2 | 0.0 | 921.3 | 0.0 | 922.4 | 3.0 |
| 9230 | 916.0 | 919.5 | 7.5 | 920.2 | 14.5 | 920.5 | 16.5 | 921.4 | 19.0 | 919.5 | 7.0 | 920.2 | 14.0 | 921.3 | 16.0 | 922.4 | 19.0 |
| 9231 | 921.0 | 915.7 | 0.0 | 917.7 | 0.0 | 918.2 | 0.0 | 920.0 | 0.0 | 915.3 | 0.0 | 919.2 | 0.0 | 921.1 | 1.0 | 922.2 | 5.0 |
| 9233 | 917.5 | 910.3 | 0.0 | 914.8 | 0.0 | 916.6 | 0.0 | 919.1 | 7.0 | 910.3 | 0.0 | 918.9 | 5.5 | 921.4 | 8.5 | 923.0 | 12.0 |
| 9235 | 924.0 | 914.7 | 0.0 | 917.6 | 0.0 | 920.1 | 0.0 | 924.8 | 3.5 | 914.9 | 0.0 | 920.1 | 0.0 | 922.6 | 0.0 | 925.0 | 7.5 |
| 9236 | 923.0 | 914.7 | 0.0 | 917.6 | 0.0 | 920.1 | 0.0 | 924.8 | 5.5 | 914.9 | 0.0 | 920.1 | 0.0 | 922.6 | 0.0 | 925.0 | 9.0 |
| 9237 | 924.0 | 914.7 | 0.0 | 917.6 | 0.0 | 920.1 | 0.0 | 924.8 | 3.5 | 914.9 | 0.0 | 920.1 | 0.0 | 922.6 | 0.0 | 925.0 | 7.5 |
| 9258 | 922.0 | 915.1 | 0.0 | 918.0 | 0.0 | 920.6 | 0.0 | 925.7 | 10.0 | 915.2 | 0.0 | 920.2 | 0.0 | 922.9 | 4.5 | 925.9 | 11.5 |
| 9337 | 908.0 | 911.9 | 9.5 | 912.7 | 16.0 | 913.2 | 18.5 | 914.5 | 29.0 | 911.6 | 7.0 | 918.6 | 12.5 | 921.0 | 17.0 | 922.3 | 31.5 |
| 9349 | 910.0 | 911.8 | 4.0 | 912.6 | 10.5 | 913.2 | 13.5 | 914.5 | 29.5 | 911.5 | 4.5 | 918.6 | 11.5 | 921.0 | 14.5 | 922.4 | 31.0 |
| 9352 | 910.0 | 911.9 | 8.0 | 912.7 | 14.0 | 913.2 | 17.0 | 914.5 | 27.5 | 911.6 | 4.5 | 918.6 | 11.5 | 921.0 | 14.5 | 922.3 | 31.0 |

Data based on the hydraulic model that was approved by FEMA as part of the 2020 Conditional Letter of Map Revision (CLOMR), FEMA Case Number 19-08-0683R.

*Approximate Minimum Field Elevation may not represent the elevation of the entire parcel (OIN).

| OIN | Approx Min Field Elevation | ELEVATIONS WITHOUT DIVERSION (Existing Conditions) | | | | | | | |
|-------|----------------------------|--|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 9363 | 910.0 | 911.8 | 4.0 | 912.6 | 10.5 | 913.2 | 13.5 | 914.5 | 29.5 |
| 9404 | 913.0 | 911.8 | 0.0 | 912.6 | 0.0 | 913.2 | 2.5 | 914.5 | 12.0 |
| 9412 | 910.0 | 911.8 | 4.0 | 912.6 | 10.5 | 913.2 | 13.5 | 914.5 | 29.5 |
| 9417 | 914.5 | 911.8 | 0.0 | 913.3 | 0.0 | 914.9 | 3.0 | 917.6 | 16.5 |
| 9419 | 914.0 | 911.8 | 0.0 | 913.3 | 0.0 | 914.9 | 4.5 | 917.6 | 20.0 |
| 9420 | 912.5 | 911.8 | 0.0 | 913.3 | 4.0 | 914.9 | 8.5 | 917.6 | 28.5 |
| 9422 | 914.0 | 911.8 | 0.0 | 913.3 | 0.0 | 914.9 | 4.5 | 917.6 | 20.0 |
| 9426 | 896.5 | 910.6 | 21.5 | 912.8 | 32.5 | 914.2 | 33.0 | 915.8 | 37.5 |
| 9427 | 896.5 | 910.6 | 21.5 | 912.9 | 32.5 | 914.2 | 33.0 | 916.0 | 37.5 |
| 9431 | 908.0 | 910.7 | 7.0 | 912.9 | 12.0 | 914.3 | 17.5 | 916.1 | 31.5 |
| 9438 | 906.0 | 910.7 | 9.5 | 912.9 | 14.0 | 914.3 | 21.5 | 916.1 | 32.0 |
| 9670 | 915.0 | 911.2 | 0.0 | 913.6 | 0.0 | 915.2 | 2.5 | 917.4 | 15.5 |
| 9671 | 912.0 | 911.2 | 0.0 | 913.6 | 6.5 | 915.2 | 10.5 | 917.4 | 30.5 |
| 9995 | 902.0 | 910.5 | 13.5 | 912.7 | 18.0 | 914.0 | 31.0 | 915.6 | 33.0 |
| 9998 | 900.0 | 910.5 | 16.0 | 912.7 | 21.0 | 914.0 | 32.0 | 915.6 | 33.5 |
| 1099X | 910.5 | 905.3 | 0.0 | 910.7 | 2.0 | 911.8 | 8.0 | 912.6 | 14.0 |
| 1462A | 923.0 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 13.5 |
| 1462B | 921.5 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 3.5 | 927.1 | 19.0 |
| 1462C | 925.5 | 915.6 | 0.0 | 920.3 | 0.0 | 922.5 | 0.0 | 927.1 | 5.5 |
| 1994X | 916.0 | 912.6 | 0.0 | 913.0 | 0.0 | 913.9 | 0.0 | 920.5 | 12.0 |

| OIN | Approx Min Field Elevation | ELEVATIONS WITH DIVERSION (With-Project Conditions) | | | | | | | |
|-------|----------------------------|---|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------------|
| | | 20-Year Flood | | 50-Year Flood | | 100-Year Flood | | 500-Year Flood | |
| | | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation | Max Water Surface Elevation | Approx Days Above Field Elevation |
| 9363 | 910.0 | 911.5 | 4.5 | 918.6 | 11.5 | 921.0 | 14.5 | 922.4 | 31.0 |
| 9404 | 913.0 | 911.5 | 0.0 | 918.6 | 9.5 | 921.0 | 11.0 | 922.4 | 17.0 |
| 9412 | 910.0 | 911.5 | 4.5 | 918.6 | 11.5 | 921.0 | 14.5 | 922.4 | 31.0 |
| 9417 | 914.5 | 911.8 | 0.0 | 918.6 | 8.5 | 921.1 | 10.0 | 922.4 | 17.0 |
| 9419 | 914.0 | 911.8 | 0.0 | 918.6 | 8.5 | 921.1 | 10.5 | 922.4 | 20.0 |
| 9420 | 912.5 | 911.8 | 0.0 | 918.6 | 10.0 | 921.1 | 12.0 | 922.4 | 29.5 |
| 9422 | 914.0 | 911.8 | 0.0 | 918.6 | 8.5 | 921.1 | 10.5 | 922.4 | 20.0 |
| 9426 | 896.5 | 911.0 | 21.0 | 918.6 | 32.5 | 921.1 | 33.0 | 922.5 | 37.5 |
| 9427 | 896.5 | 911.1 | 21.5 | 918.6 | 32.5 | 921.1 | 33.0 | 922.5 | 37.5 |
| 9431 | 908.0 | 911.1 | 7.0 | 918.6 | 12.5 | 921.1 | 17.5 | 922.5 | 31.5 |
| 9438 | 906.0 | 911.1 | 10.0 | 918.6 | 14.0 | 921.1 | 21.5 | 922.5 | 32.0 |
| 9670 | 915.0 | 911.6 | 0.0 | 918.7 | 8.5 | 921.2 | 10.0 | 922.7 | 16.0 |
| 9671 | 912.0 | 911.6 | 0.0 | 918.7 | 10.0 | 921.2 | 12.5 | 922.7 | 31.0 |
| 9995 | 902.0 | 910.9 | 14.0 | 918.6 | 18.0 | 921.0 | 31.0 | 922.5 | 33.0 |
| 9998 | 900.0 | 910.9 | 16.0 | 918.6 | 21.0 | 921.0 | 32.0 | 922.5 | 33.5 |
| 1099X | 910.5 | 912.7 | 8.5 | 918.7 | 9.5 | 920.9 | 11.0 | 921.9 | 14.0 |
| 1462A | 923.0 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 0.0 |
| 1462B | 921.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 0.0 |
| 1462C | 925.5 | 915.6 | 0.0 | 921.1 | 0.0 | 923.9 | 0.0 | 927.2 | 0.0 |
| 1994X | 916.0 | 912.6 | 0.0 | 918.5 | 0.0 | 921.6 | 0.0 | 923.4 | 0.0 |