

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
		Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation
23	910.0	905.5	0.0	910.7	4.5	911.7	10.0	912.5	15.0	912.7	9.5	918.7	10.0	920.9	11.0	922.0	14.5
24	909.0	905.5	0.0	910.7	7.5	911.7	12.5	912.5	17.5	912.7	11.0	918.7	10.5	920.9	12.0	922.0	15.0
27	907.0	905.5	0.0	910.7	11.5	911.7	15.5	912.5	20.5	912.7	12.5	918.7	11.5	920.9	13.0	922.0	17.5
28	906.0	905.5	0.0	910.7	13.0	911.7	16.5	912.5	22.0	912.7	13.0	918.7	12.5	920.9	13.5	922.0	18.5
29	908.0	906.1	0.0	910.8	11.0	911.8	15.0	912.6	19.5	912.7	11.5	918.7	11.5	920.9	13.0	922.0	16.0
30	912.5	909.9	0.0	913.7	5.5	914.0	9.5	914.5	13.5	912.7	2.5	918.7	9.0	920.9	10.5	922.0	13.0
176	924.0	915.5	0.0	918.4	0.0	921.1	0.0	925.7	6.0	915.7	0.0	920.4	0.0	923.1	0.0	925.9	9.0
213	905.0	905.0	1.0	910.7	13.5	911.7	17.0	912.5	23.0	912.7	31.5	918.7	31.5	920.9	32.0	921.9	32.0
232	915.5	915.4	0.0	916.1	5.5	916.3	9.0	916.8	12.0	914.9	0.0	918.7	8.5	920.9	10.5	922.0	13.0
249	908.5	910.3	27.5	912.4	29.0	913.6	29.5	915.1	31.0	910.8	6.5	918.5	12.0	921.0	16.0	922.4	31.5
250	912.0	910.3	0.0	912.3	3.0	913.6	7.5	915.0	25.5	910.8	0.0	918.5	9.5	921.0	11.5	922.4	27.5
251	910.0	910.6	3.0	913.0	9.0	914.5	13.5	916.5	31.0	911.1	4.0	918.6	11.5	921.1	14.5	922.6	31.0
255	905.5	910.0	9.5	912.0	14.5	913.3	22.0	914.7	32.5	910.7	37.5	918.6	37.5	921.1	37.5	922.5	37.5
809	900.0	910.4	15.5	912.6	21.0	913.9	32.0	915.5	33.5	910.9	16.0	918.6	21.0	921.0	32.0	922.4	33.5
816	910.0	911.5	8.5	913.8	15.0	914.0	18.0	914.5	23.5	912.7	11.0	918.7	13.0	920.9	14.5	922.0	19.5
817	910.5	911.5	8.5	913.8	15.0	914.0	18.0	914.5	23.0	912.7	8.5	918.7	10.0	920.9	11.0	922.0	15.0
818	910.0	911.5	8.5	913.8	15.0	914.0	18.0	914.5	23.5	912.7	11.0	918.7	13.0	920.9	14.5	922.0	19.5
821	911.0	911.5	6.5	913.8	13.5	914.0	16.5	914.5	22.0	912.7	7.5	918.7	9.5	920.9	11.0	922.0	14.5
824	911.0	909.9	0.0	913.7	8.0	914.0	11.0	914.5	15.5	912.7	7.5	918.7	10.0	920.9	12.5	922.0	15.5
825	911.0	909.9	0.0	913.7	8.0	914.0	11.0	914.5	15.5	912.7	7.5	918.7	10.0	920.9	12.5	922.0	15.5
827	911.0	909.9	0.0	913.7	8.0	914.0	11.0	914.5	15.5	912.7	7.5	918.7	10.0	920.9	12.5	922.0	15.5
828	911.0	909.9	0.0	913.7	8.0	914.0	11.0	914.5	15.5	912.7	7.5	918.7	10.0	920.9	12.5	922.0	15.5
829	912.0	909.9	0.0	913.7	6.5	914.0	10.0	914.5	14.5	912.7	4.5	918.7	9.5	920.9	10.5	922.0	13.5
830	913.0	912.5	0.0	913.7	4.5	913.9	8.5	914.5	13.0	914.6	5.0	918.7	13.5	920.9	15.0	921.9	16.5
832	915.0	912.5	0.0	913.7	0.0	913.9	0.0	914.5	0.0	914.6	0.0	918.7	7.5	920.9	9.0	921.9	11.5
833	915.5	912.5	0.0	913.7	0.0	913.9	0.0	914.5	0.0	914.6	0.0	918.7	7.0	920.9	8.5	921.9	11.0
835	916.0	915.4	0.0	916.1	2.0	916.3	5.5	916.8	9.0	914.9	0.0	918.7	7.5	920.9	9.0	922.0	12.0
836	916.0	915.4	0.0	916.1	2.0	916.3	5.5	916.8	9.0	914.9	0.0	918.7	7.5	920.9	9.0	922.0	12.0
838	917.0	915.4	0.0	916.1	0.0	916.3	0.0	916.8	0.0	914.9	0.0	918.7	5.5	920.9	8.0	922.0	10.5
840	908.5	915.1	12.0	915.9	19.0	916.1	21.5	916.6	30.5	913.8	13.0	918.7	19.0	921.0	21.5	922.1	31.5
841	911.5	915.3	9.0	916.0	16.5	916.2	18.5	916.7	23.5	914.8	9.0	918.7	16.0	920.9	18.0	922.0	25.0
842	912.0	915.7	9.5	916.2	16.5	916.3	18.5	916.8	23.0	915.3	9.5	918.7	16.0	921.0	18.0	922.1	24.0
843	907.5	911.9	10.0	912.7	17.0	913.2	19.5	914.5	30.5	911.6	9.0	918.6	13.5	921.0	18.5	922.3	31.5
844	911.0	915.1	8.0	915.7	14.5	915.8	17.0	916.3	25.5	912.8	9.0	918.7	14.5	921.0	17.0	922.1	25.5
845	908.5	915.1	29.5	915.7	30.5	915.8	30.5	916.3	31.0	912.8	30.5	918.7	31.0	921.0	31.5	922.1	32.0
846	909.5	911.9	8.5	912.7	15.0	913.2	18.0	914.5	28.0	911.6	5.0	918.6	12.0	921.0	15.0	922.4	31.0
847	907.0	911.9	10.5	912.7	17.0	913.2	20.0	914.5	32.0	911.6	9.0	918.6	15.0	921.0	19.0	922.4	31.5
848	911.0	916.0	10.5	916.4	17.5	916.5	20.0	917.0	26.0	915.8	10.5	918.8	17.0	921.0	20.0	922.1	27.0
849	912.0	916.6	10.0	917.0	17.0	917.1	19.5	917.5	24.0	916.5	10.0	918.8	16.5	921.0	19.0	922.1	25.5
850	917.5	915.4	0.0	916.1	0.0	916.4	0.0	916.9	0.0	915.0	0.0	918.7	5.0	921.0	7.5	922.0	10.5
851	918.5	915.4	0.0	916.1	0.0	916.4	0.0	916.9	0.0	915.0	0.0	918.7	2.0	921.0	6.5	922.0	8.5
852	919.5	915.4	0.0	916.1	0.0	916.4	0.0	916.9	0.0	915.0	0.0	918.7	0.0	921.0	5.0	922.0	7.5
853	919.5	915.4	0.0	916.1	0.0	916.4	0.0	916.9	0.0	915.0	0.0	918.7	0.0	921.0	5.0	922.0	7.5
854	917.0	915.4	0.0	916.2	0.0	916.4	0.0	917.0	0.0	915.0	0.0	918.8	5.5	921.0	8.0	922.1	10.5
855	920.5	915.4	0.0	916.2	0.0	916.4	0.0	917.0	0.0	915.0	0.0	918.8	0.0	921.0	3.0	922.1	5.5
856	916.0	917.4	5.0	917.9	11.5	918.1	13.5	918.7	16.5	917.3	5.0	918.9	11.5	921.0	13.0	922.1	16.5
857	915.0	918.0	7.5	918.5	14.0	918.7	16.5	919.4	19.0	917.9	7.0	919.1	13.5	921.0	15.5	922.1	19.0
859	914.5	918.5	8.0	919.1	15.5	919.3	17.5	920.1	20.5	918.5	8.0	919.4	15.0	921.1	17.0	922.2	20.5
860	916.0	918.9	7.0	919.5	13.5	919.7	16.0	920.5	18.5	918.9	7.0	919.6	13.0	921.1	15.5	922.2	18.0
861	916.0	919.1	7.0	919.7	13.5	919.9	16.0	920.7	18.5	919.1	7.0	919.7	13.0	921.2	15.5	922.3	18.5
866	918.0	919.9	5.0	920.7	11.0	921.0	13.0	922.1	16.0	919.8	4.5	920.6	11.0	921.7	12.5	922.7	16.0
867	920.0	920.2	1.5	921.0	6.5	921.4	9.5	922.6	12.5	920.2	1.5	921.0	8.0	921.9	10.5	922.9	12.5
872	905.0	910.5	10.5	912.7	14.5	914.0	23.5	915.7	32.0	911.0	10.5	918.6	15.0	921.1	23.5	922.5	32.0
874	901.0	910.5	15.0	912.7	20.0	914.0	32.0	915.7	33.0	911.0	15.5	918.6	19.5	921.1	32.0	922.5	33.0
875	907.0	910.6	8.0	912.7	12.5	914.1	19.5	915.7	31.5	911.0	8.5	918.6	13.5	921.1	19.5	922.5	32.0
1075	909.0	907.2	0.0	908.5	0.0	911.7	14.5	912.5	22.0	912.7	11.0	918.7	10.5	920.9	12.0	922.0	16.0
1076	909.0	907.2	0.0	908.5	0.0	911.7	14.5	912.5	22.0	912.7	11.0	918.7	10.5	920.9	12.0	922.0	16.0
1077	909.0	907.2	0.0	908.5	0.0	911.7	14.5	912.5	22.0	912.7	11.0	918.7	10.5	920.9	12.0	922.0	16.0

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
		Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation
1078	908.0	907.2	0.0	908.5	9.5	911.7	18.5	912.5	26.0	912.7	11.5	918.7	10.5	920.9	12.0	922.0	17.5
1079	908.5	907.2	0.0	908.5	0.0	911.7	16.5	912.5	24.0	912.7	11.5	918.7	10.5	920.9	12.0	922.0	16.5
1080	908.5	907.2	0.0	908.5	0.0	911.7	16.5	912.5	24.0	912.7	0.0	918.7	0.0	920.9	0.0	922.0	0.0
1083	908.0	905.5	0.0	910.7	10.5	911.7	14.5	912.5	19.5	912.7	11.5	918.7	11.5	920.9	12.5	922.0	16.0
1084	908.5	905.5	0.0	910.7	9.0	911.7	13.5	912.5	18.5	912.7	11.5	918.7	10.5	920.9	12.0	922.0	15.5
1085	908.5	905.5	0.0	910.7	9.0	911.7	13.5	912.5	18.5	912.7	11.5	918.7	10.5	920.9	12.0	922.0	15.5
1086	905.5	905.5	0.0	910.7	13.0	911.7	17.0	912.5	22.5	912.7	14.5	918.7	13.0	920.9	14.5	922.0	19.0
1087	907.0	905.0	0.0	910.7	11.0	911.7	15.0	912.5	20.5	912.7	12.5	918.7	10.5	920.9	12.0	921.9	17.0
1093	911.0	905.3	0.0	910.7	0.0	911.8	5.5	912.6	12.0	912.7	7.5	918.7	9.0	920.9	10.5	921.9	13.5
1095	911.0	905.3	0.0	910.7	0.0	911.8	5.5	912.6	12.0	912.7	7.5	918.7	9.0	920.9	10.5	921.9	13.5
1098	910.0	905.3	0.0	910.7	5.0	911.8	10.0	912.6	15.0	912.7	9.5	918.7	10.0	920.9	11.0	921.9	14.5
1100	906.0	906.1	1.5	910.8	13.0	911.8	17.0	912.6	22.0	912.7	14.0	918.7	13.0	920.9	14.0	922.0	18.5
1102	911.0	906.1	0.0	910.8	0.0	911.8	6.0	912.6	12.0	912.7	7.5	918.7	9.0	920.9	10.5	922.0	13.5
1105	908.5	906.1	0.0	910.8	10.5	911.8	14.0	912.6	18.5	912.7	11.5	918.7	11.5	920.9	12.5	922.0	15.5
1106	906.5	906.1	0.0	910.8	12.5	911.8	16.5	912.6	21.5	912.7	12.5	918.7	12.5	920.9	13.5	922.0	18.0
1108	909.5	906.1	0.0	910.8	8.0	911.8	12.0	912.6	17.0	912.7	10.0	918.7	10.5	920.9	12.0	922.0	15.0
1109	907.0	906.1	0.0	910.8	12.5	911.8	16.0	912.6	21.0	912.7	12.5	918.7	12.0	920.9	13.0	922.0	17.5
1110	908.0	906.1	0.0	910.8	11.0	911.8	15.0	912.6	19.5	912.7	11.5	918.7	11.5	920.9	13.0	922.0	16.0
1112	913.0	906.1	0.0	910.8	0.0	911.8	0.0	912.6	0.0	912.7	0.0	918.7	8.5	920.9	10.0	922.0	12.5
1113	914.0	906.1	0.0	910.8	0.0	911.8	0.0	912.6	0.0	912.7	0.0	918.7	8.0	920.9	9.0	922.0	12.0
1116	908.5	910.1	7.5	911.6	14.5	911.8	17.5	912.7	26.0	912.7	11.5	918.7	10.5	920.9	12.0	922.0	17.0
1117	907.0	910.1	9.0	911.6	16.0	911.8	18.5	912.7	30.5	912.7	12.5	918.7	11.5	920.9	12.5	922.0	19.0
1118	908.0	910.1	8.0	911.6	15.0	911.8	18.5	912.7	27.5	912.7	12.0	918.7	10.5	920.9	12.0	922.0	17.5
1237	923.5	914.4	0.0	917.3	0.0	919.7	0.0	924.3	3.5	914.6	0.0	919.9	0.0	922.4	0.0	924.7	8.0
1238	924.0	915.2	0.0	918.1	0.0	920.7	0.0	925.4	5.0	915.4	0.0	920.3	0.0	922.9	0.0	925.6	8.5
1239	923.5	915.2	0.0	918.1	0.0	920.7	0.0	925.4	6.0	915.4	0.0	920.3	0.0	922.9	0.0	925.6	9.0
1240	920.0	929.0	14.5	931.7	20.0	934.1	32.5	939.3	35.0	929.1	14.5	931.7	20.0	934.2	32.5	939.3	35.0
1249	922.5	919.7	0.0	920.4	0.0	921.0	0.0	924.7	10.0	919.6	0.0	920.1	0.0	921.7	0.0	924.9	12.0
1250	922.0	919.7	0.0	920.4	0.0	921.0	0.0	924.7	12.5	919.6	0.0	920.1	0.0	921.7	0.0	924.9	12.5
1252	923.0	913.8	0.0	916.7	0.0	919.1	0.0	923.4	2.5	914.1	0.0	919.7	0.0	922.2	0.0	924.2	7.5
1253	907.5	913.8	10.5	916.7	14.0	919.1	25.5	923.4	32.0	914.1	10.5	919.7	14.5	922.2	25.5	924.2	32.0
1254	907.0	914.0	11.5	916.9	15.0	919.4	28.5	923.8	32.5	914.3	11.5	919.8	15.0	922.3	28.5	924.5	32.5
1256	906.0	914.7	13.0	917.6	16.0	920.1	31.0	924.8	33.0	914.9	13.5	920.1	16.0	922.6	31.0	925.0	33.0
1257	921.0	919.7	0.0	920.4	0.0	921.0	0.0	924.7	15.0	919.6	0.0	920.1	0.0	921.7	5.5	924.9	14.5
1258	922.0	919.7	0.0	920.4	0.0	921.0	0.0	924.7	12.5	919.6	0.0	920.1	0.0	921.7	0.0	924.9	12.5
1259	922.0	920.6	0.0	920.6	0.0	920.6	0.0	924.9	9.5	920.6	0.0	920.6	0.0	922.4	2.5	925.0	12.0
1260	922.5	920.6	0.0	920.6	0.0	920.6	0.0	924.9	9.0	920.6	0.0	920.6	0.0	922.4	0.0	925.0	11.5
1261	921.0	920.2	0.0	921.1	0.5	921.7	5.0	924.8	16.0	919.9	0.0	920.6	0.0	922.0	8.0	924.9	15.0
1262	922.0	920.2	0.0	921.1	0.0	921.7	0.0	924.8	14.5	919.9	0.0	920.6	0.0	922.0	0.0	924.9	13.5
1263	922.0	920.2	0.0	921.1	0.0	921.7	0.0	924.8	14.5	919.9	0.0	920.6	0.0	922.0	0.0	924.9	13.5
1265	923.0	919.7	0.0	920.5	0.0	921.3	0.0	926.2	9.5	919.0	0.0	920.2	0.0	922.8	0.0	926.3	11.0
1266	922.5	915.7	0.0	918.6	0.0	921.3	0.0	925.9	10.5	915.8	0.0	920.5	0.0	923.2	4.0	926.0	12.5
1267	922.5	920.2	0.0	921.1	0.0	921.7	0.0	924.8	12.0	919.9	0.0	920.6	0.0	922.0	0.0	924.9	12.0
1268	922.0	920.2	0.0	921.1	0.0	921.7	0.0	924.8	14.5	919.9	0.0	920.6	0.0	922.0	0.0	924.9	13.5
1269	921.0	920.2	0.0	921.1	0.5	921.7	5.0	924.8	16.0	919.9	0.0	920.6	0.0	922.0	8.0	924.9	15.0
1270	921.5	920.6	0.0	921.4	0.0	922.1	4.0	925.1	16.0	920.8	0.0	922.1	1.5	923.4	8.0	925.6	15.5
1271	922.0	920.6	0.0	921.4	0.0	922.1	2.0	925.1	15.0	920.8	0.0	922.1	1.0	923.4	4.5	925.6	15.5
1276	922.5	920.4	0.0	921.0	0.0	921.9	0.0	926.5	14.0	919.9	0.0	920.7	0.0	922.3	0.0	926.5	13.0
1277	922.0	921.6	0.0	922.1	1.0	922.6	3.5	926.1	15.5	921.5	0.0	922.2	1.5	922.7	7.5	926.1	15.0
1294	921.0	916.1	0.0	919.0	0.0	921.8	3.0	926.2	18.5	916.2	0.0	920.8	0.0	923.5	7.5	926.3	18.0
1297	923.0	920.4	0.0	921.0	0.0	921.9	0.0	926.5	12.5	919.9	0.0	920.7	0.0	922.3	0.0	926.5	12.0
1298	922.5	920.4	0.0	921.0	0.0	921.9	0.0	926.5	14.0	919.9	0.0	920.7	0.0	922.3	0.0	926.5	13.0
1299	922.5	920.4	0.0	921.0	0.0	921.9	0.0	926.5	14.0	919.9	0.0	920.7	0.0	922.3	0.0	926.5	13.0
1303	914.0	916.2	5.0	919.2	9.5	922.0	15.5	926.5	31.5	916.3	5.5	920.8	11.0	923.6	15.5	926.5	31.5
1306	914.0	916.4	5.0	919.4	9.5	922.2	15.5	926.5	31.5	916.5	5.5	920.9	11.0	923.7	15.5	926.5	31.5
1307	919.0	916.5	0.0	919.5	2.0	922.3	6.5	926.6	28.5	916.6	0.0	921.0	7.0	923.8	9.5	926.6	28.5
1308	915.5	916.4	3.0	919.2	7.5	922.0	13.0	926.5	31.0	916.5	3.0	920.9	9.5	923.6	13.5	926.5	31.0
1309	910.0	916.8	10.5	919.9	14.0	922.7	27.5	926.9	32.0	916.9	10.5	921.2	14.0	924.0	27.5	926.9	32.0

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
		Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation
1310	913.0	916.9	7.0	920.0	11.5	922.9	19.0	927.0	31.5	917.0	7.0	921.3	12.0	924.1	19.0	927.0	31.5
1311	921.0	916.8	0.0	919.2	0.0	922.2	3.5	926.6	19.5	916.8	0.0	920.9	0.0	923.6	7.5	926.6	19.0
1312	922.0	916.8	0.0	919.2	0.0	922.2	1.0	926.6	16.0	916.8	0.0	920.9	0.0	923.6	6.5	926.6	15.5
1313	923.5	919.4	0.0	919.4	0.0	922.8	0.0	926.6	13.0	919.5	0.0	920.1	0.0	923.6	2.5	926.6	13.5
1314	925.0	917.1	0.0	920.2	0.0	923.1	0.0	927.2	9.0	917.2	0.0	921.4	0.0	924.2	0.0	927.2	10.5
1315	924.0	917.4	0.0	920.5	0.0	923.4	0.0	927.4	13.0	917.6	0.0	921.6	0.0	924.4	3.0	927.4	13.5
1316	907.0	917.3	15.0	920.4	17.5	923.3	31.5	927.3	34.0	917.5	15.5	921.6	17.5	924.4	31.5	927.3	34.0
1317	923.5	919.4	0.0	919.4	0.0	922.8	0.0	926.6	13.0	919.5	0.0	920.1	0.0	923.6	2.5	926.6	13.5
1318	924.0	918.2	0.0	921.2	0.0	924.1	0.5	928.1	15.5	918.3	0.0	922.1	0.0	924.9	4.5	928.1	15.5
1320	926.5	918.9	0.0	921.8	0.0	924.7	0.0	929.1	10.0	919.0	0.0	922.6	0.0	925.4	0.0	929.1	11.0
1321	925.0	919.5	0.0	922.6	0.0	925.4	1.5	929.9	17.5	919.6	0.0	923.1	0.0	925.9	4.5	929.9	17.5
1324	925.0	919.2	0.0	922.3	0.0	925.0	0.5	929.4	15.0	919.3	0.0	922.9	0.0	925.6	3.5	929.4	15.5
1325	927.5	919.5	0.0	922.6	0.0	925.4	0.0	929.9	9.0	919.6	0.0	923.1	0.0	925.9	0.0	929.9	9.5
1328	924.5	917.1	0.0	920.2	0.0	923.1	0.0	927.2	10.0	917.2	0.0	921.4	0.0	924.2	0.0	927.2	12.0
1329	925.0	917.3	0.0	920.4	0.0	923.3	0.0	927.3	9.5	917.5	0.0	921.6	0.0	924.4	0.0	927.3	11.0
1330	928.0	918.6	0.0	921.6	0.0	924.5	0.0	928.7	4.0	918.8	0.0	922.4	0.0	925.2	0.0	928.7	4.5
1335	923.0	917.4	0.0	920.5	0.0	923.4	1.5	927.4	16.5	917.6	0.0	921.6	0.0	924.4	6.0	927.4	16.5
1336	926.0	917.9	0.0	920.9	0.0	923.8	0.0	927.8	8.0	918.0	0.0	921.9	0.0	924.7	0.0	927.8	9.5
1337	921.5	917.5	0.0	920.4	0.0	922.6	3.5	927.0	20.5	917.6	0.0	921.2	0.0	924.0	7.5	927.0	20.5
1338	914.0	917.7	6.5	920.7	11.0	923.6	18.5	927.7	31.5	917.8	7.0	921.8	12.0	924.6	18.5	927.7	31.5
1339	922.5	918.2	0.0	918.2	0.0	918.3	0.0	925.0	4.0	918.2	0.0	918.6	0.0	921.8	0.0	925.2	7.0
1342	923.5	915.1	0.0	918.0	0.0	920.6	0.0	925.7	6.0	915.2	0.0	920.2	0.0	922.9	0.0	925.9	9.0
1344	918.0	915.1	0.0	918.0	0.0	920.6	6.0	925.7	27.0	915.2	0.0	920.2	7.5	922.9	9.5	925.9	27.0
1345	924.0	917.1	0.0	920.2	0.0	923.1	0.0	927.2	12.0	917.2	0.0	921.4	0.0	924.2	2.5	927.2	12.5
1347	922.0	917.5	0.0	920.4	0.0	922.6	3.0	927.0	18.0	917.6	0.0	921.2	0.0	924.0	7.0	927.0	18.0
1348	927.0	918.3	0.0	921.2	0.0	924.2	0.0	928.3	6.0	918.4	0.0	922.1	0.0	925.0	0.0	928.3	7.5
1349	926.0	918.1	0.0	921.0	0.0	923.9	0.0	927.9	8.5	918.2	0.0	922.0	0.0	924.8	0.0	927.9	10.0
1351	909.0	917.7	12.5	920.7	15.0	923.6	31.0	927.7	33.0	917.8	13.0	921.8	15.0	924.6	31.0	927.7	33.0
1352	920.0	917.5	0.0	920.4	2.0	922.6	6.5	927.0	29.0	917.6	0.0	921.2	6.5	924.0	9.5	927.0	29.0
1354	922.5	917.5	0.0	920.4	0.0	922.6	1.0	927.0	16.0	917.6	0.0	921.2	0.0	924.0	6.0	927.0	15.5
1355	923.0	917.3	0.0	920.4	0.0	923.3	1.5	927.3	16.0	917.5	0.0	921.6	0.0	924.4	6.0	927.3	16.0
1356	927.0	918.3	0.0	921.2	0.0	924.2	0.0	928.3	6.0	918.4	0.0	922.1	0.0	925.0	0.0	928.3	7.5
1357	924.5	918.5	0.0	921.4	0.0	924.3	0.0	928.5	14.5	918.6	0.0	922.3	0.0	925.1	4.0	928.5	14.5
1358	924.5	918.5	0.0	921.4	0.0	924.3	0.0	928.5	14.5	918.6	0.0	922.3	0.0	925.1	4.0	928.5	14.5
1360	923.0	917.5	0.0	920.4	0.0	922.6	0.0	927.0	14.0	917.6	0.0	921.2	0.0	924.0	5.0	927.0	14.0
1361	924.5	917.5	0.0	920.4	0.0	922.6	0.0	927.0	9.5	917.6	0.0	921.2	0.0	924.0	0.0	927.0	11.0
1362	924.5	917.5	0.0	920.4	0.0	922.6	0.0	927.0	9.5	917.6	0.0	921.2	0.0	924.0	0.0	927.0	11.0
1363	921.5	917.5	0.0	920.4	0.0	922.6	3.5	927.0	20.5	917.6	0.0	921.2	0.0	924.0	7.5	927.0	20.5
1366	924.5	920.3	0.0	923.0	0.0	925.9	3.5	930.6	20.5	920.4	0.0	923.4	0.0	926.6	6.0	930.6	20.5
1367	925.0	916.5	0.0	919.6	0.0	922.4	0.0	926.8	7.5	916.6	0.0	921.1	0.0	923.9	0.0	926.8	9.5
1368	925.0	916.5	0.0	919.6	0.0	922.4	0.0	926.8	7.5	916.6	0.0	921.1	0.0	923.9	0.0	926.8	9.5
1369	921.0	916.5	0.0	919.6	0.0	922.4	4.0	926.8	21.5	916.6	0.0	921.1	1.0	923.9	8.0	926.8	21.0
1370	919.5	916.5	0.0	919.6	0.5	922.4	6.0	926.8	27.5	916.6	0.0	921.1	6.5	923.9	9.5	926.8	27.5
1371	923.0	916.5	0.0	919.6	0.0	922.4	0.0	926.8	13.5	916.6	0.0	921.1	0.0	923.9	5.0	926.8	14.0
1375	925.0	916.7	0.0	920.3	0.0	922.5	0.0	927.4	7.5	916.7	0.0	921.1	0.0	924.0	0.0	927.5	9.5
1402	922.0	913.8	0.0	916.2	0.0	918.1	0.0	923.6	4.0	913.8	0.0	919.4	0.0	921.8	0.0	923.8	7.5
1412	923.0	914.4	0.0	917.3	0.0	919.7	0.0	924.3	5.0	914.6	0.0	919.9	0.0	922.4	0.0	924.7	8.5
1447	922.0	916.5	0.0	919.6	0.0	922.5	2.0	927.1	17.0	916.6	0.0	921.1	0.0	923.9	6.5	927.1	16.5
1450	922.0	915.0	0.0	916.2	0.0	918.1	0.0	923.7	4.0	915.0	0.0	919.4	0.0	921.8	0.0	923.8	7.5
1451	919.5	913.4	0.0	916.2	0.0	918.5	0.0	922.2	10.5	913.7	0.0	919.5	0.0	921.8	7.0	923.7	13.0
1452	919.5	918.5	0.0	918.5	0.0	918.5	0.0	923.0	10.0	918.5	0.0	918.9	0.0	921.8	7.0	923.9	12.5
1453	922.0	914.0	0.0	916.9	0.0	919.4	0.0	923.8	6.0	914.3	0.0	919.8	0.0	922.3	2.5	924.5	10.0
1455	921.0	915.6	0.0	920.3	0.0	922.5	4.0	927.1	21.5	915.6	0.0	921.1	1.0	923.9	8.0	927.2	21.0
1461	924.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	10.0	915.6	0.0	921.1	0.0	923.9	0.0	927.2	11.5
1463	920.0	915.6	0.0	920.3	7.5	922.5	12.5	927.1	25.5	915.6	0.0	921.1	9.0	923.9	12.5	927.2	25.5
1466	920.0	913.8	0.0	916.7	0.0	919.1	0.0	923.4	11.0	914.1	0.0	919.7	0.0	922.2	7.0	924.2	13.0
1468	924.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	10.0	915.6	0.0	921.1	0.0	923.9	0.0	927.2	11.5
1471	918.5	915.0	0.0	916.2	0.0	918.1	0.0	923.7	12.5	915.0	0.0	919.4	4.5	921.8	8.5	923.8	14.0

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
1473	922.0	913.1	0.0	915.9	0.0	918.1	0.0	922.0	1.0	913.4	0.0	919.4	0.0	921.7	0.0	923.6	7.5
1474	921.0	916.8	0.0	918.8	0.0	919.0	0.0	923.6	6.0	916.8	0.0	919.4	0.0	921.8	4.0	923.7	9.5
1475	920.5	913.8	0.0	916.2	0.0	918.1	0.0	923.6	6.0	913.8	0.0	919.4	0.0	921.8	5.5	923.8	10.5
1477	916.0	913.8	0.0	916.2	3.0	918.1	6.5	923.6	25.5	913.8	0.0	919.4	8.0	921.8	10.0	923.8	26.0
1478	923.0	913.8	0.0	916.2	0.0	918.1	0.0	923.6	3.0	913.8	0.0	919.4	0.0	921.8	0.0	923.8	6.5
1479	919.0	913.8	0.0	916.2	0.0	918.1	0.0	923.6	11.0	913.8	0.0	919.4	3.0	921.8	7.5	923.8	13.0
1481	922.0	918.0	0.0	919.8	0.0	920.1	0.0	925.6	6.5	918.0	0.0	919.8	0.0	921.9	0.0	925.6	8.5
1485	923.0	914.4	0.0	917.3	0.0	919.7	0.0	924.3	5.0	914.6	0.0	919.9	0.0	922.4	0.0	924.7	8.5
1486	904.5	914.4	14.5	917.3	18.0	919.7	31.5	924.3	33.5	914.6	15.0	919.9	18.0	922.4	31.5	924.7	33.0
1491	918.0	915.6	0.0	920.3	13.0	922.5	16.5	927.1	30.5	915.6	0.0	921.1	13.5	923.9	17.0	927.2	31.0
1494	921.5	913.4	0.0	916.2	0.0	918.5	0.0	922.2	3.5	913.7	0.0	919.5	0.0	921.8	2.5	923.7	9.0
1496	921.0	915.0	0.0	916.2	0.0	918.1	0.0	923.7	5.0	915.0	0.0	919.4	0.0	921.8	4.0	923.8	9.5
1512	924.0	916.5	0.0	919.6	0.0	922.5	0.0	927.1	10.0	916.6	0.0	921.1	0.0	923.9	0.0	927.1	11.5
1513	922.0	916.5	0.0	919.6	0.0	922.5	2.0	927.1	17.0	916.6	0.0	921.1	0.0	923.9	6.5	927.1	16.5
1514	918.0	916.5	0.0	919.6	4.0	922.5	8.5	927.1	31.0	916.6	0.0	921.1	8.5	923.9	11.0	927.1	31.0
1515	927.0	916.5	0.0	919.6	0.0	922.5	0.0	927.1	0.5	916.6	0.0	921.1	0.0	923.9	0.0	927.1	1.0
1516	925.0	916.5	0.0	919.6	0.0	922.5	0.0	927.1	7.5	916.6	0.0	921.1	0.0	923.9	0.0	927.1	9.5
1517	927.0	916.5	0.0	919.6	0.0	922.5	0.0	927.1	0.5	916.6	0.0	921.1	0.0	923.9	0.0	927.1	1.0
1520	924.0	918.0	0.0	920.3	0.0	922.5	0.0	929.9	10.5	918.0	0.0	921.1	0.0	924.0	0.0	929.9	11.5
1523	921.0	916.7	0.0	920.3	0.0	922.5	4.0	927.4	21.5	916.7	0.0	921.1	1.0	924.0	8.5	927.5	21.0
1524	921.0	916.7	0.0	920.3	0.0	922.5	4.0	927.4	21.5	916.7	0.0	921.1	1.0	924.0	8.5	927.5	21.0
1541	924.0	919.6	0.0	920.2	0.0	920.5	0.0	921.5	0.0	919.5	0.0	920.2	0.0	921.3	0.0	922.4	0.0
1542	924.0	915.9	0.0	918.9	0.0	921.6	0.0	926.1	8.0	916.1	0.0	920.7	0.0	923.4	0.0	926.2	10.0
1543	924.0	916.1	0.0	919.0	0.0	921.8	0.0	926.2	8.5	916.2	0.0	920.8	0.0	923.5	0.0	926.3	10.0
1545	925.0	916.5	0.0	919.5	0.0	922.4	0.0	926.8	7.5	916.6	0.0	921.1	0.0	923.9	0.0	926.9	9.5
1548	924.5	916.5	0.0	919.5	0.0	922.3	0.0	926.6	8.5	916.6	0.0	921.0	0.0	923.8	0.0	926.6	10.0
1550	924.0	919.7	0.0	920.4	0.0	920.8	0.0	921.9	0.0	919.7	0.0	920.4	0.0	921.3	0.0	922.4	0.0
1551	924.0	919.5	0.0	920.2	0.0	920.5	0.0	921.4	0.0	919.5	0.0	920.2	0.0	921.4	0.0	922.4	0.0
1554	923.5	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0
1556	926.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0
1568	926.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	4.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	5.5
1569	925.0	916.5	0.0	919.6	0.0	922.5	0.0	927.1	7.5	916.6	0.0	921.1	0.0	923.9	0.0	927.1	9.5
1570	922.0	916.5	0.0	919.6	0.0	922.5	2.0	927.1	17.0	916.6	0.0	921.1	0.0	923.9	6.5	927.1	16.5
1572	922.0	919.7	0.0	920.3	0.0	920.7	0.0	921.8	0.0	919.6	0.0	920.3	0.0	921.3	0.0	922.4	3.5
1573	917.0	919.7	6.0	920.3	12.5	920.7	15.0	921.8	17.0	919.6	6.0	920.3	12.0	921.3	14.5	922.4	17.0
1578	919.0	916.5	0.0	919.6	2.0	922.4	6.5	926.8	29.0	916.6	0.0	921.1	7.0	923.9	9.5	926.8	29.0
1580	919.5	916.5	0.0	919.6	0.5	922.4	6.0	926.8	27.5	916.6	0.0	921.1	6.5	923.9	9.5	926.8	27.5
1581	907.0	916.5	13.5	919.5	16.5	922.4	31.0	926.8	33.0	916.6	13.5	921.1	16.5	923.9	31.0	926.9	33.0
1582	921.0	915.1	0.0	918.0	0.0	920.6	0.0	925.7	13.5	915.2	0.0	920.2	0.0	922.9	6.5	925.9	14.0
1583	923.5	915.1	0.0	918.0	0.0	920.6	0.0	925.7	6.0	915.2	0.0	920.2	0.0	922.9	0.0	925.9	9.0
1584	919.0	915.1	0.0	918.0	0.0	920.6	4.5	925.7	22.5	915.2	0.0	920.2	6.0	922.9	9.0	925.9	22.5
1585	917.5	915.8	0.0	918.7	3.5	921.4	7.5	926.0	30.5	915.9	0.0	920.6	8.0	923.3	11.0	926.1	30.5
1586	921.0	915.9	0.0	918.9	0.0	921.6	2.5	926.1	18.0	916.1	0.0	920.7	0.0	923.4	7.5	926.2	17.5
1587	919.0	916.1	0.0	919.0	0.5	921.8	6.0	926.2	27.0	916.2	0.0	920.8	7.0	923.5	9.5	926.3	27.0
1588	913.5	916.5	6.0	919.5	10.0	922.4	17.0	926.8	31.5	916.6	6.0	921.1	11.5	923.9	17.0	926.9	31.5
1589	921.0	919.8	0.0	919.8	0.0	920.6	0.0	926.1	13.5	919.8	0.0	920.2	0.0	922.9	6.5	926.2	14.0
1594	921.5	919.7	0.0	920.3	0.0	920.7	0.0	921.8	2.0	919.6	0.0	920.3	0.0	921.3	0.0	922.4	7.5
1595	923.0	919.5	0.0	920.2	0.0	920.5	0.0	921.4	0.0	919.5	0.0	920.2	0.0	921.4	0.0	922.4	0.0
1596	909.0	918.8	14.5	921.7	16.5	924.7	31.5	929.0	34.0	918.9	15.0	922.5	16.5	925.4	31.5	929.0	34.0
1597	927.0	918.6	0.0	921.6	0.0	924.5	0.0	928.7	7.5	918.8	0.0	922.4	0.0	925.2	0.0	928.7	9.0
1599	923.5	917.5	0.0	920.4	0.0	922.6	0.0	927.0	12.5	917.6	0.0	921.2	0.0	924.0	3.5	927.0	13.0
1600	924.0	916.1	0.0	919.0	0.0	921.8	0.0	926.2	8.5	916.2	0.0	920.8	0.0	923.5	0.0	926.3	10.0
1615	927.0	919.3	0.0	922.4	0.0	925.2	0.0	930.3	10.0	919.4	0.0	923.0	0.0	925.8	0.0	930.3	11.0
1616	924.0	920.3	0.0	923.0	0.0	925.9	4.5	930.6	22.5	920.4	0.0	923.4	0.0	926.6	7.0	930.6	22.5
1630	916.0	910.8	0.0	913.1	0.0	914.5	0.0	916.8	4.5	911.2	0.0	918.7	7.0	921.1	9.0	922.7	12.5
1633	920.0	911.2	0.0	914.1	0.0	916.9	0.0	920.0	0.0	910.6	0.0	918.9	0.0	921.5	5.5	923.1	9.0
1634	904.0	912.5	13.5	915.1	17.5	917.1	31.0	920.2	32.5	912.8	14.0	919.1	17.5	921.6	31.0	923.3	32.5
1638	912.5	910.0	0.0	912.0	0.0	913.3	5.5	914.7	19.0	910.7	0.0	918.6	9.5	921.1	11.5	922.5	24.5

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
1648	913.0	910.8	0.0	913.1	1.5	914.5	6.5	916.8	25.5	911.2	0.0	918.7	9.0	921.1	11.0	922.7	26.5
1650	915.0	910.8	0.0	913.1	0.0	914.5	0.0	916.8	10.5	911.2	0.0	918.7	8.0	921.1	9.5	922.7	14.5
1670	918.0	914.5	0.0	915.9	0.0	917.8	0.0	921.7	15.0	915.2	0.0	919.3	5.5	921.6	9.5	923.2	16.0
1671	915.0	914.5	0.0	915.9	5.0	917.8	9.0	921.7	30.0	915.2	0.5	919.3	10.5	921.6	12.5	923.2	30.0
1672	910.0	912.8	6.5	915.6	11.0	917.7	17.5	921.6	31.5	913.1	7.0	919.3	12.0	921.6	17.5	923.2	31.5
1673	917.5	912.8	0.0	915.6	0.0	917.7	2.0	921.6	16.0	913.1	0.0	919.3	6.0	921.6	9.0	923.2	16.0
1678	917.5	910.7	0.0	913.1	0.0	914.5	0.0	916.8	0.0	911.1	0.0	918.7	5.0	921.2	7.5	922.7	11.0
1689	917.0	912.2	0.0	914.8	0.0	916.6	0.0	919.4	12.0	912.5	0.0	919.0	6.5	921.5	8.5	923.1	14.0
1690	911.5	911.6	1.0	914.1	7.5	915.9	12.5	918.7	31.0	912.0	2.5	918.9	10.5	921.3	13.5	922.9	31.0
1777	912.0	909.9	0.0	914.1	8.0	916.7	13.0	919.9	31.5	911.0	0.0	918.9	12.0	921.4	14.5	923.0	31.0
1783	919.5	911.2	0.0	914.1	0.0	916.9	0.0	920.0	2.5	910.6	0.0	918.9	0.0	921.5	6.0	923.1	9.5
1785	916.0	912.5	0.0	915.1	0.0	917.1	4.5	920.2	20.5	912.8	0.0	919.1	8.0	921.6	10.0	923.3	21.5
1791	920.0	911.2	0.0	914.1	0.0	916.9	0.0	920.0	0.0	910.6	0.0	918.9	0.0	921.5	5.5	923.1	9.0
1792	919.0	911.2	0.0	914.1	0.0	916.9	0.0	920.0	4.5	910.6	0.0	918.9	0.0	921.5	6.5	923.1	10.5
1794	920.0	912.6	0.0	915.3	0.0	917.3	0.0	920.6	3.5	912.9	0.0	919.2	0.0	921.6	6.0	923.3	10.0
1796	916.0	911.2	0.0	914.1	0.0	916.9	4.0	920.0	19.5	910.6	0.0	918.9	8.0	921.5	10.5	923.1	20.0
1803	919.5	917.6	0.0	917.6	0.0	917.6	0.0	920.8	7.5	917.6	0.0	919.3	0.0	921.5	7.5	923.1	12.5
1806	919.5	917.6	0.0	917.6	0.0	917.6	0.0	920.8	7.5	917.6	0.0	919.3	0.0	921.5	7.5	923.1	12.5
1812	908.5	912.8	8.5	915.6	13.0	917.7	21.0	921.6	31.5	913.1	8.5	919.3	13.5	921.6	21.0	923.2	31.5
1822	921.0	914.5	0.0	915.9	0.0	917.8	0.0	921.7	3.5	915.2	0.0	919.3	0.0	921.6	4.0	923.2	9.5
1824	922.0	913.2	0.0	916.0	0.0	918.2	0.0	922.1	1.0	913.4	0.0	919.4	0.0	921.9	0.0	923.7	8.0
1827	921.5	920.3	0.0	920.3	0.0	920.3	0.0	922.6	28.5	920.3	0.0	920.3	0.0	921.1	0.0	923.6	28.5
1830	904.0	913.3	14.0	916.2	18.0	918.4	31.5	922.4	33.0	913.6	14.5	919.5	18.0	921.9	31.5	923.8	33.0
1833	920.0	914.5	0.0	915.9	0.0	917.8	0.0	921.7	6.0	915.2	0.0	919.3	0.0	921.6	6.0	923.2	11.0
1834	923.0	920.3	0.0	920.3	0.0	920.3	0.0	922.6	0.0	920.3	0.0	920.3	0.0	921.1	0.0	923.6	6.0
1835	910.0	911.4	4.5	913.8	10.0	915.5	15.0	917.8	31.0	911.8	5.0	918.8	11.5	921.2	15.5	922.7	31.0
1836	913.0	912.8	0.0	913.1	1.5	914.5	6.0	916.9	25.0	912.8	0.0	918.7	9.5	921.2	11.5	922.7	26.0
1837	911.5	910.8	0.0	913.1	7.0	914.5	11.0	916.8	30.5	911.2	0.0	918.7	10.5	921.1	13.0	922.7	31.0
1838	908.0	910.8	7.0	913.1	12.0	914.5	18.0	916.7	31.5	911.3	7.5	918.6	12.5	921.1	18.0	922.6	31.5
1839	914.0	911.6	0.0	914.1	1.0	915.9	6.0	918.5	26.0	912.0	0.0	918.8	8.5	921.3	11.0	922.8	26.5
1840	913.0	910.7	0.0	913.1	1.5	914.5	6.5	916.8	25.5	911.1	0.0	918.7	9.0	921.2	11.0	922.7	26.5
1841	916.0	912.0	0.0	914.6	0.0	916.4	2.5	919.0	17.0	912.4	0.0	919.0	8.0	921.5	9.5	923.1	17.5
1842	916.0	910.7	0.0	913.1	0.0	914.5	0.0	916.8	4.5	911.1	0.0	918.7	7.0	921.2	9.0	922.7	12.5
1845	912.5	910.3	0.0	912.0	0.0	913.4	7.0	915.5	20.0	911.2	0.0	918.7	9.5	921.1	12.0	922.7	28.5
1850	914.5	910.0	0.0	912.0	0.0	913.3	0.0	914.7	1.5	910.7	0.0	918.6	8.5	921.1	9.5	922.5	14.0
1861	913.0	911.2	0.0	914.1	4.0	916.9	10.5	920.0	30.5	910.6	0.0	918.9	11.0	921.5	13.0	923.1	31.0
1868	917.5	912.3	0.0	914.9	0.0	916.8	0.0	919.7	10.5	912.6	0.0	919.1	6.0	921.5	8.5	923.2	13.5
1869	917.5	909.9	0.0	914.1	0.0	916.7	0.0	919.9	14.0	911.0	0.0	918.9	6.0	921.4	9.0	923.0	15.5
1876	917.5	910.7	0.0	913.1	0.0	914.5	0.0	916.8	0.0	911.1	0.0	918.7	5.0	921.2	7.5	922.7	11.0
1880	904.0	913.8	14.5	916.7	18.5	919.1	31.5	923.4	33.0	914.1	15.0	919.7	18.5	922.2	31.5	924.2	33.0
1881	914.5	915.4	4.5	916.1	11.0	916.3	12.5	916.8	16.0	914.9	3.0	918.7	10.0	920.9	12.0	922.0	15.5
1882	915.0	915.4	3.0	916.1	8.5	916.3	11.0	916.8	14.0	914.9	0.0	918.7	10.0	920.9	11.0	922.0	13.5
1883	908.5	910.6	6.0	912.8	11.0	914.1	16.5	915.7	31.5	911.0	6.5	918.6	12.0	921.0	16.5	922.4	31.5
1885	914.0	910.8	0.0	913.2	0.0	914.6	3.5	916.6	18.0	911.3	0.0	918.6	8.5	921.1	10.5	922.5	18.0
1886	911.0	910.9	0.0	913.0	7.5	914.7	12.0	916.6	30.5	911.2	1.5	918.6	10.5	921.0	13.5	922.4	31.0
1890	918.5	915.3	0.0	915.3	0.0	918.1	0.0	921.0	12.5	915.3	0.0	919.1	4.5	921.7	8.0	923.5	13.5
1892	901.0	913.5	18.5	916.3	32.0	918.6	32.0	922.6	37.5	913.8	19.0	919.5	31.5	922.0	32.0	923.9	37.5
1893	914.0	911.0	0.0	913.4	0.0	914.9	4.5	917.1	20.5	911.4	0.0	918.7	8.5	921.1	10.5	922.6	21.0
1895	908.0	912.6	8.5	915.3	13.0	917.3	21.5	920.6	32.0	912.9	9.0	919.2	13.5	921.6	21.5	923.3	32.0
1896	910.5	913.1	6.5	915.9	11.0	918.1	17.0	921.9	31.5	913.4	6.5	919.4	12.0	921.7	17.0	923.5	31.5
1897	910.5	913.1	6.5	915.9	11.0	918.1	17.0	921.9	31.5	913.4	6.5	919.4	12.0	921.7	17.0	923.5	31.5
1898	917.0	912.8	0.0	915.6	0.0	917.7	3.0	921.4	18.5	913.1	0.0	919.3	7.0	921.7	9.5	923.5	19.0
1899	915.0	913.2	0.0	916.0	3.5	918.2	7.5	922.1	29.5	913.4	0.0	919.4	9.0	921.9	11.0	923.7	30.0
1901	916.5	915.4	0.0	916.1	0.0	916.3	0.0	916.8	5.5	914.9	0.0	918.7	6.5	920.9	8.5	922.0	11.0
1902	916.0	915.4	0.0	916.1	2.0	916.3	5.5	916.8	9.0	914.9	0.0	918.7	7.5	920.9	9.0	922.0	12.0
1903	915.5	915.4	0.0	916.1	5.5	916.3	9.0	916.8	12.0	914.9	0.0	918.7	8.5	920.9	10.5	922.0	13.0
1904	912.0	915.4	8.5	916.1	15.5	916.3	18.0	916.8	22.5	914.9	8.5	918.7	14.5	920.9	17.5	922.0	23.5
1905	912.5	915.4	8.0	916.1	14.5	916.3	17.5	916.8	21.5	914.9	8.0	918.7	14.0	920.9	16.0	922.0	22.0

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
		Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation
1906	913.0	915.4	7.5	916.1	14.0	916.3	16.5	916.8	20.0	914.9	7.0	918.7	12.5	920.9	15.0	922.0	20.0
1907	912.0	915.4	8.5	916.1	15.5	916.3	18.0	916.8	22.5	914.9	9.0	918.7	15.0	920.9	17.5	922.0	23.5
1908	912.0	915.4	8.5	916.1	15.5	916.3	18.0	916.8	22.5	914.9	9.0	918.7	15.0	920.9	17.5	922.0	23.5
1909	915.0	912.5	0.0	913.7	0.0	913.9	0.0	914.5	0.0	914.6	0.0	918.7	7.5	920.9	9.0	921.9	11.5
1910	913.0	912.5	0.0	913.7	4.5	913.9	8.5	914.5	13.0	914.6	5.0	918.7	13.5	920.9	15.0	921.9	16.5
1911	915.0	912.5	0.0	913.7	0.0	913.9	0.0	914.5	0.0	914.6	0.0	918.7	7.5	920.9	9.0	921.9	11.5
1913	913.0	912.5	0.0	913.7	4.5	913.9	8.5	914.5	13.0	914.6	5.0	918.7	13.5	920.9	15.0	921.9	16.5
1915	910.5	915.4	10.0	916.1	17.0	916.3	19.5	916.8	26.5	914.9	10.5	918.7	17.0	920.9	19.0	922.0	27.5
1917	910.0	915.3	10.5	916.0	17.5	916.2	20.0	916.7	27.5	914.8	11.0	918.7	17.5	920.9	20.0	922.0	28.0
1918	910.0	915.3	10.5	916.0	17.5	916.2	20.0	916.7	27.5	914.8	11.0	918.7	17.5	920.9	20.0	922.0	28.0
1920	911.0	915.1	8.0	915.7	14.5	915.8	17.0	916.3	25.5	912.8	9.0	918.7	14.5	921.0	17.0	922.1	25.5
1921	909.0	911.9	9.0	912.7	16.0	913.2	18.0	914.5	29.0	911.6	6.0	918.6	12.0	921.0	15.5	922.3	31.5
1922	910.5	911.9	7.0	912.7	13.5	913.2	15.5	914.5	26.5	911.6	4.0	918.6	11.0	921.0	14.0	922.4	31.0
1923	908.0	911.9	10.0	912.7	16.0	913.2	19.0	914.5	29.5	911.6	8.0	918.6	13.5	921.0	18.0	922.4	31.5
1924	909.0	911.9	9.0	912.7	15.5	913.2	18.0	914.5	28.5	911.6	6.0	918.6	12.0	921.0	15.5	922.4	31.5
1925	909.5	911.9	8.5	912.7	15.0	913.2	18.0	914.5	28.0	911.6	5.0	918.6	12.0	921.0	15.0	922.4	31.0
1927	910.5	911.9	7.0	912.7	13.5	913.2	15.5	914.5	26.5	911.6	4.0	918.6	11.0	921.0	14.0	922.4	31.0
1929	911.0	912.0	5.5	912.7	11.5	913.3	14.5	914.7	25.0	911.6	3.5	918.6	10.5	921.0	13.5	922.4	31.0
1930	913.5	912.0	0.0	912.7	0.0	913.3	0.0	914.7	8.5	911.6	0.0	918.6	9.0	921.0	11.0	922.4	15.0
1932	908.5	912.0	10.0	912.7	16.0	913.3	19.0	914.7	29.5	911.6	9.5	918.6	15.0	921.0	18.0	922.4	31.5
1933	909.5	915.2	9.0	915.8	15.0	915.9	18.0	916.4	28.0	912.9	9.5	918.7	15.5	921.0	18.5	922.1	31.5
1934	910.0	915.2	8.5	915.8	14.5	915.9	17.5	916.4	27.5	912.9	9.5	918.7	15.5	921.0	18.0	922.1	31.5
1938	910.0	915.2	8.5	915.8	14.5	915.9	17.5	916.4	27.5	912.9	9.5	918.7	15.5	921.0	18.0	922.1	31.5
1940	912.5	912.0	0.0	912.7	4.0	913.3	7.5	914.7	15.5	911.6	0.0	918.6	10.0	921.0	11.5	922.4	20.5
1941	910.0	912.0	8.0	912.7	14.5	913.3	17.0	914.7	27.5	911.6	6.0	918.6	12.0	921.0	15.0	922.4	31.0
1942	914.0	916.0	7.5	916.4	13.5	916.5	16.5	917.0	19.5	915.8	7.0	918.8	13.0	921.0	15.5	922.1	19.0
1943	912.0	915.4	8.5	916.1	15.5	916.4	18.0	916.9	22.5	915.0	9.0	918.7	15.0	921.0	17.5	922.0	23.5
1944	911.0	915.2	8.0	915.8	14.5	916.0	17.0	916.5	25.5	913.8	8.5	918.8	14.0	921.0	16.5	922.1	26.0
1945	911.5	915.2	8.0	915.8	14.0	916.0	16.5	916.5	22.5	913.8	8.0	918.8	13.5	921.0	15.5	922.1	24.5
1946	908.0	915.4	12.5	916.1	20.0	916.4	22.5	916.9	32.5	915.0	13.5	918.7	20.0	921.0	22.5	922.0	32.5
1947	907.5	915.4	13.0	916.1	20.5	916.4	23.5	916.9	32.5	915.0	14.0	918.7	20.5	921.0	23.5	922.0	32.5
1948	913.0	915.4	7.5	916.1	14.0	916.4	16.5	916.9	20.0	915.0	7.0	918.7	12.5	921.0	15.0	922.0	20.0
1949	908.5	915.4	12.0	916.1	19.5	916.4	21.5	916.9	30.5	915.0	13.0	918.7	19.5	921.0	21.5	922.0	31.5
1950	908.5	915.4	12.0	916.1	19.5	916.4	21.5	916.9	30.5	915.0	13.0	918.7	19.5	921.0	21.5	922.0	31.5
1951	913.0	915.4	7.5	916.1	14.0	916.4	16.5	916.9	20.0	915.0	7.0	918.7	12.5	921.0	15.0	922.0	20.0
1952	916.0	915.4	0.0	916.1	2.5	916.4	5.5	916.9	9.5	915.0	0.0	918.7	7.5	921.0	9.5	922.0	12.0
1953	916.0	915.4	0.0	916.1	2.5	916.4	5.5	916.9	9.5	915.0	0.0	918.7	7.5	921.0	9.5	922.0	12.0
1954	912.5	915.4	8.0	916.2	15.0	916.4	17.0	917.0	21.5	915.0	8.0	918.8	14.0	921.0	16.0	922.1	22.5
1956	914.5	915.4	4.5	916.1	11.0	916.4	12.5	916.9	16.5	915.0	3.0	918.7	10.0	921.0	12.0	922.0	15.5
1957	913.5	915.4	7.0	916.1	13.0	916.4	15.5	916.9	19.0	915.0	6.0	918.7	12.0	921.0	14.0	922.0	18.5
1960	916.0	915.4	0.0	916.1	2.5	916.4	5.5	916.9	9.5	915.0	0.0	918.7	7.5	921.0	9.5	922.0	12.0
1961	921.0	915.4	0.0	916.2	0.0	916.4	0.0	917.0	0.0	915.0	0.0	918.8	0.0	921.0	0.0	922.1	4.5
1962	918.5	915.4	0.0	916.2	0.0	916.4	0.0	917.0	0.0	915.0	0.0	918.8	2.0	921.0	6.5	922.1	9.0
1963	919.0	915.4	0.0	916.2	0.0	916.4	0.0	917.0	0.0	915.0	0.0	918.8	0.0	921.0	6.0	922.1	8.5
1964	921.5	915.4	0.0	916.2	0.0	916.4	0.0	917.0	0.0	915.0	0.0	918.8	0.0	921.0	0.0	922.1	3.0
1965	915.0	915.4	3.0	916.2	8.5	916.4	11.0	917.0	14.0	915.0	0.0	918.7	10.0	921.0	11.5	922.1	14.0
1966	909.5	915.4	11.0	916.2	18.0	916.4	21.0	917.0	28.5	915.0	11.5	918.7	18.0	921.0	20.5	922.1	29.0
1967	912.5	915.4	8.0	916.2	15.0	916.4	17.0	917.0	21.5	915.0	8.0	918.7	14.0	921.0	16.0	922.1	22.5
1968	920.0	915.4	0.0	916.2	0.0	916.4	0.0	917.0	0.0	915.0	0.0	918.7	0.0	921.0	4.5	922.1	6.5
1969	916.0	915.4	0.0	916.2	2.5	916.4	6.0	917.0	10.0	915.0	0.0	918.7	7.5	921.0	9.5	922.1	12.0
1970	912.5	916.6	7.5	917.1	13.5	917.2	16.0	917.6	20.0	916.5	5.5	918.8	11.5	921.0	13.5	922.1	21.0
1971	914.0	916.6	5.5	917.1	12.0	917.2	14.5	917.6	17.5	916.5	5.0	918.8	11.5	921.0	13.0	922.1	16.0
1972	918.0	918.1	1.5	918.7	6.5	918.9	9.5	919.6	12.5	918.1	1.0	919.2	9.0	921.1	10.5	922.1	13.0
1973	916.0	916.6	3.5	917.1	9.0	917.2	11.5	917.6	14.5	916.5	3.0	918.8	9.5	921.0	11.5	922.1	14.5
1974	916.0	916.6	3.5	917.1	9.0	917.2	11.5	917.6	14.5	916.5	3.0	918.8	9.5	921.0	11.5	922.1	14.5
1975	915.5	912.0	0.0	912.8	0.0	913.4	0.0	915.5	0.0	911.6	0.0	918.6	7.5	921.0	9.0	922.4	12.0
1976	911.0	915.4	8.0	916.5	14.5	916.7	16.5	917.3	25.5	914.9	8.5	918.8	14.0	921.0	16.5	922.1	25.5
1977	913.0	915.4	7.0	916.5	13.5	916.7	15.5	917.3	19.5	914.9	5.0	918.8	12.0	921.0	14.0	922.1	18.0

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
		Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation
1978	916.5	915.4	0.0	916.5	0.0	916.7	4.0	917.3	8.0	914.9	0.0	918.8	6.5	921.0	9.0	922.1	11.5
1991	916.5	915.3	0.0	915.3	0.0	915.3	0.0	920.5	12.0	915.3	0.0	919.1	7.5	921.6	12.0	923.4	16.0
1993	915.0	912.6	0.0	913.0	0.0	913.9	0.0	920.5	13.0	912.6	0.0	918.5	8.5	921.6	12.5	923.4	16.0
1995	918.0	915.3	0.0	915.3	0.0	918.1	0.5	921.0	15.0	915.3	0.0	919.1	5.5	921.7	8.5	923.5	15.5
1996	916.0	913.5	0.0	913.6	0.0	913.7	0.0	916.5	2.0	913.6	0.0	918.6	7.0	921.6	10.0	923.4	13.0
1997	916.0	913.5	0.0	913.6	0.0	913.7	0.0	916.5	2.0	913.6	0.0	918.6	7.0	921.6	10.0	923.4	13.0
1998	917.5	915.7	0.0	917.7	2.0	918.2	5.0	920.0	9.0	915.3	0.0	919.2	6.5	921.1	9.5	922.2	11.5
2000	919.5	915.7	0.0	917.7	0.0	918.2	0.0	920.0	4.0	915.3	0.0	919.2	0.0	921.1	6.0	922.2	9.5
2001	917.5	913.5	0.0	913.6	0.0	913.7	0.0	916.5	0.0	913.6	0.0	918.6	5.0	921.6	8.5	923.4	11.5
2003	917.5	919.3	5.0	919.9	11.5	920.2	13.5	921.1	16.5	919.3	5.0	919.9	11.5	921.3	13.0	922.3	16.0
2005	915.0	919.3	8.5	919.9	15.5	920.2	17.5	921.1	21.0	919.3	8.5	919.9	15.5	921.3	17.0	922.3	21.0
2006	916.0	919.5	7.5	920.1	14.5	920.4	16.5	921.3	19.0	919.4	7.0	920.1	13.5	921.3	16.0	922.4	19.0
2007	917.0	918.6	3.0	919.3	8.5	919.6	11.0	920.5	13.5	918.6	2.5	919.4	9.5	921.1	11.5	922.2	13.5
2008	915.5	918.6	3.5	919.3	9.5	919.6	12.0	920.5	14.0	918.6	3.0	919.4	10.0	921.1	12.0	922.2	14.0
2009	918.5	918.6	1.5	919.3	6.5	919.6	9.5	920.5	12.5	918.6	1.0	919.4	8.0	921.1	10.0	922.2	12.5
2010	920.0	918.6	0.0	919.3	0.0	919.6	0.0	920.5	5.0	918.6	0.0	919.4	0.0	921.1	5.0	922.2	9.0
2011	918.0	918.6	2.0	919.3	7.5	919.6	10.0	920.5	13.0	918.6	2.0	919.4	9.0	921.1	10.5	922.2	13.0
2012	921.0	919.5	0.0	920.1	0.0	920.4	0.0	921.3	4.0	919.4	0.0	920.1	0.0	921.3	3.5	922.4	8.0
2013	920.5	919.5	0.0	920.2	0.0	920.4	0.0	921.3	6.5	919.5	0.0	920.1	0.0	921.3	5.5	922.4	9.5
2014	918.0	919.5	4.5	920.1	10.5	920.4	12.5	921.3	15.5	919.4	4.5	920.1	11.0	921.3	12.5	922.4	15.5
2015	915.0	919.5	8.5	920.1	15.5	920.4	17.5	921.3	21.0	919.4	8.5	920.1	15.5	921.3	17.5	922.4	21.0
2021	924.0	919.5	0.0	920.2	0.0	920.5	0.0	921.4	0.0	919.5	0.0	920.2	0.0	921.4	0.0	922.4	0.0
2022	924.0	919.5	0.0	920.2	0.0	920.5	0.0	921.4	0.0	919.5	0.0	920.2	0.0	921.4	0.0	922.4	0.0
2023	923.0	919.5	0.0	920.2	0.0	920.5	0.0	921.4	0.0	919.5	0.0	920.2	0.0	921.4	0.0	922.4	0.0
2024	925.0	919.5	0.0	920.2	0.0	920.5	0.0	921.4	0.0	919.5	0.0	920.2	0.0	921.4	0.0	922.4	0.0
2025	916.0	919.9	7.5	920.7	15.0	921.0	16.5	922.1	19.5	919.8	7.5	920.6	14.5	921.7	16.5	922.7	19.0
2026	919.0	919.5	2.5	920.2	7.5	920.4	10.5	921.3	13.0	919.5	2.5	920.1	9.0	921.3	11.0	922.4	13.0
2027	920.0	919.5	0.0	920.2	2.0	920.5	5.0	921.4	8.5	919.5	0.0	920.1	4.5	921.3	9.0	922.4	10.5
2029	921.0	919.5	0.0	920.2	0.0	920.5	0.0	921.4	4.0	919.5	0.0	920.2	0.0	921.3	3.5	922.4	8.0
2031	919.5	920.2	3.0	921.0	8.0	921.4	11.0	922.6	13.5	920.2	3.0	921.0	9.0	921.9	11.0	922.9	13.5
2032	920.5	920.2	0.0	921.0	4.5	921.4	7.0	922.6	11.0	920.2	0.0	921.0	6.0	921.9	9.0	922.9	11.5
2033	919.0	919.9	4.0	920.7	9.0	921.0	11.5	922.2	14.0	919.9	3.5	920.7	9.5	921.7	11.5	922.7	14.0
2035	917.0	920.6	7.0	921.5	14.0	922.0	16.0	923.2	18.5	920.6	7.0	921.5	14.0	922.3	15.5	923.4	18.0
2040	920.5	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	4.0	923.5	9.0
2041	919.5	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	6.0	923.5	10.0
2042	919.5	920.0	2.5	920.3	7.5	920.4	10.0	921.2	13.0	920.0	2.5	920.3	9.0	921.1	10.5	922.6	13.0
2043	919.5	920.0	2.5	920.3	7.5	920.4	10.0	921.2	13.0	920.0	2.5	920.3	9.0	921.1	10.5	922.6	13.0
2044	923.0	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	0.0	923.5	3.5
2045	922.0	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	0.0	923.5	7.0
2046	921.0	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	3.5	923.5	8.5
2047	921.0	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	3.5	923.5	8.5
2048	915.0	913.1	0.0	915.9	3.0	918.1	7.5	921.9	29.5	913.4	0.0	919.4	8.5	921.7	11.0	923.5	30.0
2049	915.0	913.1	0.0	915.9	3.0	918.1	7.5	921.9	29.5	913.4	0.0	919.4	8.5	921.7	11.0	923.5	30.0
2050	918.5	915.6	0.0	915.6	0.0	915.6	0.0	920.8	8.0	915.6	0.0	918.5	0.5	921.7	9.0	923.5	12.5
2051	920.0	915.6	0.0	915.6	0.0	915.6	0.0	920.8	4.0	915.6	0.0	918.5	0.0	921.7	5.5	923.5	9.5
2052	910.5	913.1	6.5	915.9	11.0	918.1	17.0	921.9	31.5	913.4	6.5	919.4	12.0	921.7	17.0	923.5	31.5
2361	906.5	915.4	14.0	916.1	22.0	916.4	24.5	916.9	32.5	915.0	15.0	918.7	22.0	921.0	24.5	922.0	32.5
5001	909.0	907.2	0.0	908.5	0.0	911.7	14.5	912.5	22.0	912.7	0.0	918.7	0.0	920.9	0.0	922.0	0.0
5004	917.0	912.3	0.0	912.6	0.0	913.7	0.0	914.5	0.0	914.6	0.0	918.7	6.0	920.9	8.5	921.9	10.5
5009	917.0	912.3	0.0	912.6	0.0	913.7	0.0	914.5	0.0	914.6	0.0	918.7	6.0	920.9	8.5	921.9	10.5
5012	917.5	912.3	0.0	912.6	0.0	913.7	0.0	914.5	0.0	914.6	0.0	918.7	5.0	920.9	8.0	921.9	10.5
5013	916.0	912.3	0.0	912.6	0.0	913.7	0.0	914.5	0.0	914.6	0.0	918.7	7.0	920.9	9.5	921.9	11.5
5014	921.5	921.1	0.0	921.1	0.0	921.1	0.0	921.1	0.0	915.0	0.0	918.7	0.0	920.9	0.0	921.9	3.0
5015	921.5	915.0	0.0	917.0	0.0	917.1	0.0	917.1	0.0	915.0	0.0	918.7	0.0	920.9	0.0	921.9	3.0
5016	917.0	915.0	0.0	917.0	0.0	917.1	4.0	917.1	6.0	915.0	0.0	918.7	5.5	920.9	8.0	921.9	10.0
5017	920.0	915.0	0.0	917.0	0.0	917.1	0.0	917.1	0.0	915.0	0.0	918.7	0.0	920.9	4.0	921.9	6.0
5019	917.0	915.4	0.0	916.1	0.0	916.3	0.0	916.8	0.0	914.9	0.0	918.7	5.5	920.9	8.0	922.0	10.5
5020	917.0	915.4	0.0	916.1	0.0	916.3	0.0	916.8	0.0	914.9	0.0	918.7	5.5	920.9	8.0	922.0	10.5

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
		Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation
5021	916.0	915.4	0.0	916.1	2.0	916.3	5.5	916.8	9.0	914.9	0.0	918.7	7.5	920.9	9.0	922.0	12.0
5022	917.0	915.4	0.0	916.1	0.0	916.3	0.0	916.8	0.0	914.9	0.0	918.7	5.5	920.9	8.0	922.0	10.5
5025	921.0	915.0	0.0	917.0	0.0	917.1	0.0	917.1	0.0	915.0	0.0	918.7	0.0	920.9	0.0	921.9	4.5
5026	920.5	915.0	0.0	917.0	0.0	917.1	0.0	917.1	0.0	915.0	0.0	918.7	0.0	920.9	3.0	921.9	5.5
5027	919.0	915.4	0.0	916.1	0.0	916.3	0.0	916.8	0.0	914.9	0.0	918.7	0.0	920.9	6.0	922.0	8.0
5029	918.0	915.4	0.0	916.1	0.0	916.3	0.0	916.8	0.0	914.9	0.0	918.7	3.5	920.9	7.0	922.0	9.5
5030	918.0	915.4	0.0	916.1	0.0	916.3	0.0	916.8	0.0	914.9	0.0	918.7	3.5	920.9	7.0	922.0	9.5
5032	921.0	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	918.7	0.0	920.9	0.0	922.0	4.5
5034	920.0	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	918.7	0.0	920.9	4.0	922.0	6.0
5035	920.5	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	918.7	0.0	920.9	3.0	922.0	5.5
5036	920.5	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	918.7	0.0	920.9	3.0	922.0	5.5
5038	920.5	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	916.1	0.0	918.7	0.0	920.9	3.0	922.0	5.5
5059	929.0	920.0	0.0	923.0	0.0	925.8	0.0	930.4	6.0	920.1	0.0	923.5	0.0	926.3	0.0	930.5	7.0
5061	920.0	914.5	0.0	915.9	0.0	917.8	0.0	921.7	6.0	915.2	0.0	919.3	0.0	921.6	6.0	923.2	11.0
5167	935.5	922.3	0.0	924.9	0.0	927.7	0.0	932.6	0.0	922.4	0.0	925.3	0.0	928.1	0.0	932.7	0.0
5168	933.0	922.3	0.0	924.9	0.0	927.7	0.0	932.6	0.0	922.4	0.0	925.3	0.0	928.1	0.0	932.7	0.0
5169	934.5	931.0	0.0	931.0	0.0	931.0	0.0	932.7	0.0	931.0	0.0	931.0	0.0	931.0	0.0	932.7	0.0
5170	933.0	931.0	0.0	931.0	0.0	931.0	0.0	932.7	0.0	931.0	0.0	931.0	0.0	931.0	0.0	932.7	0.0
5171	933.0	931.0	0.0	931.0	0.0	931.0	0.0	932.7	0.0	931.0	0.0	931.0	0.0	931.0	0.0	932.7	0.0
5172	921.0	922.3	3.0	924.9	7.5	927.7	13.0	932.6	31.5	922.4	3.5	925.3	9.0	928.1	13.5	932.7	31.5
5173	915.0	922.7	12.5	925.2	14.5	927.9	31.5	932.8	33.5	922.7	12.5	925.5	14.5	928.3	31.5	932.9	33.5
5174	915.0	923.0	13.0	925.4	14.5	928.1	31.5	933.0	34.0	923.0	13.0	925.7	14.5	928.4	31.5	933.1	34.0
5175	915.0	923.0	13.0	925.4	14.5	928.1	31.5	933.0	34.0	923.0	13.0	925.7	14.5	928.4	31.5	933.1	34.0
5176	936.0	923.3	0.0	925.8	0.0	928.4	0.0	933.3	0.0	923.4	0.0	926.0	0.0	928.7	0.0	933.4	0.0
5177	931.0	923.5	0.0	925.9	0.0	928.6	0.0	933.5	9.0	923.6	0.0	926.2	0.0	928.9	0.0	933.6	9.5
5178	935.5	931.0	0.0	931.0	0.0	931.0	0.0	934.0	0.0	931.0	0.0	931.0	0.0	931.0	0.0	934.1	0.0
5179	920.0	924.0	7.5	926.4	11.0	929.0	21.0	934.1	32.5	924.1	8.0	926.7	11.5	929.3	21.5	934.1	32.5
5180	936.0	931.0	0.0	931.0	0.0	931.0	0.0	934.0	0.0	931.0	0.0	931.0	0.0	931.0	0.0	934.1	0.0
5181	933.5	931.0	0.0	931.0	0.0	931.0	0.0	934.0	2.5	931.0	0.0	931.0	0.0	931.0	0.0	934.1	3.0
5182	934.5	924.0	0.0	926.3	0.0	929.0	0.0	934.0	0.0	924.0	0.0	926.6	0.0	929.3	0.0	934.1	0.0
5183	919.5	924.4	8.5	926.7	12.0	929.3	25.0	934.6	32.5	924.4	8.5	927.0	12.0	929.6	25.5	934.6	32.5
5184	921.0	924.3	6.0	926.7	10.5	929.3	18.5	934.4	32.0	924.4	6.5	926.9	11.0	929.6	18.5	934.5	32.0
5185	931.0	925.0	0.0	927.4	0.0	930.0	0.0	935.5	12.0	925.1	0.0	927.6	0.0	930.2	0.0	935.5	12.5
5186	935.5	925.1	0.0	927.5	0.0	930.0	0.0	935.5	0.5	925.1	0.0	927.7	0.0	930.3	0.0	935.7	0.5
5187	925.5	925.9	1.5	928.3	6.0	930.9	10.5	936.6	31.5	926.0	2.0	928.5	7.0	931.1	11.5	936.7	31.5
5188	936.0	926.0	0.0	928.3	0.0	930.9	0.0	936.7	2.0	926.0	0.0	928.5	0.0	931.1	0.0	936.7	2.5
5189	916.0	925.9	16.5	928.3	28.0	930.9	32.0	936.6	37.5	926.0	17.0	928.5	28.5	931.1	32.0	936.7	37.5
5190	923.0	926.5	6.5	929.4	10.5	932.1	20.0	936.9	32.0	926.6	6.5	929.6	11.0	932.3	20.0	937.0	32.0
5191	923.0	926.5	6.5	929.4	10.5	932.1	20.0	936.9	32.0	926.6	6.5	929.6	11.0	932.3	20.0	937.0	32.0
5206	931.5	921.6	0.0	924.3	0.0	927.2	0.0	932.0	3.0	921.7	0.0	924.8	0.0	927.6	0.0	932.1	3.5
5207	935.5	922.1	0.0	924.8	0.0	927.6	0.0	932.5	0.0	922.2	0.0	925.1	0.0	928.0	0.0	932.5	0.0
5208	932.5	928.7	0.0	928.7	0.0	928.7	0.0	930.1	0.0	928.7	0.0	928.7	0.0	928.7	0.0	930.2	0.0
5210	936.5	922.1	0.0	924.8	0.0	927.6	0.0	932.5	0.0	922.2	0.0	925.1	0.0	928.0	0.0	932.5	0.0
5212	933.0	924.4	0.0	926.7	0.0	929.3	0.0	934.6	5.0	924.4	0.0	927.0	0.0	929.6	0.0	934.6	5.0
5279	923.0	915.6	0.0	920.3	0.0	915.6	0.0	927.1	13.5	915.6	0.0	921.1	0.0	923.9	5.0	927.2	14.0
7002	920.5	913.0	0.0	915.8	0.0	918.0	0.0	921.8	5.5	913.3	0.0	919.4	0.0	921.8	5.5	923.5	10.5
7003	910.0	911.5	8.5	913.8	15.0	914.0	18.0	914.5	23.5	912.7	11.0	918.7	13.0	920.9	14.5	922.0	19.5
7100	936.0	926.8	0.0	929.6	0.0	932.3	0.0	937.2	4.5	926.8	0.0	929.8	0.0	932.5	0.0	937.3	4.5
7101	935.0	927.1	0.0	929.9	0.0	932.5	0.0	937.6	8.5	927.1	0.0	930.1	0.0	932.7	0.0	937.6	9.0
7102	925.5	927.8	5.0	930.6	9.0	933.1	15.5	938.3	31.5	927.9	5.0	930.7	9.5	933.3	15.5	938.3	31.5
7103	934.0	927.8	0.0	930.6	0.0	933.1	0.0	938.3	12.0	927.9	0.0	930.7	0.0	933.3	0.0	938.3	12.5
7104	938.0	927.8	0.0	930.6	0.0	933.1	0.0	938.3	1.5	927.9	0.0	930.7	0.0	933.3	0.0	938.3	1.5
7105	938.0	927.8	0.0	930.6	0.0	933.1	0.0	938.3	1.5	927.9	0.0	930.7	0.0	933.3	0.0	938.3	1.5
7106	937.0	927.8	0.0	930.6	0.0	933.1	0.0	938.3	4.0	927.9	0.0	930.7	0.0	933.3	0.0	938.3	4.0
7107	934.5	928.1	0.0	930.8	0.0	933.4	0.0	938.5	11.5	928.1	0.0	930.9	0.0	933.5	0.0	938.6	12.0
7108	923.0	928.1	8.5	930.8	12.0	933.4	27.0	938.5	32.5	928.1	8.5	930.9	12.0	933.5	27.0	938.6	32.5
7109	938.5	928.1	0.0	930.8	0.0	933.4	0.0	938.5	0.0	928.1	0.0	930.9	0.0	933.5	0.0	938.6	0.5
7110	927.0	918.3	0.0	921.2	0.0	924.2	0.0	928.3	6.0	918.4	0.0	922.1	0.0	925.0	0.0	928.3	7.5

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
8360	918.0	919.9	5.0	920.7	11.5	921.0	13.5	922.2	16.0	919.9	5.0	920.7	11.5	921.7	13.5	922.7	16.0
8465	924.0	920.3	0.0	923.0	0.0	925.9	4.5	930.6	22.5	920.4	0.0	923.4	0.0	926.6	7.0	930.6	22.5
8466	927.0	920.3	0.0	923.0	0.0	925.9	0.0	930.6	12.0	920.4	0.0	923.4	0.0	926.6	0.0	930.6	13.0
8467	925.5	920.3	0.0	923.0	0.0	925.9	1.5	930.6	16.5	920.4	0.0	923.4	0.0	926.6	4.0	930.6	17.0
8468	929.0	920.3	0.0	923.0	0.0	925.9	0.0	930.6	6.0	920.4	0.0	923.4	0.0	926.6	0.0	930.6	7.0
8473	926.5	920.3	0.0	923.0	0.0	925.9	0.0	930.6	13.5	920.4	0.0	923.4	0.0	926.6	1.0	930.6	14.0
8475	929.0	920.3	0.0	923.0	0.0	925.9	0.0	930.6	6.0	920.4	0.0	923.4	0.0	926.6	0.0	930.6	7.0
8476	928.0	920.3	0.0	923.0	0.0	925.9	0.0	930.6	9.0	920.4	0.0	923.4	0.0	926.6	0.0	930.6	10.0
8528	922.0	913.8	0.0	916.7	0.0	919.1	0.0	923.4	5.0	914.1	0.0	919.7	0.0	922.2	2.0	924.2	9.5
8687	924.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	10.0	915.6	0.0	921.1	0.0	923.9	0.0	927.2	11.5
8688	924.5	915.6	0.0	920.3	0.0	922.5	0.0	927.1	9.0	915.6	0.0	921.1	0.0	923.9	0.0	927.2	10.5
8689	925.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	7.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	9.5
8690	925.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	7.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	9.5
8691	926.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	4.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	5.5
8692	925.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	7.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	9.5
8693	924.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	10.0	915.6	0.0	921.1	0.0	923.9	0.0	927.2	11.5
8694	924.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	10.0	915.6	0.0	921.1	0.0	923.9	0.0	927.2	11.5
8695	926.0	916.7	0.0	920.3	0.0	922.5	0.0	927.4	4.5	916.7	0.0	921.1	0.0	924.0	0.0	927.5	5.5
8696	925.0	916.7	0.0	920.3	0.0	922.5	0.0	927.4	7.5	916.7	0.0	921.1	0.0	924.0	0.0	927.5	9.5
8697	923.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	13.5	915.6	0.0	921.1	0.0	923.9	5.0	927.2	14.0
8698	919.0	915.6	0.0	920.3	9.5	922.5	13.5	927.1	29.0	915.6	0.0	921.1	10.0	923.9	13.5	927.2	29.0
8699	918.5	915.6	0.0	920.3	11.0	922.5	14.0	927.1	30.5	915.6	0.0	921.1	11.0	923.9	14.5	927.2	30.5
8702	918.5	915.6	0.0	920.3	11.0	922.5	14.0	927.1	30.5	915.6	0.0	921.1	11.0	923.9	14.5	927.2	30.5
8703	926.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	4.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	5.5
8704	918.5	915.6	0.0	920.3	11.0	922.5	14.0	927.1	30.5	915.6	0.0	921.1	11.0	923.9	14.5	927.2	30.5
8705	923.5	915.6	0.0	920.3	0.0	922.5	0.0	927.1	12.0	915.6	0.0	921.1	0.0	923.9	3.5	927.2	12.5
8706	919.5	915.6	0.0	920.3	9.0	922.5	13.0	927.1	27.5	915.6	0.0	921.1	10.0	923.9	13.0	927.2	27.5
8707	918.5	915.6	0.0	920.3	11.0	922.5	14.0	927.1	30.5	915.6	0.0	921.1	11.0	923.9	14.5	927.2	30.5
8708	927.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	0.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	1.5
8709	924.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	10.0	915.6	0.0	921.1	0.0	923.9	0.0	927.2	11.5
8710	920.0	915.6	0.0	920.3	7.5	922.5	12.5	927.1	25.5	915.6	0.0	921.1	9.0	923.9	12.5	927.2	25.5
8711	922.5	915.6	0.0	920.3	0.0	922.5	0.0	927.1	15.0	915.6	0.0	921.1	0.0	923.9	5.5	927.2	15.0
8714	926.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	4.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	5.5
8715	926.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	4.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	5.5
8716	925.5	915.6	0.0	920.3	0.0	922.5	0.0	927.1	5.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	7.5
8717	925.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	7.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	9.5
8727	926.0	916.5	0.0	919.6	0.0	922.5	0.0	927.1	4.5	916.6	0.0	921.1	0.0	923.9	0.0	927.1	5.5
8728	922.0	916.5	0.0	919.6	0.0	922.5	2.0	927.1	17.0	916.6	0.0	921.1	0.0	923.9	6.5	927.1	16.5
8729	925.0	916.5	0.0	919.6	0.0	922.5	0.0	927.1	7.5	916.6	0.0	921.1	0.0	923.9	0.0	927.1	9.5
8772	925.0	918.0	0.0	920.3	0.0	922.5	0.0	929.9	7.5	918.0	0.0	921.1	0.0	924.0	0.0	929.9	9.5
8773	926.0	918.0	0.0	920.3	0.0	922.5	0.0	929.9	5.5	918.0	0.0	921.1	0.0	924.0	0.0	929.9	6.0
8775	926.0	916.7	0.0	920.3	0.0	922.5	0.0	927.4	4.5	916.7	0.0	921.1	0.0	924.0	0.0	927.5	5.5
8779	926.0	920.4	0.0	923.5	0.0	926.6	2.5	931.3	16.5	920.5	0.0	924.0	0.0	927.1	4.5	931.4	16.5
8780	922.0	920.4	0.0	923.5	7.5	926.6	11.0	931.3	31.0	920.5	0.0	924.0	8.5	927.1	11.5	931.4	31.0
8781	921.5	920.4	0.0	923.5	8.0	926.6	11.5	931.3	31.0	920.5	0.0	924.0	8.5	927.1	11.5	931.4	31.0
8782	929.0	921.2	0.0	924.0	0.0	926.9	0.0	931.7	9.5	921.3	0.0	924.5	0.0	927.3	0.0	931.8	10.0
8783	921.0	920.4	0.0	923.5	8.0	926.6	11.5	931.3	31.0	920.5	0.0	924.0	8.5	927.1	12.5	931.4	31.0
8784	921.0	920.4	0.0	923.5	8.0	926.6	11.5	931.3	31.0	920.5	0.0	924.0	8.5	927.1	12.5	931.4	31.0
8786	928.0	920.2	0.0	923.2	0.0	926.1	0.0	930.8	9.5	920.4	0.0	923.8	0.0	926.6	0.0	930.9	10.5
8788	927.5	926.0	0.0	926.0	0.0	926.0	0.0	930.4	10.0	926.0	0.0	926.0	0.0	926.1	0.0	930.5	11.0
8789	916.0	919.3	6.0	922.4	10.5	925.2	17.0	930.3	31.5	919.4	6.0	923.0	11.5	925.8	17.5	930.3	31.5
8790	933.0	920.5	0.0	923.4	0.0	926.3	0.0	931.0	0.0	920.6	0.0	923.9	0.0	926.7	0.0	931.1	0.0
8791	932.0	920.1	0.0	923.1	0.0	926.0	0.0	930.6	0.0	920.2	0.0	923.6	0.0	926.5	0.0	930.7	0.0
8792	920.0	919.9	0.0	922.9	5.5	925.8	11.0	930.4	31.0	920.0	0.5	923.5	8.5	926.3	12.0	930.4	31.0
8793	908.0	919.9	19.0	922.9	31.5	925.8	32.0	930.4	37.5	920.0	19.0	923.5	31.5	926.3	32.0	930.4	37.5
8794	927.0	919.9	0.0	922.9	0.0	925.8	0.0	930.4	11.0	920.0	0.0	923.5	0.0	926.3	0.0	930.4	12.0
8795	927.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	10.5	919.8	0.0	923.3	0.0	926.1	0.0	930.2	11.5
8796	926.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	13.5	919.8	0.0	923.3	0.0	926.1	2.5	930.2	14.0

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
		Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation
8797	926.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	13.5	919.8	0.0	923.3	0.0	926.1	2.5	930.2	14.0
8798	926.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	13.5	919.8	0.0	923.3	0.0	926.1	2.5	930.2	14.0
8799	928.0	919.5	0.0	922.6	0.0	925.4	0.0	929.9	7.5	919.6	0.0	923.1	0.0	925.9	0.0	929.9	8.5
8801	918.0	919.7	4.0	922.7	8.5	925.6	14.0	930.1	31.5	919.8	4.0	923.3	10.0	926.1	14.0	930.2	31.5
8802	927.5	919.7	0.0	922.7	0.0	925.6	0.0	930.1	9.5	919.8	0.0	923.3	0.0	926.1	0.0	930.2	10.5
8803	923.5	919.7	0.0	922.7	0.0	925.6	4.5	930.1	24.0	919.8	0.0	923.3	0.0	926.1	7.5	930.2	24.0
8806	926.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	13.5	919.8	0.0	923.3	0.0	926.1	2.5	930.2	14.0
8807	926.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	13.5	919.8	0.0	923.3	0.0	926.1	2.5	930.2	14.0
8808	925.0	919.7	0.0	922.7	0.0	925.6	2.5	930.1	18.0	919.8	0.0	923.3	0.0	926.1	4.5	930.2	18.0
8809	922.5	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0
8810	924.5	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0	#N/A	0.0
8812	927.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	10.5	919.8	0.0	923.3	0.0	926.1	0.0	930.2	11.5
8813	923.5	919.7	0.0	922.7	0.0	925.6	4.5	930.1	24.0	919.8	0.0	923.3	0.0	926.1	7.5	930.2	24.0
8814	926.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	13.5	919.8	0.0	923.3	0.0	926.1	2.5	930.2	14.0
8816	921.0	919.7	0.0	922.7	4.5	925.6	8.0	930.1	31.0	919.8	0.0	923.3	7.0	926.1	10.5	930.2	31.0
8817	922.0	919.7	0.0	922.7	2.5	925.6	7.0	930.1	30.0	919.8	0.0	923.3	5.0	926.1	9.5	930.2	30.0
8818	920.0	919.7	0.0	922.7	5.5	925.6	10.5	930.1	31.0	919.8	0.0	923.3	8.0	926.1	11.5	930.2	31.0
8819	919.0	919.7	2.5	922.7	7.0	925.6	12.5	930.1	31.5	919.8	2.5	923.3	9.5	926.1	13.0	930.2	31.5
8820	919.5	919.7	1.0	922.7	6.5	925.6	11.5	930.1	31.0	919.8	1.5	923.3	9.0	926.1	12.5	930.2	31.0
8821	927.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	10.5	919.8	0.0	923.3	0.0	926.1	0.0	930.2	11.5
8822	928.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	8.0	919.8	0.0	923.3	0.0	926.1	0.0	930.2	9.0
8823	928.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	8.0	919.8	0.0	923.3	0.0	926.1	0.0	930.2	9.0
8825	922.0	919.7	0.0	922.7	2.5	925.6	7.0	930.1	30.0	919.8	0.0	923.3	5.0	926.1	9.5	930.2	30.0
8827	928.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	8.0	919.8	0.0	923.3	0.0	926.1	0.0	930.2	9.0
8828	918.0	919.7	4.0	922.7	8.5	925.6	14.0	930.1	31.5	919.8	4.0	923.3	10.0	926.1	14.0	930.2	31.5
8829	923.0	919.7	0.0	922.7	0.0	925.6	5.0	930.1	26.0	919.8	0.0	923.3	3.0	926.1	8.0	930.2	26.5
8830	923.0	919.7	0.0	922.7	0.0	925.6	5.0	930.1	26.0	919.8	0.0	923.3	3.0	926.1	8.0	930.2	26.5
8831	929.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	4.5	919.8	0.0	923.3	0.0	926.1	0.0	930.2	5.5
8834	927.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	10.5	919.8	0.0	923.3	0.0	926.1	0.0	930.2	11.5
8835	928.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	8.0	919.8	0.0	923.3	0.0	926.1	0.0	930.2	9.0
8836	928.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	8.0	919.8	0.0	923.3	0.0	926.1	0.0	930.2	9.0
8838	924.0	924.9	2.5	925.2	3.0	925.4	4.0	925.9	7.0	924.9	2.5	925.2	3.0	925.4	4.0	925.8	8.5
8856	915.0	912.0	0.0	912.8	0.0	913.4	0.0	915.5	2.5	911.6	0.0	918.6	7.5	921.0	9.5	922.4	12.5
8919	908.0	911.8	5.5	912.6	11.0	913.2	16.0	914.5	31.5	911.5	7.0	918.6	12.5	921.0	17.0	922.4	31.5
8922	912.0	911.7	0.0	913.0	7.0	913.4	10.5	914.7	30.0	911.4	0.0	918.6	11.5	921.0	13.5	922.4	29.0
9054	915.0	912.3	0.0	912.6	0.0	913.7	0.0	914.5	0.0	914.6	0.0	918.7	7.5	920.9	9.5	921.9	12.5
9055	916.0	912.3	0.0	912.6	0.0	913.7	0.0	914.5	0.0	914.6	0.0	918.7	7.0	920.9	9.5	921.9	11.5
9056	918.0	916.5	0.0	917.0	0.0	919.1	1.0	919.1	1.0	914.6	0.0	918.7	4.0	920.9	7.0	921.9	9.5
9112	911.5	920.2	12.5	923.2	15.0	926.1	31.5	930.8	33.5	920.4	13.5	923.8	15.5	926.6	31.5	930.9	33.5
9115	923.0	920.4	0.0	923.5	2.0	926.6	6.5	931.3	28.5	920.5	0.0	924.0	4.5	927.0	9.0	931.3	29.0
9116	920.5	920.4	0.0	923.5	6.5	926.6	11.5	931.3	31.0	920.5	0.0	924.0	8.5	927.0	12.0	931.3	31.0
9119	936.0	929.0	0.0	931.7	0.0	934.1	0.0	939.3	9.5	929.1	0.0	931.7	0.0	934.2	0.0	939.3	10.0
9120	933.0	921.2	0.0	924.0	0.0	926.9	0.0	931.7	0.0	921.3	0.0	924.5	0.0	927.3	0.0	931.8	0.0
9152	921.0	920.6	0.0	921.4	2.0	922.1	5.0	925.1	16.0	920.8	0.0	922.1	1.5	923.4	9.0	925.6	15.5
9153	924.0	916.9	0.0	920.0	0.0	922.9	0.0	927.0	11.5	917.0	0.0	921.3	0.0	924.1	1.5	927.0	12.5
9157	926.0	918.2	0.0	921.2	0.0	924.1	0.0	928.1	9.0	918.3	0.0	922.1	0.0	924.9	0.0	928.1	10.0
9162	919.5	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	6.0	923.5	10.0
9164	920.5	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	4.0	923.5	9.0
9165	920.0	916.4	0.0	916.5	0.0	916.5	0.0	916.8	0.0	916.4	0.0	918.6	0.0	921.6	4.5	923.5	9.5
9179	927.0	919.7	0.0	922.7	0.0	925.6	0.0	930.1	10.5	919.8	0.0	923.3	0.0	926.1	0.0	930.2	11.5
9226	922.5	919.5	0.0	920.2	0.0	920.5	0.0	921.4	0.0	919.5	0.0	920.2	0.0	921.3	0.0	922.4	0.0
9227	916.0	919.5	7.5	920.2	14.5	920.5	16.5	921.4	19.0	919.5	7.0	920.2	14.0	921.3	16.0	922.4	19.0
9228	916.0	919.5	7.5	920.2	14.5	920.5	16.5	921.4	19.0	919.5	7.0	920.2	14.0	921.3	16.0	922.4	19.0
9229	922.0	919.5	0.0	920.2	0.0	920.5	0.0	921.4	0.0	919.5	0.0	920.2	0.0	921.3	0.0	922.4	3.0
9230	916.0	919.5	7.5	920.2	14.5	920.5	16.5	921.4	19.0	919.5	7.0	920.2	14.0	921.3	16.0	922.4	19.0
9231	921.0	915.7	0.0	917.7	0.0	918.2	0.0	920.0	0.0	915.3	0.0	919.2	0.0	921.1	1.0	922.2	5.0
9233	917.5	910.3	0.0	914.8	0.0	916.6	0.0	919.1	7.0	910.3	0.0	918.9	5.5	921.4	8.5	923.0	12.0
9235	924.0	914.7	0.0	917.6	0.0	920.1	0.0	924.8	3.5	914.9	0.0	920.1	0.0	922.6	0.0	925.0	7.5

Depth, Duration, Frequency Impact Table by OIN

Aug-25

OIN	Approx Field Elevation	Existing Conditions (without Project)								With-Project Conditions							
		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood		20-Year Flood		50-Year Flood		100-Year Flood		500-Year Flood	
		Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation	Max Water Surface Elevation	Approx Days Above Field Elevation
		Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation	Elevation
9236	923.0	914.7	0.0	917.6	0.0	920.1	0.0	924.8	5.5	914.9	0.0	920.1	0.0	922.6	0.0	925.0	9.0
9237	924.0	914.7	0.0	917.6	0.0	920.1	0.0	924.8	3.5	914.9	0.0	920.1	0.0	922.6	0.0	925.0	7.5
9258	922.0	915.1	0.0	918.0	0.0	920.6	0.0	925.7	10.0	915.2	0.0	920.2	0.0	922.9	4.5	925.9	11.5
9337	908.0	911.9	9.5	912.7	16.0	913.2	18.5	914.5	29.0	911.6	7.0	918.6	12.5	921.0	17.0	922.3	31.5
9349	910.0	911.8	4.0	912.6	10.5	913.2	13.5	914.5	29.5	911.5	4.5	918.6	11.5	921.0	14.5	922.4	31.0
9352	910.0	911.9	8.0	912.7	14.0	913.2	17.0	914.5	27.5	911.6	4.5	918.6	11.5	921.0	14.5	922.3	31.0
9363	910.0	911.8	4.0	912.6	10.5	913.2	13.5	914.5	29.5	911.5	4.5	918.6	11.5	921.0	14.5	922.4	31.0
9404	913.0	911.8	0.0	912.6	0.0	913.2	2.5	914.5	12.0	911.5	0.0	918.6	9.5	921.0	11.0	922.4	17.0
9412	910.0	911.8	4.0	912.6	10.5	913.2	13.5	914.5	29.5	911.5	4.5	918.6	11.5	921.0	14.5	922.4	31.0
9417	914.5	911.8	0.0	913.3	0.0	914.9	3.0	917.6	16.5	911.8	0.0	918.6	8.5	921.1	10.0	922.4	17.0
9419	914.0	911.8	0.0	913.3	0.0	914.9	4.5	917.6	20.0	911.8	0.0	918.6	8.5	921.1	10.5	922.4	20.0
9420	912.5	911.8	0.0	913.3	4.0	914.9	8.5	917.6	28.5	911.8	0.0	918.6	10.0	921.1	12.0	922.4	29.5
9422	914.0	911.8	0.0	913.3	0.0	914.9	4.5	917.6	20.0	911.8	0.0	918.6	8.5	921.1	10.5	922.4	20.0
9426	896.5	910.6	21.5	912.8	32.5	914.2	33.0	915.8	37.5	911.0	21.0	918.6	32.5	921.1	33.0	922.5	37.5
9427	896.5	910.6	21.5	912.9	32.5	914.2	33.0	916.0	37.5	911.1	21.5	918.6	32.5	921.1	33.0	922.5	37.5
9431	908.0	910.7	7.0	912.9	12.0	914.3	17.5	916.1	31.5	911.1	7.0	918.6	12.5	921.1	17.5	922.5	31.5
9438	906.0	910.7	9.5	912.9	14.0	914.3	21.5	916.1	32.0	911.1	10.0	918.6	14.0	921.1	21.5	922.5	32.0
9670	915.0	911.2	0.0	913.6	0.0	915.2	2.5	917.4	15.5	911.6	0.0	918.7	8.5	921.2	10.0	922.7	16.0
9671	912.0	911.2	0.0	913.6	6.5	915.2	10.5	917.4	30.5	911.6	0.0	918.7	10.0	921.2	12.5	922.7	31.0
9995	902.0	910.5	13.5	912.7	18.0	914.0	31.0	915.6	33.0	910.9	14.0	918.6	18.0	921.0	31.0	922.5	33.0
9998	900.0	910.5	16.0	912.7	21.0	914.0	32.0	915.6	33.5	910.9	16.0	918.6	21.0	921.0	32.0	922.5	33.5
1099X	910.5	905.3	0.0	910.7	2.0	911.8	8.0	912.6	14.0	912.7	8.5	918.7	9.5	920.9	11.0	921.9	14.0
1462A	923.0	915.6	0.0	920.3	0.0	922.5	0.0	927.1	13.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	0.0
1462B	921.5	915.6	0.0	920.3	0.0	922.5	3.5	927.1	19.0	915.6	0.0	921.1	0.0	923.9	0.0	927.2	0.0
1462C	925.5	915.6	0.0	920.3	0.0	922.5	0.0	927.1	5.5	915.6	0.0	921.1	0.0	923.9	0.0	927.2	0.0
1994X	916.0	912.6	0.0	913.0	0.0	913.9	0.0	920.5	12.0	912.6	0.0	918.5	0.0	921.6	0.0	923.4	0.0